

MONTHLY RETURN

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN EIGHT OF THE PRINCIPAL TOWNS OF SCOTLAND;

WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

JANUARY 1890.

Published by Authority of the Registrar-General.

REPORT.

DURING the month of January 1890 there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Greenock, Leith, Paisley, and Perth, the Births of 3808 children, of whom 1925 were males and 1883 females. Of these, 3488 were legitimate and 320 illegitimate, being in the proportion of one illegitimate in every 11·9 Births; or the illegitimate Births constituted 8·4 per cent. of the whole. In Greenock, 4·3 per cent. of the Births were illegitimate; in Paisley, 4·9; in Leith, 6·9; in Aberdeen, 8·0; in Glasgow, 8·3; in Edinburgh, 8·8; in Perth, 12·2; and in Dundee, 12·5 per cent.

1466 Marriages were registered in these Towns during January, being 29 below the average for the month during the last ten years, allowing for increase of the population.

The Deaths of 3099 persons were registered in these Towns during the month, of whom 1599 were males and 1500 females. Allowing for increase of the population, this number is 230 above the January average of the last ten years, increase of the population being allowed for.

A comparison of the Deaths registered shows that during January the mortality was at the annual rate of 16·9 Deaths per thousand persons in Greenock, 21·6 in Perth, 22·4 in Paisley, 23·4 in Leith, 26·2 in Aberdeen, 28·1 in Glasgow, 28·8 in Edinburgh, and 31·5 in Dundee.

Of the 1264 Deaths registered in Glasgow, 229 were of children under one year of age, and 217 of persons over 60 years; of the 664 in Edinburgh, 101 were of children under one year, and 155 of persons over 60 years; of the 444 in Dundee, 112 were under one year, and 94 over 60; of the 275 in Aberdeen, 45 were under one year, and 85 over 60; of the 114 in Greenock, 19 were under one year, and 21 over 60; of the 156 in Leith, 39 were under one, and 26 over 60; of the 121 in Paisley, 23 were under one, and 26 over 60; and of the 61 in Perth, 11 were under one, and 20 over 60 years.

Of the whole 3099 Deaths, 1154, or 37·2 per cent., were of children under five years of age. In Perth, 26·2 per cent. of the persons who died were under five years of age; in Aberdeen, 26·5; in Greenock, 31·6; in Edinburgh, 34·6; in Paisley, 35·5; in Glasgow, 40·0; in Dundee, 40·3; and in Leith, 45·5 per cent.

Miasmatic Diseases caused 393 Deaths, or 12·7 per cent. of the whole mortality. This rate was exceeded in Edinburgh from the prevalence of Measles, and in Leith from that of Scarlatina.

Fever caused 27 Deaths, of which 4 were tabulated as Typhus, 20 as Enteric, and 3 as Simple Continued Fever. Three of the deaths from Typhus occurred in Glasgow, and one in Greenock.

Measles caused 140 Deaths, or 4·5 per cent. of the whole. In Edinburgh 10·7 per cent. of the Deaths were attributed to Measles, in Glasgow, 4·6, and in Leith, 3·2 per cent.

Hooping-Cough caused 107 Deaths, or 3·5 per cent. of the mortality.

To Scarlatina were attributed 38 Deaths, of which 18 occurred in Leith, being at the rate of 11·5 per cent. of the Deaths in that Town.

Diphtheria caused 43 Deaths; Diarrhoea and Dysentery, 31; and Puerperal Fever, 10.

75 Deaths were attributed to Apoplexy, 60 to Paralysis, 226 to Diseases of the Heart, and 66 to Premature Birth Debility.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 874, or 28·2 per cent. Those from Consumption alone numbered 302, or 9·7 per cent. 29 Deaths were ascribed to Croup.

106 Deaths resulted from Violent Causes, of which 8 were suicides. 9 Deaths were attributed to Chronic Alcoholism, and 4 to Delirium Tremens.

Two males and six females were aged 90 years and upwards, the eldest of whom was a female domestic servant, who was aged 99 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES.

JANUARY 1890.

TOWNS.	POPULATION.*			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1871.	Census 1881.	Estimated to middle of 1890.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW, . . .	491,846	511,415	530,208	858	848	1706	1505	141	708	680	584	1264
EDINBURGH, . .	200,277	234,402	271,135	311	326	637	581	56	203	357	307	664
DUNDEE, . . .	120,724	142,455	166,027	215	218	433	379	54	192	207	237	444
ABERDEEN, . .	88,181	105,076	123,600	149	164	313	288	25	90	113	162	275
GREENOCK, . .	59,794	69,238	79,312	122	88	210	201	9	91	65	49	114
LEITH, . . .	46,172	60,843	78,538	124	109	233	217	16	67	80	76	156
PAISLEY, . . .	48,257	55,638	63,469	109	93	202	192	10	81	62	59	121
PERTH, . . .	26,382	29,756	33,274	37	37	74	65	9	29	35	26	61
TOTAL, . . .	1,081,633	1,208,823	1,345,563	1925	1883	3808	3488	320	1466	1599	1500	3099

JANUARY 1889, . . .	Mean Temp. 39°·6	1952	1746	3698	3394	304	1370	1229	1305	2537
JANUARY 1888, . . .	Mean Temp. 39°·0	1886	1738	3624	3318	306	1359	1308	1399	2707
JANUARY 1887, . . .	Mean Temp. 38°·6	1903	1779	3682	3315	367	1366	1357	1413	2770
JANUARY 1886, . . .	Mean Temp. 34°·9	1983	1821	3804	3480	324	1359	1113	1254	2372
JANUARY 1885, . . .	Mean Temp. 36°·7	1981	1849	3830	3474	356	1334	1610	1561	3171
JANUARY 1884, . . .	Mean Temp. 41°·0	1939	1847	3786	3455	331	1444	1216	1198	2414
JANUARY 1883, . . .	Mean Temp. 39°·4	2033	1962	3995	3629	366	1605	1473	1516	2989
JANUARY 1882, . . .	Mean Temp. 42°·5	1834	1851	3685	3385	300	1528	1136	1220	2356
JANUARY 1881, . . .	Mean Temp. 28°·3	1765	1720	3485	3183	302	1514	1499	1713	3212
JANUARY 1880, . . .	Mean Temp. 37°·8	1908	1773	3681	3391	290	1252	1310	1284	2594

DEATHS from Small-pox, Measles, Scarlatina, Diphtheria, Hooping-Cough, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of January 1890.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Hooping-Cough.	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Hooping-Cough.	Fevers.	Diarrhoea.
GLASGOW—								DUNDEE—							
1. Bridgeton, . .	0	9	3	3	11	5	1	1. St Peter, . .	0	1	0	1	6	0	2
2. Camlachie, . .	0	1	0	0	1	2	0	2. St Mary, . .	0	1	0	3	3	0	0
3. Dennistoun, . .	0	5	0	0	3	0	0	3. St Clement, . .	0	0	0	1	2	0	2
4. Calton, . . .	0	1	0	0	1	2	0	4. St Andrew, . .	0	0	0	5	6	0	5
5. Blackfriars, . .	0	8	0	0	3	0	0	5. Lochee, . . .	0	0	0	0	3	0	2
6. St Rollox, . . .	0	2	0	1	3	1	0	ABERDEEN—							
7. Blythswood, . .	0	3	0	0	1	0	1	1. St Nicholas, . .	0	2	0	0	4	3	2
8. Milton, . . .	0	5	0	0	1	0	1	2. Aberdeen, . .	0	1	0	1	3	1	1
9. Kelvin, . . .	0	0	3	2	1	2	0	3. Woodside, . .	0	1	0	0	0	0	0
10. Anderston, . .	0	0	0	0	4	0	1	4. Old Aberdeen, .	0	0	0	0	0	0	0
11. Hutchesontown, .	0	15	1	1	10	0	0	GREENOCK—							
12. Gorbals, . . .	0	7	3	1	4	0	1	1. East, . . .	0	0	0	1	0	1	0
13. Tradeston, . .	0	1	0	0	0	0	0	2. Middle, . . .	0	0	0	1	0	0	1
14. Kinning Park, .	0	1	1	0	0	1	0	3. West, . . .	0	0	2	1	0	1	1
EDINBURGH—								LEITH—							
1. St George, . .	0	15	0	6	9	0	0	1. North, . . .	0	0	5	0	4	1	0
2. St Andrew, . .	0	18	1	0	9	1	0	2. South, . . .	0	5	13	4	0	1	2
3. Canongate, . .	0	15	2	8	3	1	1	PAISLEY, . . .	0	0	1	0	5	2	2
4. St Giles, . . .	0	13	0	1	4	1	0	PERTH, . . .	0	0	3	0	1	0	0
5. Newington, . .	0	10	0	2	2	1	3								

* NOTE.—The Population here given is that of the various Registration Districts, which in some cases differs slightly from that of the Parliamentary Burghs in consequence of some of the Districts including small fragments of the extra burghal population.

Registered during the Month of JANUARY 1890.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - -	3099	506	107	434	217	1264	230	64	215	155	664	179	27	144	94	444	73	20	97	85	275
I. SPECIFIC FEBRILE OR ZYMOTIC DIS.	477	127	15	18	4	164	109	17	11	7	144	47	3	8	3	61	16	6	14	5	41
II. PARASITIC DISEASE	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC „	15	-	-	4	2	6	-	-	3	-	3	-	-	2	-	2	2	-	-	-	2
IV. CONSTITUTIONAL „	474	44	29	121	6	200	8	19	58	16	101	8	9	32	10	59	1	4	24	5	34
V. DEVELOPMENTAL „	194	31	-	-	42	73	12	-	-	24	36	14	-	-	12	26	6	-	-	21	27
VI. LOCAL „	1723	245	57	250	150	702	90	27	132	100	349	88	14	97	68	267	44	9	56	54	163
VII. VIOLENCE - -	106	14	5	28	8	55	4	1	11	6	22	9	1	-	1	11	2	1	2	-	5
VIII. ILL-DEFINED & NOT SPECIFIED CAUSES	109	44	1	13	5	63	7	-	-	2	9	13	-	5	-	18	2	-	1	-	3
I.																					
1. MIASMATIC DISEASES -	393	115	14	9	2	140	104	17	5	4	130	32	3	3	3	41	12	6	7	3	28
2. DIARRHEAL „ -	31	3	1	1	-	5	3	-	-	1	4	12	-	1	-	13	2	-	1	-	3
3. MALARIAL „ -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. ZOOGENOUS „ -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. VENEREAL „ -	16	8	-	-	-	8	1	-	-	1	2	2	-	-	-	2	2	-	-	-	2
6. SEPTIC „ -	37	1	-	8	2	11	1	-	6	1	8	1	-	4	-	5	-	-	6	2	8
II.																					
PARASITIC DISEASES -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																					
DIETETIC DISEASES - -	15	-	-	4	2	6	-	-	3	-	3	-	-	2	-	2	2	-	-	-	2
IV.																					
CONSTITUTIONAL DISEASES	474	44	29	121	6	200	8	19	58	16	101	8	9	32	10	59	1	4	24	5	34
V.																					
DEVELOPMENTAL DISEASES	194	31	-	-	42	73	12	-	-	24	36	14	-	-	12	26	6	-	-	21	27
VI.																					
1. DIS. OF NERVOUS SYSTEM -	311	52	13	24	37	126	14	4	22	20	60	9	-	13	10	32	13	2	8	11	34
2. „ ORGANS OF SPECIAL SENSE - -	5	2	1	2	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. „ CIRCULATORY SYSTEM	226	2	7	49	31	89	3	1	22	22	48	1	2	19	16	38	-	-	11	10	21
4. „ RESPIRATORY SYSTEM	874	154	15	119	55	343	68	8	64	42	182	71	5	49	38	163	27	5	20	28	80
5. „ DIGESTIVE SYSTEM -	176	32	4	27	19	82	4	7	9	7	27	6	3	10	1	20	4	1	7	4	16
6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS -	2	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
7. „ URINARY SYSTEM -	84	2	7	18	7	34	-	6	9	7	22	1	3	4	3	11	-	-	6	1	7
8. „ REPRODUCTIVE SYSTEM :-																					
(a) DISEASES OF ORGANS OF GENERATION -	6	-	-	3	1	4	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
(b) DISEASES OF PARTURITION -	15	-	1	5	-	6	-	1	4	-	5	-	-	1	-	1	-	-	1	-	1
9. „ ORGANS OF LOCOMOTION -	21	1	9	2	-	12	1	-	1	-	2	-	1	-	-	1	-	1	2	-	3
10. „ INTEGUMENTARY SYSTEM -	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

5

Registered during the Month of JANUARY 1890.

CAUSES OF DEATH.	GREENOCK.					LEITH.					PAISLEY.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - - -	36	13	44	21	114	71	19	40	26	156	43	5	47	26	121	16	8	17	20	61
I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES -	6	2	2	1	11	27	5	6	1	39	8	-	2	1	11	3	1	1	1	6
II. PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC " -	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
IV. CONSTITUTIONAL,, -	3	3	13	-	19	5	8	11	1	25	4	3	15	2	24	1	2	7	2	12
V. DEVELOPMENTAL,, -	3	-	-	3	6	6	-	-	3	9	3	-	-	10	13	1	-	-	3	4
VI. LOCAL " -	19	7	25	17	68	28	6	21	18	73	23	2	28	13	66	9	5	8	13	35
VII. VIOLENCE - - -	2	-	4	-	6	1	-	1	2	4	1	-	1	-	2	-	-	-	1	1
VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES -	3	1	-	-	4	4	-	-	-	4	4	-	1	-	5	2	-	1	-	3
I.																				
1. MIASMATIC DISEASES - -	5	1	1	-	7	26	5	2	1	34	6	-	2	1	9	2	1	1	-	4
2. DIARRHOEAL " - -	1	-	1	-	2	1	-	1	-	2	2	-	-	-	2	-	-	-	-	-
3. MALARIAL " - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. ZOOGENOUS " - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. VENEREAL " - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2
6. SEPTIC " - -	-	1	-	1	2	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-
II.																				
PARASITIC DISEASES - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																				
DIETETIC DISEASES - - -	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
IV.																				
CONSTITUTIONAL DISEASES - -	3	3	13	-	19	5	8	11	1	25	4	3	15	2	24	1	2	7	2	12
V.																				
DEVELOPMENTAL DISEASES - -	3	-	-	3	6	6	-	-	3	9	3	-	-	10	13	1	-	-	3	4
VI.																				
1. DISEASES OF NERVOUS SYSTEM -	9	2	6	5	22	5	2	5	5	17	3	-	6	4	13	-	2	2	3	7
2. " ORGANS OF SPECIAL SENSE - -	-	1	7	5	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. " CIRCULATORY SYSTEM - -	-	1	7	5	13	-	1	-	3	4	-	-	4	4	8	-	1	-	4	5
4. " RESPIRATORY SYSTEM - -	7	3	9	6	25	18	1	11	5	35	12	-	12	3	27	8	1	5	5	19
5. " DIGESTIVE SYSTEM - -	3	-	2	1	6	5	1	1	3	10	8	-	3	1	12	1	1	-	1	3
6. " LYMPHATIC SYSTEM AND DUCTLESS GLANDS - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7. " URINARY SYSTEM - -	-	1	1	-	2	-	1	2	2	5	-	-	1	1	2	-	-	1	-	1
8. " REPRODUCTIVE SYSTEM :-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) DISEASES OF ORGANS OF GENERATION - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) DISEASES OF PARTURITION - -	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
9. " ORGANS OF LOCOMOTION - -	-	-	-	-	-	-	-	-	-	-	-	2	1	-	3	-	-	-	-	-
10. " INTEGUMENTARY SYSTEM - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JANUARY 1890.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																					
1. ACCIDENT OR NEGLIGENCE	98	14	5	25	7	51	4	1	10	5	20	9	1	-	1	11	2	-	2	-	4
2. HOMICIDE - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. SUICIDE - - -	8	-	-	3	1	4	-	-	1	1	2	-	-	-	-	-	-	1	-	-	-
4. EXECUTION - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII.																					
ILL-DEFINED AND NOT SPECIFIED CAUSES - - -	109	44	1	13	5	63	7	-	-	2	9	13	-	5	-	18	2	-	1	-	3
MIASMATIC DISEASES.																					
Small-pox { Vaccinated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox - - -	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	140	54	4	-	-	58	65	6	-	-	71	2	-	-	-	2	4	-	-	-	4
Epidemic Rose Rash - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	38	7	4	-	-	11	1	1	1	-	3	-	-	-	-	-	-	-	-	-	-
Typhus - - -	4	1	-	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	36	1	-	2	2	5	1	-	3	4	8	3	-	3	3	9	1	2	6	3	12
Hooping-Cough - - -	107	42	1	-	-	43	27	-	-	-	27	19	1	-	-	20	7	-	-	-	7
Mumps - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria - - -	43	7	1	-	-	8	10	7	-	-	17	8	2	-	-	10	-	1	-	-	1
Cerebro-spinal Fever - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever	3	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Enteric Fever - - -	20	1	3	5	-	9	-	3	1	-	4	-	-	-	-	-	3	-	-	-	3
Other Miasmatic Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHEAL DISEASES.																					
Simple Cholera - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery - -	31	3	1	1	-	5	3	-	-	1	4	12	-	1	-	13	2	-	1	-	3
MALARIAL DISEASES.																					
Remittent Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																					
Hydrophobia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																					
Syphilis - - -	14	8	-	-	-	8	1	-	-	-	1	2	-	-	-	2	2	-	-	-	-
Gonorrhœa, Stricture of Urethra	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
SEPTIC DISEASES.																					
Phagedæna - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	18	1	-	4	2	7	-	-	2	1	3	1	-	2	-	3	-	-	1	1	-
Pyæmia, Septicæmia - -	8	-	-	2	-	2	1	-	1	-	2	-	-	1	-	1	-	-	1	1	-
Puerperal Fever - - -	10	-	-	2	-	2	-	-	3	-	3	-	-	1	-	1	-	-	4	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JANUARY 1890.

CAUSES OF DEATH.	GREENOCK.					LEITH.					PAISLEY.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																				
1. ACCIDENT OR NEGLIGENCE -	2	-	3	-	5	1	-	1	2	4	1	-	1	-	2	-	-	-	1	1
2. HOMICIDE -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. SUICIDE -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. EXECUTION -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII.																				
ILL-DEFINED AND NOT SPECIFIED CAUSES -	3	1	-	-	4	4	-	-	-	4	4	-	1	-	5	2	-	1	-	3
MIASMATIC DISEASES.																				
Small-pox { Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	-	-	-	-	-	5	-	-	-	5	-	-	-	-	-	-	-	-	-	-
Epidemic Rose Rash -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever -	2	-	-	-	2	12	5	1	-	18	1	-	-	-	1	1	1	1	-	3
Typhus -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza -	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-
Whooping-cough -	-	-	-	-	-	4	-	-	-	4	5	-	-	-	5	1	-	-	-	1
Mumps -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria -	2	1	-	-	3	4	-	-	-	4	-	-	-	-	-	-	-	-	-	-
Cerebro-spinal Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	-	-	-	-	-	1	-	1	-	2	-	-	2	-	2	-	-	-	-	-
Other Miasmatic Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHOEAL DISEASES.																				
Simple Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery -	1	-	1	-	2	1	-	1	-	2	2	-	-	-	2	-	-	-	-	-
MALARIAL DISEASES.																				
Remittent Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																				
Hydrophobia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																				
Syphilis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Gonorrhoea, Stricture of Urethra -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
SEPTIC DISEASES.																				
Phagedæna -	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyæmia, Septicæmia -	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-
Puerperal Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JANUARY 1890.

CAUSES OF DEATH.	GREENOCK.					LEITH.					PAISLEY.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Thrush - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Vegetable Parasites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Parasites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy - - - - -	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Delirium Tremens -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism of	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Heart - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1
Rheumatism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer - - - - -	-	-	1	-	1	-	1	1	2	3	2	1	-	2	5	-	2	2	2	4
Tabes Mesenterica - - - - -	-	-	-	-	-	2	1	-	-	3	-	-	-	3	-	-	-	-	-	-
Tubercular Meningitis (Acute	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrocephalus) - - - - -	-	-	-	-	-	2	1	-	-	3	-	-	-	-	-	-	-	-	-	-
Phthisis - - - - -	1	3	11	-	15	4	10	-	-	14	2	11	-	13	-	2	5	-	-	7
Other forms of Tuberculosis, Scrofula	2	-	-	-	2	1	2	-	-	3	2	-	-	2	-	-	-	-	-	-
Purpura, Hæmorrhagic Diathesis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chlorosis, Leucocythæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes Mellitus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Constitutional Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																				
Premature Birth - - - - -	3	-	-	-	3	6	-	-	-	6	2	-	-	-	2	1	-	-	-	1
Atelectasis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cyanosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Imperforate Anus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Old Age - - - - -	-	-	3	-	3	-	-	3	3	-	-	-	10	10	-	-	-	3	3	-
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Mem-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
branes - - - - -	5	-	1	-	6	2	1	-	-	3	3	-	-	-	3	-	1	-	-	1
Apoplexy - - - - -	-	-	3	2	5	-	4	2	2	6	-	-	2	3	5	-	1	1	3	4
Softening of Brain - - - - -	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Hemiplegia, Brain Paralysis -	-	-	1	1	2	-	1	2	3	-	-	2	1	3	-	-	1	-	1	-
Paralysis Agitans - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity, General Paralysis of Insane	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea - - - - -	-	1	-	-	1	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-
Epilepsy - - - - -	-	1	-	-	1	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-
Convulsions - - - - -	1	-	-	-	1	3	-	-	-	3	-	-	-	-	-	-	1	-	1	-
Laryngismus Stridulus - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Idiopathic Tetanus - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Diseases of Spinal Cord	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Nervous System	2	1	-	1	4	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Otorrhœa - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis and Dis. of Nose - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JANUARY 1890.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																					
Endocarditis, Valvular Dis. -	183	1	6	42	25	74	1	1	14	15	31	-	2	17	13	32	-	-	8	9	17
Pericarditis -	3	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1
Hypertrophy of Heart -	4	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	-	1	-	-
Angina Pectoris -	3	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Syncope -	19	-	-	5	2	7	2	-	2	7	11	-	-	-	-	-	-	-	1	-	1
Aneurism -	6	-	-	1	1	2	-	-	3	-	3	-	-	-	-	-	-	-	1	-	1
Senile Gangrene -	2	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Phlebitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Cir. System	5	1	-	-	-	1	-	-	1	-	1	1	-	1	1	3	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis -	11	1	1	-	-	2	-	-	-	-	-	1	-	-	-	1	3	-	-	-	3
Croup -	29	16	-	-	-	16	3	-	-	-	3	1	-	-	-	1	5	-	-	-	5
Other Dis. of Larynx & Trachea	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma -	7	-	-	1	-	1	1	1	1	1	4	-	-	2	-	2	-	-	-	-	-
Bronchitis -	434	62	2	55	36	155	38	3	23	26	90	44	2	27	23	101	10	2	10	20	42
Pneumonia -	302	54	9	49	11	123	23	4	32	8	67	22	3	17	6	48	6	1	9	6	22
Pleurisy -	19	3	-	2	2	7	1	-	4	2	7	-	-	-	-	-	1	-	-	-	1
Other Diseases of Resp. System	71	18	3	11	6	38	2	-	4	5	11	3	-	3	4	10	3	1	1	2	7
DISEASES OF DIGESTIVE SYSTEM.																					
Stomatitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dentition -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sore-throat, Quinsy -	24	10	-	-	-	10	2	-	-	-	2	1	-	-	-	1	3	-	-	-	3
Dyspepsia -	4	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmatemesis -	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Melæna -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach -	29	4	1	11	2	18	-	1	1	-	2	-	-	2	-	2	-	1	2	-	3
Enteritis -	19	3	-	2	3	8	1	1	-	-	2	4	1	-	-	5	-	-	-	-	-
Ulceration of Intestine -	3	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	14	1	2	2	1	6	-	-	2	2	4	1	-	1	-	2	-	-	1	-	1
Stricture or Strang. of Intestine	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Intussusception of Intestine -	3	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Hernia -	5	-	-	1	2	3	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Fistula -	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Peritonitis -	30	5	1	4	2	12	-	2	1	1	4	-	1	3	-	4	1	-	3	1	5
Ascites -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver -	10	-	-	3	1	4	-	-	2	1	3	-	-	3	-	3	-	-	-	-	-
Other Diseases of Liver -	23	4	-	3	7	14	-	-	1	2	3	-	-	1	-	1	-	-	-	2	2
Other Dis. of Digestive System	4	-	-	1	-	1	-	1	-	-	2	-	-	-	-	-	-	-	1	-	1
DIS. OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																					
Diseases of Lymphatic System	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Spleen -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchocele -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Addison's Disease -	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis -	22	1	3	5	2	11	-	-	3	2	5	1	-	1	-	2	-	-	2	-	2
Bright's Disease -	41	-	3	7	1	11	-	4	4	3	11	-	1	3	3	7	-	-	3	1	4
Uræmia -	3	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suppression of Urine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmaturia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	9	-	-	3	2	5	-	1	-	2	3	-	-	-	-	-	-	-	1	-	1
Other Dis. of Urinary System	9	1	1	1	1	4	-	1	2	-	3	-	2	-	-	2	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

11

Registered during the Month of JANUARY 1890.

CAUSES OF DEATH.	GREENOCK.					LEITH.					PAISLEY.					PERTH.					
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	
DISEASES OF CIRCULATORY SYSTEM.																					
Endocarditis, Valvular Disease	-	-	1	7	5	13	-	1	-	3	4	-	-	4	3	7	-	1	-	4	5
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hypertrophy of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Angina Pectoris	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	
Syncope	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Aneurism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Senile Gangrene	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Embolism, Thrombosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phlebitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Varicose Veins	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-	1	2	-	-	-	2
Croup	-	2	1	-	-	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	-	2	1	6	4	13	4	-	4	2	10	9	-	6	2	17	2	-	2	2	6
Pneumonia	-	2	1	3	2	8	11	1	7	2	21	1	-	3	-	4	3	-	3	3	9
Pleurisy	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	1	-	-	-	1
Other Diseases of Respiratory System	-	-	-	-	-	-	1	-	-	1	2	1	-	1	-	2	-	1	-	-	1
DISEASES OF DIGESTIVE SYSTEM.																					
Stomatitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dentition	-	2	-	-	-	2	3	-	-	-	3	3	-	-	-	3	-	-	-	-	-
Sore-throat, Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-
Hæmatemesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melæna	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach	-	-	-	1	-	1	1	-	-	1	2	1	-	-	-	1	-	-	-	-	-
Enteritis	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	2	1	-	-	-	1
Ulceration of Intestine	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Stricture or Strangulation of Intestine	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Hernia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis	-	-	-	-	-	-	-	-	2	2	-	-	-	1	-	1	-	1	-	2	-
Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Liver	-	1	-	-	-	1	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																					
Diseases of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Spleen	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchocele	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Addison's Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Bright's Disease	-	-	1	-	-	1	-	1	2	1	4	-	-	1	1	2	-	-	1	-	1
Uræmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suppression of Urine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmaturia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Bladder and of Prostate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Urinary System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JANUARY 1890.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF ORGANS OF GENERATION.																					
Ovarian Disease - - -	3	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina	3	-	-	1	1	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Testes, Penis, Scrotum, &c.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																					
Abortion, Miscarriage - -	3	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding -	6	-	-	2	-	2	-	-	2	-	2	-	1	-	1	-	-	-	-	-	-
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth	5	-	-	3	-	3	-	1	-	-	1	-	-	-	-	-	-	-	1	-	1
DISEASES OF ORGANS OF LOCOMOTION.																					
Caries, Necrosis - - -	15	1	5	1	-	7	1	-	1	-	2	-	1	-	-	1	-	-	2	-	2
Arthritis, Ostitis, Periostitis -	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locom.	5	-	3	1	-	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
DISEASES OF INTEGUMENTARY SYSTEM.																					
Carbuncle - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Lupus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - -	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Eczema - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integ. System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																					
Fractures, Contusions - -	32	-	2	14	3	19	-	-	4	5	9	-	-	-	1	1	-	-	-	-	-
Gunshot Wounds - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Cut, Stab - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burn, Scald - - -	17	5	2	1	-	8	2	-	2	-	4	2	1	-	3	-	-	-	-	-	-
Poison - - -	3	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Drowning - - -	7	-	-	4	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation - - -	24	6	-	2	-	8	2	-	3	-	5	7	-	-	7	2	-	-	-	-	2
Otherwise - - -	15	3	1	4	2	10	-	1	-	-	1	-	-	-	-	-	-	1	-	-	1
HOMICIDE.																					
Murder, Manslaughter - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUICIDE.																					
Gunshot Wounds - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cut, Stab - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poison - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hanging - - -	3	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Otherwise - - -	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	1
EXECUTION.																					
Hanging - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																					
Dropsy - - -	7	-	-	1	3	4	-	-	-	1	1	-	-	2	-	2	-	-	-	-	-
Debility, Atrophy, Inanition	83	39	1	8	-	48	7	-	-	-	7	13	-	2	-	15	1	-	-	-	1
Mortification - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - -	2	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained)	3	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Ill-defined and not specified Causes - -	12	3	-	2	1	6	-	-	-	-	-	-	1	-	1	1	-	1	-	-	2

DEATHS FROM ALL CAUSES at Four Periods of Life.

13

Registered during the Month of JANUARY 1890.

CAUSES OF DEATH.	GREENOCK.					LEITH.					PAISLEY.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF ORGANS OF GENERATION.																				
Ovarian Disease -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Testes, Penis, Scrotum, &c.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																				
Abortion, Miscarriage -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Puerperal Mania -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																				
Caries, Necrosis -	-	-	-	-	-	-	-	-	-	-	-	2	1	-	3	-	-	-	-	-
Arthritis, Ostitis, Periostitis -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Other Dis. of Organs of Locomotion -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF INTEGUMENTARY SYSTEM.																				
Carbuncle -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Eczema -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integumentary System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																				
Fractures, Contusions -	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1
Gunshot Wounds -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cut, Stab -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burn, Scald -	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Poison -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning -	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Suffocation -	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Otherwise -	-	-	1	-	1	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-
HOMICIDE.																				
Murder, Manslaughter -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUICIDE.																				
Gunshot Wounds -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cut, Stab -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poison -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hanging -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Otherwise -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EXECUTION.																				
Hanging -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																				
Dropsy -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition -	3	1	-	-	4	3	-	-	-	3	4	-	-	-	4	-	-	1	-	1
Mortification -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained) -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other ill-defined and not specified Causes -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	2

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—JANUARY 1890.

DISTRICTS.	Estimated Population at Middle of 1890.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Fever—Typhus & Typhoid.	Diphtheria.	Croup and Laryngitis.	Whooping-Cough.	Cholera.	Diarrhea and Dysentery.	Bronchitis, Pneu- monia and Pleurisy.	Consumption.
Arbroath,	23,831	42	31	53	0	2	0	0	1	0	0	0	0	15	6
Ayr,	25,599	65	26	44	0	0	1	0	1	0	5	0	0	7	5
Banff, with Macduff,	9,298	23	1	19	0	0	0	0	0	2	0	0	0	7	2
Blairgowrie,	5,034	3	0	10	0	0	0	0	0	0	0	0	0	3	2
Campbeltown,	10,985	31	12	16	0	1	0	0	0	0	0	0	3	2	2
Crieff,	5,099	6	4	8	0	0	0	0	0	1	0	0	0	0	0
Dumbarton,	16,405	63	20	48	0	0	0	0	1	0	6	0	1	9	10
Dumfries, with Troqueer,	24,525	68	19	54	0	0	0	0	0	0	0	0	0	15	9
Dunfermline,	29,569	58	50	72	0	0	0	1	1	5	2	0	1	27	5
Elgin,	10,023	23	2	8	0	0	0	0	0	0	0	0	0	1	1
Falkirk (Burgh),	17,735	35	16	13	0	0	0	0	0	0	0	0	0	5	0
Forfar,	16,464	27	12	25	0	0	0	0	0	0	0	0	0	7	2
Galashiels,	15,008	22	14	23	0	0	0	1	1	0	1	0	0	9	4
Haddington,	5,591	7	3	8	0	0	0	0	0	0	0	0	0	0	0
Hawick, with Wilton,	23,698	38	5	38	0	0	0	0	0	0	2	0	1	9	9
Inverness,	25,141	52	9	54	0	0	0	0	1	1	7	0	3	11	5
Kilmarnock,	27,640	76	31	62	0	0	1	2	1	0	12	0	2	14	8
Kirkcaldy and Abbotshall,	18,353	37	33	31	0	3	1	0	0	0	0	0	0	7	0
Kirkcudbright,	3,607	7	2	4	0	0	0	0	0	0	0	0	0	2	0
Montrose,	16,799	26	11	33	0	9	0	0	0	0	0	0	1	5	2
New Monkland, with Landward,	33,498	114	50	72	0	0	1	0	2	2	4	0	0	21	5
Peterhead, with Boddam,	17,384	58	10	33	0	0	0	4	0	2	0	0	0	5	5
Rothsay,	8,850	19	7	13	0	0	0	0	1	0	0	0	0	1	2
Shettleston,	11,179	40	16	33	0	0	2	0	2	1	2	0	0	7	4
Stirling,	15,729	43	19	45	0	0	0	1	2	0	1	0	0	12	1
Stranraer,	6,849	11	5	10	0	0	0	0	1	0	0	0	0	1	0
Wick,	12,403	29	4	22	0	0	0	0	0	1	0	0	0	7	3
Catcart,	12,211	26	12	19	0	0	0	0	1	0	0	0	0	0	2
Eastwood,	13,915	47	17	23	0	0	0	1	0	0	0	0	1	3	3
Maryhill,	18,385	94	29	42	0	0	0	0	1	0	0	0	1	10	4
Dennistoun (Landward),	6,009	26	8	48	0	0	0	0	0	1	0	0	1	11	3
St Rollox (Landward),	945	5	0	1	0	0	0	0	0	0	0	0	0	0	0
Hutchesontown (Landwd.)	5,951	36	5	17	0	0	0	0	0	0	0	0	0	6	2
Gorbals (Landward),	5,011	24	3	15	0	0	0	0	0	2	0	0	0	2	2
Tradeston (Landward),	5,451	15	2	11	0	0	0	0	0	0	1	0	0	0	1
Kinning Park (Landward),	15,752	54	33	28	0	0	0	0	1	1	3	0	0	6	5
Plantation,	18,405	83	22	51	0	2	0	0	1	0	3	0	2	13	5
Govan,	33,510	136	55	75	0	0	1	0	2	2	1	0	1	22	8
Partick,	39,028	129	35	79	0	0	0	3	2	1	5	0	0	12	9

Glasgow—Landward and Suburban
Census Population.

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors only, give for their mean position, *i.e.*, Lat. $56^{\circ}12' N.$, and Long. $3^{\circ}30' W.$, and height 136 feet above the sea-level,

For the month of JANUARY 1890.

Mean Barometric pressure, 29·598 inches ; less than the average of the same month for 1856–89 by 0·211 inch.

Barometric monthly range, 1·601 inch ; less by 0·081 inch.

Mean temperature, $41^{\circ}8$; greater by $3^{\circ}9$.

Mean daily range of temperature, $9^{\circ}5$; greater by $0^{\circ}6$.

Mean humidity, 85 ; less by 2.

Rain, number of days, 22 ; greater by 5.

Rain, depth in inches, 4·76 ; greater by 0·88 inch.

Wind, pressure on square foot, 2·70 lbs. ; greater by 0·74 lb.

Wind, direction of, E. to W. as 3 to 16, and N. to S. as 2 to 8 ; the average being E. to W. as 5 to 12, and N. to S. as 4 to 7.

Hence the month of January has been remarkable for extraordinarily high mean temperature, associated with a low barometer, a large preponderance of westerly winds, and very heavy rainfall at the three western towns.

Warm as the weather has been, the mean temperature of the month was exceeded by $0^{\circ}7$ in the remarkable January of 1882. The mean daily range of temperature was but slightly beyond the average for the season.

The highest shade temperature, of $59^{\circ}0$, was registered at Perth on the 26th. At the same place the lowest temperature, of $18^{\circ}0$, occurred on the 24th.

Most striking is the contrast between the 9·95 inches of rain that fell on 27 wet days at Greenock, and 1·74 inch at Aberdeen, restricted to 12 days of falling.

The mean pressure of the wind is unusually high, owing to the frequent heavy gales and squalls from the west and south-west.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, GREENOCK, LEITH, and PERTH,

During the Month of JANUARY 1890.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.	DEDUCTIONS from Glaisher's Tables 2nd Edit.					RAIN.		WINDS.										
		Mean at Station and 32°.	Mean at Sea-level and 32°.	Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.		Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Va- pour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.								Calm or Variable.	Mean Pres- sure on Sq. ft.
																				N	NE	E	SE	S	SW	W	NW		
GLASGOW, J. B. RUSSELL, Esq., M.D., Medical Officer of Health.	54	29.556	29.615	1.600	55.3	26.9	42.8	28.4	10.5	16.7	40.7	42.8	38.2	.231	2.66	84	25	6.13	1	0	2	1	6	6	9	0	6	0.35	
EDINBURGH, JAMES BUCHANAN, Esq., and R. C. MOSSMAN, Esq.	254	29.323	29.602	1.524	53.8	25.0	41.8	28.8	9.9	16.2	39.3	41.6	36.4	.216	2.50	83	23	3.58	0	0	0	1	3	9	14	1	3	1.80	
DUNDEE, W. R. M'KELVIE, Esq., Cura- tor of Cemeteries.	164	29.398	29.578	1.630	51.9	24.2	40.1	27.7	8.9	15.3	40.2	38.7	36.8	.218	2.52	88	21	2.53	0	2	0	1	0	14	11	3	0	3.65	
ABERDEEN, JAMES DALE, Esq., Gordon's Hospital.	66	29.467	29.541	1.700	54.2	21.0	40.8	33.2	7.5	14.9	12	1.74	0	1	0	0	4	10	12	4	0	1.56	
PAISLEY, DONALD MACLEAN, Esq., The Coats Observatory.	107	29.406	29.613	1.567	53.5	28.0	42.7	25.5	9.8	18.9	42.5	40.4	37.9	.228	2.63	84	28	6.81	1	0	2	0	5	10	9	3	1	4.16	
GREENOCK, JAMES WILSON, Esq., Green- ock Water Works.	233	29.383	29.639	1.663	53.7	30.8	42.4	22.9	8.5	11.61	41.8	40.6	39.1	.240	2.80	91	27	9.95	0	0	2	3	0	4	15	6	1	2.82	
LEITH, JAMES BOLAM, Esq., Navi- gation School, and GEORGE REDPATH, Esq.	70	29.530	29.607	1.525	54.4	28.0	42.8	26.4	9.0	14.6	42.6	40.2	37.3	.223	2.68	82	24	3.46	0	0	2	1	1	8	17	1	1	4.58	
PERTH, Mr. A. GARDEKE, Gardener to James F. Fullar, Esq.	140	29.433	29.587	1.600	59.0	18.0	41.1	41.0	12.2	23.5	41.7	39.7	37.2	.223	2.57	85	20	3.85	0	2	6	4	4	1	0	0	0	...	
Means	136	...	29.598	1.601	53.0	26.0	41.8	29.2	9.5	17.0	41.9	39.9	37.6	.226	2.61	85	22	4.76	0	1	2	1	3	9	11	2	2	2.70	
North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Paisley, 55° 50'; Greenock, 55° 57'; Leith, 55° 58'; Perth, 56° 23'; Mean, 56° 12'. West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 38'; Aberdeen, 2° 6'; Paisley, 4° 27'; Greenock, 4° 46'; Leith, 3° 8'; Perth, 3° 26'; Mean, 3° 30'.																													

North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Paisley, 55° 50'; Greenock, 55° 57'; Leith, 55° 58'; Perth, 56° 23'. Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Paisley, 4° 27'; Greenock, 4° 45'; Leith, 3° 8'; Perth, 3° 26'. Mean, 3° 30'.

* Absolute Highest.

† Absolute Lowest.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

FEBRUARY 1890.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & CO., Old Fishmarket Close, and sold by ADAM and CHARLES BLACK, 6 North Bridge, Edinburgh.

REPORT.

DURING the month of February 1890 there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Greenock, Leith, Paisley, and Perth the Births of 3167 persons, of whom 1664 were males and 1503 females. Of these, 2902 were legitimate and 265 illegitimate, being in the proportion of one illegitimate in every 12·0 Births; or the illegitimate Births constituted 8·4 per cent. of the whole. In Greenock, 3·8 per cent. of the Births were illegitimate; in Paisley, 4·7; in Leith, 4·9; in Perth, 6·9; in Edinburgh, 8·0; in Glasgow, 8·2; in Aberdeen, 11·4; and in Dundee, 13·2 per cent.

554 Marriages were registered in these Towns during February, being 56 below the average number for the month during the last ten years, allowing for increase of the population.

The Deaths of 2815 persons were registered in these Towns during February, of whom 1415 were males and 1400 females. Allowing for increase of the population, this number is 349 above the average for February during the last ten years.

A comparison of the Deaths registered shows that during the month the mortality was at the annual rate of 20·7 Deaths per thousand persons in Greenock, 22·1 in Leith, 24·8 in Edinburgh, 25·1 in Perth, 27·4 in Aberdeen, 29·1 in Dundee, 29·2 in Glasgow, and 32·5 in Paisley.

Of the 1188 Deaths registered in Glasgow, 227 were of children under one year of age, and 226 of persons over 60 years; of the 516 registered in Edinburgh, 85 were of children under one year, and 121 of persons over 60 years; of the 370 in Dundee, 92 were under one, and 76 over 60 years; of the 260 in Aberdeen, 48 were under one, and 86 over 60; of the 126 in Greenock, 27 were under one, and 26 over 60; of the 133 in Leith, 24 were under one, and 20 over 60; of the 158 in Paisley, 29 were under one, and 34 over 60; and of the 64 in Perth, 7 were under one, and 23 over 60 years.

Of the whole 2815 Deaths, 1058, or 37·6 per cent., were of children under five years of age. In Perth, 17·2 per cent. of the persons who died were under five years of age; in Aberdeen, 24·6; in Paisley, 28·5; in Greenock, 37·3; in Glasgow, 39·2; in Edinburgh, 39·7; in Leith, 42·9; and in Dundee, 44·1 per cent.

Miasmatic Diseases caused 394 Deaths, or 14·0 per cent. of the whole mortality. This rate was exceeded in Edinburgh from the prevalence of Measles and Hooping-Cough, and in Leith from that of Measles and Scarlatina.

Hooping-Cough was the most fatal epidemic, having caused 155 Deaths, or 5·5 per cent. of the whole mortality. In Greenock 5·6 per cent. of the deaths were caused by Hooping-Cough; in Glasgow and in Edinburgh, 6·2; and in Dundee, 8·4.

Measles caused 105 Deaths, or 3·7 per cent. of the whole; 5·3 per cent. of the Deaths in Leith, and 10·1 per cent. of those in Edinburgh, were caused by Measles.

Fever caused 27 Deaths, of which 6 were tabulated as Typhus, 20 as Enteric, and 1 as Simple Continued Fever. Of the 6 deaths from Typhus, 2 occurred in Glasgow, 1 in Dundee, and 3 in Leith.

Diphtheria caused 32 Deaths; Scarlatina, 31; Diarrhoea and Dysentery, 22; and Puerperal Fever, 13.

82 Deaths were attributed to Apoplexy, 66 to Paralysis, 197 to Diseases of the Heart, and 61 to Premature Birth Debility.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 742, or 26·4 per cent. Those from Consumption alone numbered 286, or 10·2 per cent. 23 Deaths were ascribed to Croup.

76 Deaths resulted from Violent Causes, of which 2 were suicides. 10 Deaths were caused by Chronic Alcoholism, and 2 by Delirium Tremens.

Two males and seven females were aged 90 years and upwards, the eldest being a farmer, who was aged 96 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES. FEBRUARY 1890.

TOWNS.	POPULATION.*			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1871.	Census 1881.	Estimated to middle of 1890.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW, . .	491,846	511,415	530,208	744	669	1413	1297	116	267	618	570	1188
EDINBURGH, . .	200,277	234,402	271,135	275	285	560	515	45	111	253	258	516
DUNDEE, . .	120,724	142,455	166,027	194	154	348	302	46	48	168	202	370
ABERDEEN, . .	88,181	105,076	123,600	148	124	272	241	31	43	119	141	260
GREENOCK, . .	59,794	69,238	79,312	96	86	182	175	7	19	72	54	126
LEITH, . .	46,172	60,843	78,538	94	91	185	170	9	31	63	65	133
PAISLEY, . .	48,257	55,638	63,469	81	68	149	142	7	25	80	78	158
PERTH, . .	26,382	29,756	33,274	32	26	58	54	4	10	32	32	64
TOTAL, . .	1,081,633	1,208,823	1,345,563	1694	1503	3167	2902	265	554	1415	1400	2815

FEBRUARY 1889, . . .	Mean Temp. 37°·6	1874	1519	3193	2952	241	626	1081	1145	2226
FEBRUARY 1888, . . .	Mean Temp. 36°·2	1782	1647	3429	3126	303	583	1164	1219	2383
FEBRUARY 1887, . . .	Mean Temp. 40°·1	1594	1599	3193	2902	291	568	1134	1091	2225
FEBRUARY 1886, . . .	Mean Temp. 34°·9	1750	1649	3399	3073	326	527	1119	1145	2264
FEBRUARY 1885, . . .	Mean Temp. 40°·0	1691	1639	3300	3023	307	596	1147	1274	2421
FEBRUARY 1884, . . .	Mean Temp. 40°·2	1829	1646	3475	3221	254	621	1151	1131	2282
FEBRUARY 1883, . . .	Mean Temp. 41°·7	1685	1625	3310	3033	277	572	1293	1287	2580
FEBRUARY 1882, . . .	Mean Temp. 43°·6	1700	1573	3273	3021	252	618	1101	1059	2160
FEBRUARY 1881, . . .	Mean Temp. 35°·1	1674	1576	3250	2963	287	506	1179	1245	2424
FEBRUARY 1880, . . .	Mean Temp. 42°·7	1712	1546	3258	2991	267	545	1139	1210	2349

DEATHS from Small-pox, Measles, Scarlatina, Diphtheria, Hooping-Cough, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of February 1890.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Hooping- Cough.	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Hooping- Cough.	Fevers.	Diarrhoea.
GLASGOW—								DUNDEE—							
1. Bridgeton, . .	0	11	6	1	20	8	0	1. St Peter, . .	0	1	0	1	3	0	3
2. Camlachie, . .	0	7	0	1	5	0	1	2. St Mary, . .	0	1	0	2	4	1	0
3. Dennistoun, . .	0	2	1	1	5	0	1	3. St Clement, . .	0	0	0	0	3	0	2
4. Calton, . .	0	0	0	2	1	0	1	4. St Andrew, . .	0	0	0	2	14	2	2
5. Blackfriars, . .	0	2	0	0	4	0	1	5. Lochee, . .	0	0	0	0	2	0	1
6. St Rollox, . .	0	1	1	1	6	0	0	ABERDEEN—							
7. Blythswood, . .	0	0	0	0	2	0	0	1. St Nicholas, . .	0	2	0	0	4	1	1
8. Milton, . .	0	1	0	0	2	0	0	2. Aberdeen, . .	0	2	0	0	2	1	1
9. Kelvin, . .	0	2	2	3	1	1	0	3. Woodside, . .	0	0	0	0	0	0	0
10. Anderston, . .	0	0	0	0	10	1	1	4. Old Aberdeen, . .	0	0	0	0	0	1	0
11. Hutchesontown, . .	0	4	1	2	9	1	0	GREENOCK—							
12. Gorbals, . .	0	6	0	0	7	0	0	1. East, . .	0	1	0	0	4	0	0
13. Tradeston, . .	0	1	0	0	2	0	0	2. Middle, . .	0	0	0	0	2	0	0
14. Kinning Park, . .	0	0	0	0	0	0	0	3. West, . .	0	0	0	2	1	0	1
EDINBURGH—								LEITH—							
1. St George, . .	0	16	0	0	9	0	1	1. North, . .	0	5	2	2	1	0	1
2. St Andrew, . .	0	9	1	0	13	2	1	2. South, . .	0	2	10	3	0	4	1
3. Canongate, . .	0	8	2	4	3	3	1	PAISLEY, . .	0	0	2	1	4	1	1
4. St Giles, . .	0	16	2	3	3	0	0	PERTH, . .	0	0	0	0	0	0	0
5. Newington, . .	0	3	1	1	4	0	0								

* NOTE.—The Population here given is that of the various Registration Districts, which in some cases differs slightly from that of the Parliamentary Burghs in consequence of some of the Districts including small fragments of the extra burghal population.

DEATHS FROM ALL CAUSES at Four Periods of Life.

21

Registered during the Month of FEBRUARY 1890.

CAUSES OF DEATH.	GREENOCK.					LEITH.					PAISLEY.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - - -	47	11	42	26	126	57	13	38	20	133	45	8	71	34	158	11	5	25	23	64
I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES -	10	-	3	1	14	24	7	2	1	34	6	3	2	-	11	-	-	5	1	6
II. PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC " -	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
IV. CONSTITUTIONAL,, -	1	6	13	2	22	6	6	10	5	27	3	4	27	1	35	-	5	8	1	14
V. DEVELOPMENTAL,, -	7	-	-	5	12	3	-	-	1	4	3	-	-	9	12	1	-	-	6	7
VI. LOCAL " -	25	4	24	18	71	22	4	21	11	58	28	1	37	24	90	9	-	10	15	34
VII. VIOLENCE - - -	-	1	-	-	1	-	1	1	-	2	-	-	2	-	2	-	-	1	-	1
III. ILL-DEFINED AND NOT SPECIFIED CAUSES -	4	-	2	-	6	2	-	3	1	6	5	-	3	-	8	1	-	1	-	2
I.																				
MIASMATIC DISEASES - - -	10	-	1	1	12	21	7	2	1	31	5	2	1	-	8	-	-	4	1	5
DIARRHEAL " - - -	-	-	1	-	1	2	-	-	-	2	1	-	-	-	1	-	-	-	-	-
MALARIAL " - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS " - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL " - - -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
SEPTIC " - - -	-	-	1	-	1	-	-	-	-	-	-	1	1	-	2	-	-	1	-	1
II.																				
PARASITIC DISEASES - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																				
DIETETIC DISEASES - - -	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
IV.																				
CONSTITUTIONAL DISEASES- -	1	6	13	2	22	6	6	10	5	27	3	4	27	1	35	-	5	8	1	14
V.																				
DEVELOPMENTAL DISEASES- -	7	-	-	5	12	3	-	-	1	4	3	-	-	9	12	1	-	-	6	7
VI.																				
DISEASES OF NERVOUS SYSTEM -	9	3	10	3	25	3	-	1	4	8	3	-	9	11	23	-	-	1	3	4
" ORGANS OF SPECIAL SENSE -	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-
" CIRCULATORY SYSTEM -	-	2	7	9	-	-	1	7	4	12	-	10	-	-	10	-	-	4	3	7
" RESPIRATORY SYSTEM -	12	-	9	7	28	11	2	8	3	24	19	-	12	11	42	8	-	4	5	17
" DIGESTIVE SYSTEM -	4	1	2	-	7	5	-	4	-	9	6	-	3	1	10	1	-	-	2	3
" LYMPHATIC SYSTEM AND DUCTLESS GLANDS -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
" URINARY SYSTEM -	-	-	1	1	2	3	-	-	-	3	-	-	2	-	2	-	-	-	2	2
" REPRODUCTIVE SYSTEM :-																				
(a) DISEASES OF ORGANS OF GENERATION -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) DISEASES OF PARTURITION -	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	1	-	1
" ORGANS OF LOCOMOTION -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
" INTEGUMENTARY SYSTEM -	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

23

Registered during the Month of FEBRUARY 1890.

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of FEBRUARY 1890.

CAUSES OF DEATH.	GREENOCK.					LEITH.					PAISLEY.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Thrush - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Vegetable Parasites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Parasites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
{ Delirium Tremens -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism of Heart - - - - -	-	2	-	-	2	-	1	-	1	2	-	1	-	-	1	-	1	-	-	1
Rheumatism - - - - -	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Rickets - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer - - - - -	-	-	2	1	3	-	-	2	1	3	-	-	5	1	6	-	3	-	-	3
Tabes Mesenterica - - - - -	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-
Tubercular Meningitis (Acute Hydrocephalus) -	1	-	-	-	1	5	2	-	-	7	2	1	-	-	3	-	-	-	-	-
Phthisis - - - - -	-	4	11	-	15	-	3	7	3	13	-	1	21	-	22	-	3	5	-	8
Other forms of Tuberculosis, Scrofula -	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-
Purpura, Hamorrhagic Diathesis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chlorosis, Leucocythæmia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Diabetes Mellitus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Constitutional Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																				
Premature Birth - - - - -	7	-	-	-	7	3	-	-	-	3	2	-	-	-	2	1	-	-	-	1
Atelectasis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cyanosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Imperforate Anus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old Age - - - - -	-	-	-	5	5	-	-	-	1	1	-	-	-	9	9	-	-	-	6	6
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Membranes - - - - -	6	3	1	-	10	1	-	-	-	1	1	-	1	-	2	-	-	-	-	-
Apoplexy - - - - -	-	-	5	2	7	-	-	-	2	2	1	-	2	4	6	-	-	-	2	2
Softening of Brain - - - - -	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1
Hemiplegia, Brain Paralysis -	-	-	1	1	2	-	-	1	-	2	-	-	2	6	8	-	-	-	-	-
Paralysis Agitans - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity, General Paralysis of Insane -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	-	-	2	-	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Convulsions - - - - -	2	-	-	-	2	2	-	-	-	2	2	-	-	-	2	-	-	-	-	-
Laryngismus Stridulus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Idiopathic Tetanus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Diseases of Spinal Cord -	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Other Diseases of Nervous System -	1	-	-	-	1	-	-	-	-	-	-	-	1	1	2	-	-	1	-	1
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Otorrhœa - - - - -	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Epistaxis and Dis. of Nose - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.
Registered during the Month of FEBRUARY 1890.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																					
Endocarditis, Valvular Dis. -	149	2	3	32	20	57	1	1	15	10	27	-	-	8	11	19	-	2	8	5	15
Pericarditis -	3	1	-	1	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart -	5	-	-	1	-	1	-	-	-	2	2	-	-	2	-	2	-	-	-	-	-
Angina Pectoris -	6	1	1	1	2	5	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Syncope -	7	-	-	1	1	2	-	-	1	1	2	-	-	-	-	-	1	-	-	-	1
Aneurism -	13	-	-	6	1	7	-	-	3	-	3	-	-	-	-	-	-	-	-	1	1
Senile Gangrene -	3	-	-	-	-	-	-	-	1	1	1	-	-	1	1	1	-	-	-	-	1
Embolism, Thrombosis -	7	-	-	-	1	1	-	-	2	1	3	-	-	1	-	1	-	-	-	1	1
Phlebitis -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Varicose Veins -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Cir. System	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis -	8	-	1	1	-	2	-	3	-	-	3	-	-	-	-	-	1	-	-	-	1
Croup -	23	10	-	-	-	10	2	-	-	-	2	3	-	-	-	3	2	-	-	-	2
Other Dis. of Larynx & Trachea	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma -	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis -	436	54	3	80	72	209	20	1	10	20	51	42	2	18	17	79	8	-	7	21	36
Pneumonia -	250	67	8	31	22	128	15	1	7	5	28	13	4	10	7	34	5	3	12	2	22
Pleurisy -	8	1	-	2	1	4	-	-	-	1	1	-	-	-	-	2	-	-	-	-	2
Other Diseases of Resp. System	14	-	-	1	-	1	2	1	1	1	5	1	-	1	-	2	1	-	1	1	3
DISEASES OF DIGESTIVE SYSTEM.																					
Stomatitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dentition -	16	4	-	-	-	4	4	-	-	-	4	1	-	-	-	1	1	-	-	-	1
Sore-throat, Quinsy -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia -	7	4	-	-	1	5	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-
Hæmatemesis -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Melæna -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach -	16	2	-	3	2	7	1	-	1	-	2	1	-	-	-	1	-	-	-	-	-
Enteritis -	31	13	-	4	-	17	3	-	-	-	3	1	-	1	1	3	1	-	2	-	3
Ulceration of Intestine -	3	-	-	1	1	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Ilæus, Obstruction of Intestine	8	2	-	1	-	3	1	-	-	2	3	-	-	-	-	-	-	-	-	-	-
Stricture or Strang. of Intestine	3	-	1	-	-	1	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-
Intussusception of Intestine -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia -	5	1	-	-	2	3	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Fistula -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis -	25	2	3	6	-	11	-	3	1	1	5	-	-	1	-	1	2	-	1	-	3
Ascites -	2	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-
Gallstones -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver -	5	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	2	-	2
Other Diseases of Liver -	16	2	-	4	3	9	-	-	1	1	2	1	-	-	1	2	-	-	-	-	-
Other Dis. of Digestive System	4	1	-	1	-	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
DIS. OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																					
Diseases of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Spleen -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchocele -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Addison's Disease -	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis -	10	-	-	2	3	5	1	-	-	-	1	-	-	1	-	1	-	-	1	-	1
Bright's Disease -	19	1	2	8	1	12	-	-	2	-	2	-	-	2	-	2	-	-	-	-	-
Uræmia -	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suppression of Urine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus -	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Hæmaturia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	12	-	-	1	4	5	-	-	1	2	3	-	-	1	1	2	-	-	-	1	1
Other Dis. of Urinary System	13	-	2	3	-	5	-	-	2	-	2	-	-	-	1	1	-	-	1	3	4

DEATHS FROM ALL CAUSES at Four Periods of Life.

27

Registered during the Month of FEBRUARY 1890.

	GREENOCK.					LEITH.					PAISLEY.					PERTH.				
CAUSES OF DEATH.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																				
Endocarditis, Valvular Disease	-	-	2	7	9	-	-	5	3	8	-	-	9	-	9	-	-	3	2	5
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syncope	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	1
Aneurism	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
Senile Gangrene	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Phlebitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Circulatory System	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
Croup	2	-	-	-	2	-	-	-	-	-	4	-	-	-	4	-	-	-	-	-
Other Diseases of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Empysema, Asthma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	6	4	4	4	14	4	4	2	10	10	5	9	24	4	4	4	4	5	13	4
Pneumonia	4	3	3	10	7	2	4	1	14	3	6	1	10	4	-	-	-	-	-	-
Pleurisy	-	1	-	1	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-
Other Diseases of Respiratory System	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF DIGESTIVE SYSTEM.																				
Stomatitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dentition	2	-	-	-	2	-	-	-	-	-	4	-	-	-	4	-	-	-	-	-
Sore-throat, Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmatemesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melena	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach	1	1	-	2	-	1	-	1	1	1	-	-	1	1	-	-	-	1	2	-
Enteritis	-	1	-	1	2	-	-	-	-	2	1	-	1	2	-	-	-	-	-	-
Ulceration of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-
Stricture or Strangulation of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Hernia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis	1	1	-	-	2	-	-	1	-	1	-	-	1	1	2	-	-	-	-	-
Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Liver	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	1	1	-
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																				
Diseases of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Spleen	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchocele	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Addison's Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-
Bright's Disease	-	-	-	-	2	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-
Uræmia	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suppression of Urine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Hæmaturia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Bladder and of Prostate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Other Diseases of Urinary System	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of FEBRUARY 1890.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF ORGANS OF GENERATION.																					
Ovarian Disease - - -	4	-	-	1	-	1	-	-	1	-	1	-	-	1	-	1	-	-	1	-	1
Diseases of Uterus and Vagina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Pelvic Abscess - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Testes, Penis, Scrotum, &c.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
DISEASES OF PARTURITION.																					
Abortion, Miscarriage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth	7	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-	-	1	1	-	2
DISEASES OF ORGANS OF LOCOMOTION.																					
Caries, Necrosis - - -	10	-	1	2	-	3	-	-	-	-	-	2	-	1	-	3	2	2	-	-	4
Arthritis, Ostitis, Periostitis -	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locom.	5	-	2	-	-	2	-	-	1	-	1	1	-	1	-	2	-	-	-	-	-
DISEASES OF INTEGUMENTARY SYSTEM.																					
Carbuncle - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema - - -	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Pemphigus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integ. System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																					
Fractures, Contusions - - -	29	2	2	10	3	17	-	2	-	1	3	-	1	2	1	4	-	-	2	-	2
Gunshot Wounds - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cut, Stab - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burn, Scald - - -	13	5	2	4	-	11	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Poison - - -	2	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Drowning - - -	12	-	-	7	-	7	1	-	2	-	3	-	-	-	-	-	-	-	1	-	1
Suffocation - - -	11	2	-	1	-	3	1	-	1	-	2	5	-	1	-	6	-	-	-	-	-
Otherwise - - -	7	-	-	2	-	2	-	-	1	1	2	-	-	1	-	1	-	-	1	-	1
HOMICIDE.																					
Murder, Manslaughter - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUICIDE.																					
Gunshot Wounds - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cut, Stab - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poison - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hanging - - -	2	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Otherwise - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EXECUTION.																					
Hanging - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																					
Dropsy - - -	2	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition	95	29	-	2	4	35	14	-	-	-	14	25	-	2	-	27	2	-	1	-	3
Mortification - - -	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1
Tumour - - -	4	-	-	-	-	-	-	-	1	-	1	-	-	-	2	2	-	-	-	1	1
Abscess - - -	4	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1
Hæmorrhage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained)	5	1	-	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Ill-defined and not specified Causes - - -	-	3	-	4	4	11	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

29

Registered during the Month of FEBRUARY 1890.

CAUSES OF DEATH.	GREENOCK.					LEITH.					PAISLEY.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF ORGANS OF GENERATION.																				
Ovarian Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Testes, Penis, Scrotum, &c.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																				
Abortion, Miscarriage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
DISEASES OF ORGANS OF LOCOMOTION.																				
Caries, Necrosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arthritis, Ostitis, Periostitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locomotion	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF INTEGUMENTARY SYSTEM.																				
Carbuncle - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Eczema - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Pemphigus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integumentary System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																				
Fractures, Contusions - - -	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	1	-	1
Gunshot Wounds - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cut, Stab - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burn, Scald - - -	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Poison - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Suffocation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Otherwise - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HOMICIDE.																				
Murder, Manslaughter - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUICIDE.																				
Gunshot Wounds - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cut, Stab - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poison - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hanging - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Otherwise - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EXECUTION.																				
Hanging - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																				
Dropsy - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition - -	-	4	-	2	-	6	2	-	2	-	4	4	-	1	-	5	-	-	1	-
Mortification - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - -	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-
Hæmorrhage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained) - -	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-
Other ill-defined and not specified Causes - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—FEBRUARY 1890.

DISTRICTS.	Estimated Population at Middle of 1890.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Fever—Typhus & Typhoid.	Diphtheria.	Group and Laryngitis.	Whooping-Cough.	Cholera.	Diarrhoea and Dysentery.	Bronchitis, Pneumonia and Pleurisy.	Consumption.
Arbroath,	23,831	52	6	60	0	1	0	0	0	0	0	0	1	21	8
Ayr,	25,599	69	7	54	0	1	0	0	1	0	7	0	0	9	4
Banff, with Macduff, . . .	9,298	25	3	16	0	0	0	0	0	1	0	0	2	1	0
Blairgowrie,	5,034	4	1	5	0	0	0	0	0	0	0	0	0	1	0
Campbeltown,	10,985	18	1	16	0	0	0	0	0	0	0	0	0	7	3
Crieff,	5,099	10	4	17	0	0	0	0	0	1	0	0	0	2	1
Dumbarton,	16,405	44	6	37	0	0	0	0	1	0	7	0	0	10	3
Dumfries, with Troqueer, . .	24,525	51	9	60	0	0	0	0	0	0	0	0	2	14	4
Dunfermline,	23,569	57	8	62	0	0	0	0	1	1	7	0	0	19	5
Elgin,	10,023	19	2	19	0	0	0	0	0	0	0	0	0	2	4
Falkirk (Burgh),	17,735	50	6	36	0	0	0	0	0	1	1	0	0	12	3
Forfar,	16,464	24	7	36	0	0	0	0	0	0	0	0	0	11	2
Galashiels,	15,008	18	6	14	0	0	0	1	0	0	0	0	0	3	1
Haddington,	5,591	20	2	7	0	0	0	0	0	0	0	0	0	1	0
Hawick, with Wilton, . . .	23,698	46	10	29	0	0	0	1	0	0	3	0	1	2	2
Inverness,	25,141	40	14	40	0	0	0	0	0	0	3	0	1	12	4
Kilmarnock,	27,640	62	9	56	0	0	0	0	1	0	8	0	1	16	5
Kirkcaldy and Abbotshall, . .	18,353	35	7	30	0	1	0	0	0	0	1	0	1	6	4
Kirkcudbright,	3,607	6	3	5	0	0	0	0	0	0	0	0	0	5	0
Montrose,	16,799	27	2	35	0	2	0	0	0	0	0	0	1	9	4
New Monkland, with Landward, .	33,498	114	13	49	0	0	1	3	1	1	3	0	0	7	7
Peterhead, with Boddam, . .	17,384	41	4	37	0	1	0	1	0	2	0	0	0	7	6
Rothsay,	8,850	24	4	13	0	0	0	0	1	0	0	0	0	2	1
Shettleston,	11,179	24	4	21	0	1	0	0	1	0	5	0	1	5	1
Stirling,	15,729	23	7	38	0	0	0	0	0	1	6	0	0	9	2
Stranraer,	6,849	10	1	22	0	0	0	0	0	0	0	0	0	3	2
Wick,	12,403	32	2	44	0	0	0	0	0	1	0	0	2	17	4
Glasgow—Landward and Suburban Census Population.															
Cathcart,	12,211	33	5	15	0	0	1	0	1	1	0	0	0	2	2
Eastwood,	13,915	39	4	20	0	0	0	0	0	0	0	0	0	5	7
Maryhill,	18,385	73	10	31	0	0	0	0	1	0	2	0	0	9	2
Dennistoun (Landward), . .	6,009	16	1	45	0	0	0	0	0	0	2	0	0	10	4
St Rollox (Landward), . . .	945	4	0	3	0	0	0	0	0	0	1	0	0	0	1
Hutchesontown (Landwd.) . .	5,951	24	6	18	0	0	1	0	0	1	0	0	0	7	1
Gorbals (Landward),	5,011	25	2	11	0	0	0	0	0	0	1	0	0	3	3
Tradeston (Landward), . . .	5,451	11	2	9	0	0	0	1	0	0	0	0	0	3	1
Kinning Park (Landward) . .	15,752	33	13	40	0	3	0	0	0	1	4	0	1	9	9
Plantation,	13,405	66	3	41	0	0	0	0	0	1	4	0	1	11	9
Govan,	33,510	103	10	74	0	0	1	0	2	0	1	0	0	24	10
Partick,	39,028	116	14	78	0	0	0	1	3	2	9	0	0	16	7

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors only, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 136 feet above the sea-level,

For the month of FEBRUARY 1890.

Mean Barometric pressure, 30.246 inches; greater than the average of the same month for 1856–89 by 0.386 inch.

Barometric monthly range, 1.194 inch; less by 0.278 inch.

Mean temperature, $37^{\circ}9'$; less by $1^{\circ}2'$.

Mean daily range of temperature, $9^{\circ}3'$; less by $0^{\circ}3'$.

Mean humidity, 88; greater by 2.

Rain, number of days, 9; less by 6.

Rain, depth in inches, 1.08; less by 2.01 inch.

Wind, pressure on square foot, 0.98 lb.; less by 1.10 lb.

Wind, direction of, E. to W. as 10 to 7, and N. to S. as 3 to 4; the average being E. to W. as 5 to 11, and N. to S. as 4 to 6.

Hence the month of February 1890, in contrast to the preceding month, has been remarkable for extremely high barometric pressure, very light rainfall, restricted to few days of falling, and a decided preponderance of light easterly winds.

The mean barometric pressure, indeed, is the highest for the month since these records began, in 1856.

The highest shade temperature of $56^{\circ}0'$ was registered at Perth on the 1st, and the lowest, $22^{\circ}5'$, at the same place on the night of the 10th.

The total rainfall, at the seven towns from which returns have been received, is 2.37 inches short of the quantity recorded at Greenock alone in the preceding month.

The relatively great mean humidity of 88 may be attributed to the lightness of the prevailing winds.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, GREENOCK, LEITH, and PERTH,
During the Month of FEBRUARY 1890.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						DEDUCTIONS from Glaisher's Tables 2nd Edit.					RAIN.		WINDS.									
		Mean at Station and 32°.		Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	HYGRO- METER.	Elastic Force of Vapour.	Dew-point Temperature.	Wt. of Vapour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.									
		inch.	inch.	inch.	°	°	°	°	°	°								N	NE	E	SE	S	SW	W	NW	Calm or Variable.	Mean Pressure on Sq. ft.
GLASGOW, J. B. RUSSELL, Esq., M.D., Medical Officer of Health.	54	30.188	30.247	1.228	59.6	25.5	38.0	27.1	10.1	18.7	•	36.8	33.5	2.24	88	9	0.71	1	0	6	0	1	0	4	4	12	0.08
EDINBURGH, JAMES BUCHANAN, Esq., and R. C. MOSSMAN, Esq.	254	29.963	30.242	1.198	52.9	25.9	37.8	27.0	10.2	16.3	•	36.6	32.5	2.12	86	7	0.95	2	0	5	3	0	0	5	0	13	0.15
DUNDEE, W. R. M'KELVIE, Esq., Curator of Cemeteries.	164	30.066	30.246	1.190	50.4	26.1	37.0	24.3	9.5	15.8	•	36.7	33.4	2.25	89	11	1.39	1	3	0	9	1	2	7	5	0	2.28
ABERDEEN, JAMES DALE, Esq., Gordon's Hospital.	66	30.160	30.284	1.164	53.2	29.1	39.5	24.1	7.2	17.4	•	14	0.87	4	1	2	4	7	5	4	1	0	0.96
PAISLEY, DONALD MACLEAN, Esq., The Coals Observatory.	107	•
GREENOCK, JAMES WILSON, Esq., Green- ock Water Works.	233	30.008	30.264	1.172	51.9	27.8	37.8	24.1	8.7	13.7	•	37.3	34.9	2.36	91	11	1.41	0	0	12	6	0	2	3	2	3	0.86
LEITH, JAMES BOLAM, Esq., Navi- gation School, and GEORGE REDPATH, Esq.	70	30.170	30.247	1.227	51.2	27.2	38.1	24.0	7.5	18.4	•	37.6	35.9	2.22	86	9	0.82	1	1	10	2	0	0	11	0	3	1.59
PERTH, Mr A. GAEBECKE, Gardener to James F. Pullar, Esq.	140	30.089	30.243	1.178	56.0	22.5	36.8	33.5	11.8	23.0	•	36.0	34.8	2.16	89	5	1.43	0	6	15	2	0	5	0	0	0	...
Means	136	...	30.246	1.194	56.0	26.3	37.9	26.3	9.3	16.9	•	36.8	35.4	2.22	88	9	1.08	1	2	7	4	1	2	5	2	4	0.98

North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Paisley, 55° 50'; Greenock, 55° 57'; Leith, 56° 58'; Perth, 56° 23'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Paisley, 4° 27'; Greenock, 3° 45'; Leith, 5° 3'; Perth, 3° 26'; Mean, 3° 30'.

* Absolute Highest.

† Absolute Lowest.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

MARCH 1890.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by ADAM and CHARLES BLACK, 6 North Bridge, Edinburgh.

REPORT.

DURING the month of March 1890 there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Greenock, Leith, Paisley, and Perth the Births of 3613 children, of whom 1848 were males and 1765 females. Of these, 3334 were legitimate and 279 illegitimate, being in the proportion of one illegitimate in every 12·9 Births; or the illegitimate Births constituted 7·7 per cent. of the whole. In Greenock, 5·6 per cent. of the Births were illegitimate; in Glasgow, 6·7; in Perth, 7·7; in Leith, 7·8; in Aberdeen, 8·1; in Paisley, 8·8; in Dundee, 9·4; and in Edinburgh, 9·5 per cent.

753 Marriages were registered in these Towns during March, being 74 above the average number for the month during the last ten years, allowing for increase of the population.

The Deaths of 2860 persons were registered in these Towns during March, of whom 1451 were males and 1409 females. Increase of population being allowed for, this number is 67 above the average for the month during the past ten years.

A comparison of the Deaths registered shows that during March the mortality was at the annual rate of 21·0 Deaths per thousand persons in Paisley, 21·9 in Edinburgh, 22·3 in Perth, 23·0 in Greenock, 23·2 in Dundee, 24·3 in Aberdeen, 27·7 in Leith, and 27·9 in Glasgow.

Of the 1258 Deaths registered in Glasgow, 253 were of children under one year of age, and 203 of persons over 60 years; of the 504 registered in Edinburgh, 78 were of children under one year, and 115 of persons over 60 years; of the 327 in Dundee, 93 were under one, and 67 over 60 years; of the 255 in Aberdeen, 61 were under one, and 71 over 60; of the 155 in Greenock, 29 were under one, and 31 over 60; of the 185 in Leith, 33 were under one, and 35 over 60; of the 113 in Paisley, 19 were under one, and 31 over 60; and of the 63 in Perth, 9 were under one, and 29 over 60 years.

Of the whole 2860 Deaths, 1154, or 40·3 per cent., were of children under five years of age. In Perth, 28·6 per cent. of the persons who died were under five years of age; in Paisley, 31·8; in Aberdeen, 35·3; in Greenock, 36·1; in Edinburgh, 38·3; in Leith, 40·0; in Dundee, 42·2; and in Glasgow, 43·6 per cent.

Miasmatic Diseases caused 398 Deaths, or 13·9 per cent. of the whole mortality. This rate was exceeded in Aberdeen from the prevalence of Hooping-Cough, and in Edinburgh and Leith from Measles and Hooping-Cough combined.

Fever caused 26 Deaths, of which 7 were tabulated as Typhus, and 19 as Enteric Fever. Of the 7 deaths from Typhus, 3 occurred in Glasgow, 3 in Leith, and 1 in Paisley.

Hooping-Cough was again the most fatal epidemic, having caused 156 Deaths, or 5·5 per cent. of the mortality. In Glasgow 5·2 per cent. of the deaths were from this disease; in Leith, 5·4; in Edinburgh, 5·8; in Dundee, 6·1; and in Aberdeen, 8·2 per cent.

Measles caused 137 Deaths, or 4·8 per cent. of the whole. In Glasgow, 5·4 per cent. of the deaths were from Measles; in Edinburgh, 8·3; and in Leith, 8·6.

Diphtheria caused 38 Deaths; Diarrhoea and Dysentery, 33; Scarlatina, 21; and Puerperal Fever, 10.

71 Deaths were attributed to Apoplexy, 62 to Paralysis, 173 to Diseases of the Heart, and 68 to Premature Birth Debility.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 661, or 23·1 per cent. Those from Consumption alone numbered 331, or 11·6 per cent. Croup caused 17 deaths.

86 Deaths resulted from Violent Causes, of which 2 were suicides. One Death was caused by Chronic Alcoholism.

Six females were aged 90 years and upwards, the eldest being the widow of a farmer, and was aged 93 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES. MARCH 1890.

TOWNS.	POPULATION.*			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1871.	Census 1881.	Estimated to middle of 1890.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW, . .	491,846	511,415	530,203	850	807	1657	1546	111	359	659	599	1258
EDINBURGH, . .	200,277	234,402	271,135	299	320	619	560	59	137	247	257	504
DUNDEE, . .	120,724	142,455	166,027	206	210	416	377	39	63	154	173	327
ABERDEEN, . .	88,181	105,076	123,600	167	180	297	273	24	62	119	136	255
GREENOCK, . .	59,794	69,238	79,312	99	99	198	187	11	36	78	77	155
LEITH, . .	46,172	60,843	78,538	94	85	179	165	14	33	101	84	185
PAISLEY, . .	48,257	55,638	63,469	102	80	182	166	16	53	63	60	113
PERTH, . .	26,382	29,756	33,274	31	34	65	60	5	10	30	33	63
TOTAL, . .	1,081,633	1,208,823	1,345,563	1843	1765	3613	3334	279	753	1451	1409	2860

MARCH 1889,	Mean Temp. 40°·0	1880	1712	3592	3302	290	693	1262	1299	2561
MARCH 1888,	Mean Temp. 36°·6	1857	1733	3590	3293	297	573	1243	1281	2524
MARCH 1887,	Mean Temp. 39°·4	1995	1866	3861	3558	303	657	1357	1456	2813
MARCH 1886,	Mean Temp. 38°·0	2081	1919	4000	3669	331	690	1454	1454	2908
MARCH 1885,	Mean Temp. 40°·0	1945	1813	3758	3454	304	648	1325	1289	2614
MARCH 1884,	Mean Temp. 41°·7	1939	1810	3749	3475	274	657	1212	1151	2363
MARCH 1883,	Mean Temp. 38°·6	1828	1712	3540	3278	262	602	1459	1449	2908
MARCH 1882,	Mean Temp. 44°·3	2073	1843	3916	3598	318	680	1164	1169	2333
MARCH 1881,	Mean Temp. 37°·9	1895	1766	3661	3400	261	645	1273	1312	2585
MARCH 1880,	Mean Temp. 41°·4	2024	1887	3911	3596	315	636	1441	1360	2801

DEATHS from Small-pox, Measles, Scarlatina, Diphtheria, Hooping-Cough, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of March 1890.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Hooping-Cough.	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Hooping-Cough.	Fevers.	Diarrhoea.
GLASGOW—								DUNDEE—							
1. Bridgeton, . .	0	11	5	4	12	9	1	1. St Peter, . .	0	2	1	2	2	0	1
2. Camlachie, . .	0	14	0	1	4	0	1	2. St Mary, . .	0	2	0	0	2	0	1
3. Dennistoun, . .	0	2	2	0	3	1	2	3. St Clement, . .	0	1	1	1	1	0	0
4. Calton, . .	0	10	0	0	1	0	2	4. St Andrew, . .	0	0	0	1	7	0	4
5. Blackfriars, . .	0	0	0	0	1	0	1	5. Lochee, . .	0	0	0	0	2	0	1
6. St Rollox, . .	0	1	0	2	8	0	0	ABERDEEN—							
7. Blythswood, . .	0	0	0	0	0	0	1	1. St Nicholas, . .	0	2	0	0	11	3	3
8. Milton, . .	0	5	0	0	1	1	1	2. Aberdeen, . .	0	4	0	0	8	2	3
9. Kelvin, . .	0	7	1	1	2	0	2	3. Woodside, . .	0	0	0	0	0	0	0
10. Anderston, . .	0	0	0	2	7	0	1	4. Old Aberdeen, . .	0	0	0	0	2	0	0
11. Hutchesontown, . .	0	6	0	5	8	0	1	GREENOCK—							
12. Gorbals, . .	0	10	0	0	10	0	0	1. East, . .	0	0	0	1	4	0	0
13. Tradeston, . .	0	1	0	0	7	0	0	2. Middle, . .	0	0	0	1	1	0	1
14. Kinning Park, . .	0	1	0	0	2	0	0	3. West, . .	0	0	1	2	2	0	1
EDINBURGH—								LEITH—							
1. St George, . .	0	14	0	0	11	0	1	1. North, . .	0	8	2	0	2	1	1
2. St Andrew, . .	0	3	0	3	5	1	0	2. South, . .	0	8	5	0	8	4	0
3. Canongate, . .	0	9	1	4	3	1	0	PAISLEY, . .	0	0	1	0	2	3	0
4. St Giles, . .	0	4	0	2	3	0	2	PERTH, . .	0	0	0	3	1	0	0
5. Newington, . .	0	12	1	3	7	0	1								

* NOTE.—The Population here given is that of the various Registration Districts, which in some cases differs slightly from that of the Parliamentary Burghs in consequence of some of the Districts including small fragments of the extra burghal population.

DEATHS FROM ALL CAUSES at Four Periods of Life.

37

Registered during the Month of MARCH 1890.

CAUSES OF DEATH.	GREENOCK.					LEITH.					PAISLEY.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - - -	56	16	52	31	155	74	18	58	35	185	36	14	32	31	113	18	4	12	29	63
I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES -	13	1	3	1	18	33	3	6	1	43	3	1	1	1	6	5	-	-	-	5
II. PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC " -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV. CONSTITUTIONAL,, -	3	5	22	2	32	5	6	21	4	36	3	6	12	2	23	1	2	6	4	13
V. DEVELOPMENTAL,, -	4	-	-	8	12	2	-	-	5	7	-	-	-	10	10	1	-	-	6	7
VI. LOCAL " -	25	7	23	17	72	28	8	28	22	86	26	7	19	18	70	3	2	5	19	34
VII. VIOLENCE - - -	2	3	3	1	9	1	1	2	2	6	1	-	-	-	1	1	-	-	-	1
VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES -	8	-	1	2	11	5	-	1	1	7	3	-	-	-	3	2	-	1	-	3
I.																				
MIASMATIC DISEASES - -	11	1	1	1	14	32	3	3	-	38	3	1	1	1	6	5	-	-	-	5
DIARRHOEAL " - -	2	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
MALARIAL " - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS " - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL " - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEPTIC " - -	-	-	1	-	1	1	-	3	-	4	-	-	-	-	-	-	-	-	-	-
II.																				
PARASITIC DISEASES - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																				
DIETETIC DISEASES - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV.																				
CONSTITUTIONAL DISEASES--	3	5	22	2	32	5	6	21	4	36	3	6	12	2	23	1	2	6	4	13
V.																				
DEVELOPMENTAL DISEASES--	4	-	-	8	12	2	-	-	5	7	-	-	-	10	10	1	-	-	6	7
VI.																				
DISEASES OF NERVOUS SYSTEM -	5	3	2	4	14	3	1	4	8	16	11	2	5	7	25	-	-	-	6	6
" ORGANS OF SPECIAL SENSE -	-	-	1	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	3
" CIRCULATORY SYSTEM -	-	7	2	9	-	1	7	6	14	-	5	1	6	6	22	6	1	-	2	19
" RESPIRATORY SYSTEM -	16	1	7	7	31	23	4	13	7	47	9	1	6	6	22	6	1	2	10	19
" DIGESTIVE SYSTEM -	2	2	4	4	12	1	1	1	1	4	5	1	1	4	11	2	-	1	1	4
" LYMPHATIC SYSTEM AND DUCTLESS GLANDS -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
" URINARY SYSTEM -	-	-	1	2	3	1	1	3	-	5	-	3	2	-	5	-	-	1	-	1
" REPRODUCTIVE SYSTEM :-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) DISEASES OF ORGANS OF GENERATION -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) DISEASES OF PARTURITION -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
" ORGANS OF LOCOMOTION -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
" INTEGUMENTARY SYSTEM - -	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

39

39

CAUSES OF DEATH.	GREENOCK.					LEITH.					PAISLEY.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																				
1. ACCIDENT OR NEGLIGENCE -	2	3	3	1	9	1	1	2	2	6	1	-	-	-	1	-	-	-	-	-
2. HOMICIDE -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
3. SUICIDE -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. EXECUTION -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII.																				
ILL-DEFINED AND NOT SPECIFIED CAUSES -	8	-	1	2	11	5	-	1	1	7	3	-	-	-	3	2	-	1	-	3
MIASMATIC DISEASES.																				
Small-pox { Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	-	-	-	-	-	16	-	-	-	16	-	-	-	-	-	-	-	-	-	-
Epidemic Rose Rash -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever -	1	-	-	-	1	5	2	-	-	7	1	-	1	-	1	-	-	-	-	-
Typhus -	-	-	-	-	-	1	2	-	-	3	-	-	1	-	1	-	-	-	-	-
Relapsing Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza -	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1
Whooping-cough -	6	1	-	-	7	10	-	-	-	10	2	-	-	-	2	1	-	-	1	1
Mumps -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria -	4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	3	-	-	-	3
Cerebro-spinal Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	-	-	-	-	-	-	1	1	-	2	-	1	-	1	2	-	-	-	-	-
Other Miasmatic Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHOEAL DISEASES.																				
Simple Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery -	2	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
MALARIAL DISEASES.																				
Remittent Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																				
Hydrophobia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																				
Syphilis -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gonorrhoea, Stricture of Urethra -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEPTIC DISEASES.																				
Phagedæna -	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-
Erysipelas -	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Pyæmia, Septicæmia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Fever -	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60 etc.	Total.
PARASITIC DISEASES.																					
Thrush - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	
Other Dis. from Veg. Parasites - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hydatid Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Dis. from Animal Par. - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DIETETIC DISEASES.																					
Starvation, Want of Breast Milk - - - - -	4	1	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	2	
Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Intemp. { Chronic Alcoholism - - - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
{ Delirium Tremens - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
CONSTITUTIONAL DISEASES.																					
Rheumatic Fever, Rheumatism of Heart - - - - -	10	-	-	2	-	2	-	-	4	-	4	-	1	-	1	-	-	2	-	2	
Rheumatism - - - - -	3	-	-	2	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Gout - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	
Rickets - - - - -	3	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer - - - - -	67	-	-	22	3	25	-	-	9	4	18	-	-	4	1	5	-	2	2	4	
Tabes Mesenterica - - - - -	22	12	1	-	-	13	4	1	-	-	5	1	1	-	2	-	-	-	-	-	
Tubercular Meningitis (Acute Hydrocephalus) - - - - -	57	23	4	1	-	28	9	3	1	-	13	6	-	-	6	2	-	-	-	2	
Phthisis - - - - -	331	11	24	110	4	149	2	6	37	-	45	1	6	39	3	49	1	9	15	26	
Other forms of Tuber. Scrofula - - - - -	27	2	3	5	-	10	3	3	-	-	6	1	-	-	1	-	-	-	-	1	
Purp., Hæmorrhagic Diathesis - - - - -	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
Anæmia, Chl., Leucocythæmia - - - - -	5	-	-	2	1	3	-	-	-	-	-	-	1	1	-	2	-	-	-	-	
Diabetes Mellitus - - - - -	4	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	1	1	-	2	
Other Constitutional Diseases - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	
DEVELOPMENTAL DISEASES.																					
Premature Birth - - - - -	68	38	-	-	-	38	8	-	-	-	8	4	-	-	4	12	-	-	-	12	
Atelectasis - - - - -	5	2	-	-	-	2	-	-	-	-	-	1	-	-	1	1	-	-	-	1	
Cyanosis - - - - -	2	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Spina Bifida - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	
Imperforate Anus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cleft Palate, Harelip - - - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Congenital Defects - - - - -	8	4	-	-	-	4	3	-	-	-	3	1	-	-	1	-	-	-	-	-	
Old Age - - - - -	99	-	-	-	30	30	-	-	21	21	-	-	-	8	8	-	-	-	11	11	
DISEASES OF NERVOUS SYSTEM.																					
Inflammation of Brain or its Membranes - - - - -	64	26	6	1	1	34	4	1	1	-	6	2	3	-	5	6	2	-	-	8	
Apoplexy - - - - -	71	1	1	13	17	32	-	-	9	3	12	-	3	3	6	9	-	-	8	8	
Softening of Brain - - - - -	7	-	-	1	1	2	-	-	1	2	3	-	-	-	1	1	-	-	-	-	
Hemiplegia, Brain Paralysis - - - - -	49	-	-	8	13	21	-	-	1	2	3	-	-	1	5	6	-	1	4	5	
Paralysis Agitans - - - - -	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Insanity, General Par. of Insane - - - - -	3	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	1	-	1	
Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Epilepsy - - - - -	11	2	1	1	1	5	-	-	2	-	2	-	1	-	1	-	-	1	-	1	
Convulsions - - - - -	60	23	-	-	-	28	12	-	-	-	12	3	-	-	3	8	-	-	-	8	
Laryngismus Stridulus - - - - -	7	5	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Idiopathic Tetanus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Paraplegia, Dis. of Spinal Cord - - - - -	11	1	-	1	2	4	-	-	3	3	3	-	1	-	1	-	-	2	1	3	
Other Diseases of Ner. System - - - - -	47	11	2	2	2	17	3	-	5	4	12	3	1	-	5	-	-	1	-	1	
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Otorrhœa - - - - -	5	-	1	1	-	2	-	-	1	-	1	-	-	-	-	-	1	-	-	1	
Epistaxis and Dis. of Nose - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ophthalmia and Dis. of Eye - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MARCH 1890.

CAUSES OF DEATH.	GREENOCK.					LEITH.					PAISLEY.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Thrush - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Vegetable Parasites - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Parasites - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Delirium Tremens - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Rheumatism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets - - - - -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Cancer - - - - -	-	-	2	2	4	-	-	6	3	9	-	-	2	1	3	-	1	3	4	-
Tabes Mesenterica - - - - -	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Tubercular Meningitis (Acute Hydrocephalus) - - - - -	-	1	-	-	1	1	1	-	-	2	2	2	-	-	4	1	-	-	-	1
Phthisis - - - - -	1	4	19	-	24	4	14	1	19	3	10	-	-	13	-	-	5	1	6	1
Other forms of Tuberculosis, Scrofula - - - - -	1	-	1	-	2	3	1	1	5	-	1	-	-	1	-	1	-	-	-	-
Purpura, Hæmorrhagic Diathesis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chlorosis, Leucocythæmia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes Mellitus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Constitutional Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																				
Premature Birth - - - - -	3	-	-	-	3	2	-	-	-	2	-	-	-	-	-	1	-	-	-	1
Atelectasis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cyanosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Imperforate Anus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old Age - - - - -	-	-	8	-	8	-	-	5	5	-	-	-	10	10	-	-	-	6	-	-
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Membranes - - - - -	2	3	-	-	5	1	1	-	-	2	3	1	-	4	-	-	-	-	-	-
Apoplexy - - - - -	-	-	-	2	2	-	1	2	3	-	-	1	2	3	-	-	-	2	2	-
Softening of Brain - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemiplegia, Brain Paralysis - - - - -	-	-	1	1	2	-	-	2	6	8	-	-	4	4	-	-	-	1	1	-
Paralysis Agitans - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity, General Paralysis of Insane - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Convulsions - - - - -	-	-	-	-	-	1	1	-	2	7	-	-	-	7	-	-	-	-	-	-
Laryngismus Stridulus - - - - -	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-
Idiopathic Tetanus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Diseases of Spinal Cord - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Nervous System - - - - -	3	-	1	1	5	-	-	-	-	-	-	1	3	-	4	-	-	-	3	3
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Otorrhœa - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis and Dis. of Nose - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Ophthalmia and Dis. of Eye - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MARCH 1890.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																					
Endocarditis, Valvular Dis. -	144	2	7	22	28	59	-	1	10	14	25	-	2	6	10	18	-	1	7	8	16
Pericarditis -	4	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	2	-	2
Hypertrophy of Heart -	5	-	-	1	2	3	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1
Angina Pectoris -	5	-	-	1	-	1	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-
Syncope -	4	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-
Aneurism -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Senile Gangrene -	3	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis -	3	-	-	-	-	-	-	-	1	2	3	-	-	-	-	-	-	-	-	-	-
Phlebitis -	2	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Varicose Veins -	2	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Cir. System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis -	9	1	1	-	-	2	1	-	1	-	2	-	-	-	-	-	3	1	-	-	4
Croup -	17	7	-	-	-	7	1	-	-	-	1	2	-	-	-	2	5	-	-	-	5
Other Dis. of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma -	7	-	-	2	-	2	-	-	1	2	3	-	-	-	-	-	-	-	-	-	-
Bronchitis -	360	61	4	50	54	169	25	-	9	21	55	24	1	15	16	56	4	-	1	7	12
Pneumonia -	198	41	7	31	2	81	14	2	13	6	35	20	2	7	3	32	4	-	4	4	12
Pleurisy -	20	4	-	6	2	12	-	-	2	2	4	-	-	-	-	-	-	-	1	1	1
Other Diseases of Resp. System	50	18	1	5	5	29	1	-	4	3	8	1	-	1	-	2	2	-	1	3	6
DISEASES OF DIGESTIVE SYSTEM.																					
Stomatitis -	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dentition -	25	11	-	-	-	11	5	-	-	-	5	2	-	-	-	2	1	-	-	-	-
Sore-throat, Quinsy -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia -	3	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmatemesis -	3	1	-	1	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Melæna -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach -	29	6	-	7	2	15	1	-	2	2	5	1	-	-	1	2	1	-	-	3	4
Enteritis -	20	9	2	2	-	13	-	-	2	-	2	1	-	-	-	1	-	-	-	-	-
Ulceration of Intestine -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	10	2	1	1	-	4	1	-	1	-	2	-	-	-	-	-	-	1	-	1	-
Stricture or Strang. of Intestine	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Hernia -	2	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Fistula -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis -	30	5	2	5	1	13	3	2	2	1	8	-	1	-	2	3	1	-	1	-	1
Ascites -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver -	9	-	-	4	1	5	-	-	1	-	2	-	-	1	-	1	-	-	-	-	-
Other Diseases of Liver	23	-	2	4	2	8	-	-	1	1	2	1	-	3	1	5	2	-	-	-	2
Other Dis. of Digestive System	12	-	-	6	-	6	-	-	-	1	1	3	-	-	-	3	2	-	-	-	2
DIS. OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																					
Diseases of Lymphatic System	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Spleen -	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Bronchocele -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Addison's Disease -	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis -	13	2	-	3	1	6	-	1	3	-	4	1	-	-	-	1	-	-	-	-	-
Bright's Disease -	20	-	-	3	3	6	-	2	4	-	6	-	-	-	-	-	-	-	-	-	-
Uræmia -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suppression of Urine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus -	3	-	-	-	-	-	-	-	-	2	2	-	-	1	-	1	-	-	-	-	-
Hæmaturia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	11	-	-	2	2	4	-	-	-	2	2	-	-	1	-	1	-	-	1	1	2
Other Dis. of Urinary System	14	-	1	7	-	8	-	-	1	2	3	-	1	1	-	2	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

43

Registered during the Month of MARCH 1890.

CAUSES OF DEATH.	GREENOCK.					LEITH.					PAISLEY.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																				
Endocarditis, Valvular Disease	-	-	7	2	9	-	1	5	4	10	-	-	4	1	5	-	1	-	1	2
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Hypertrophy of Heart	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	1
Angina Pectoris	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Syncope	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-
Aneurism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Senile Gangrene	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	1
Other Diseases of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma	-	-	1	1	2	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Bronchitis	9	-	5	5	19	8	2	5	5	20	5	1	6	5	17	3	-	1	8	12
Pneumonia	6	1	1	-	8	12	1	6	2	21	4	-	-	1	5	3	-	-	1	4
Pleurisy	-	-	1	-	1	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory System	-	-	-	1	1	1	1	-	-	2	-	-	-	-	-	-	-	1	1	2
DISEASES OF DIGESTIVE SYSTEM.																				
Stomatitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dentition	1	-	-	-	1	-	-	-	-	-	5	-	-	-	5	-	-	-	-	-
Sore-throat, Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Hæmatemesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melena	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach	-	-	-	1	1	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-
Enteritis	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	2	-	-	-	2
Ulceration of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	-	-	1	1	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Stricture or Strangulation of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis	-	-	1	-	1	-	-	-	1	1	-	1	-	2	3	-	-	-	1	1
Ascites	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Liver	-	1	2	2	5	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																				
Diseases of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Spleen	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchocele	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Addison's Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-
Bright's Disease	-	-	1	-	1	1	-	2	-	3	-	2	1	-	3	-	-	1	-	1
Uremia	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Suppression of Urine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmaturia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Bladder and of Prostate	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Urinary System	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MARCH 1890.

CAUSES OF DEATH.	GREENOCK.					LEITH.					PAISLEY.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF ORGANS OF GENERATION.																				
Ovarian Disease -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Testes, Penis, Scrotum, &c.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																				
Abortion, Miscarriage -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																				
Caries, Necrosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arthritis, Ostitis, Periostitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Other Dis. of Organs of Locomotion -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF INTEGUMENTARY SYSTEM.																				
Carbuncle -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis -	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integumentary System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																				
Fractures, Contusions -	-	3	2	1	6	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Gunshot Wounds -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cut, Stab -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burn, Scald -	-	1	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Poison -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning -	-	1	-	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Suffocation -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Otherwise -	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-
HOMICIDE.																				
Murder, Manslaughter -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
SUICIDE.																				
Gunshot Wounds -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cut, Stab -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poison -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hanging -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Otherwise -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EXECUTION.																				
Hanging -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																				
Dropsy -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition -	-	4	-	-	4	5	-	-	-	5	3	-	-	-	3	2	-	-	-	2
Mortification -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour -	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Abscess -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained) -	1	-	1	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Other ill-defined and not specified Causes -	3	-	-	2	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in selected Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—MARCH 1890.

DISTRICTS.	Estimated Population at Middle of 1890.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Fevers—Typhus & Typhoid.	Diphtheria.	Croup and Laryngitis.	Whooping-Cough.	Cholera.	Diarrhoea and Dysentery.	Bronchitis, Pneumonia and Pleurisy.	Consumption.
Arbroath,	23,831	55	9	49	0	0	0	0	0	0	0	0	0	24	3
Ayr,	25,599	64	8	44	0	0	0	0	1	0	2	0	0	10	5
Banff, with Macduff,	9,298	22	5	24	0	0	0	0	2	1	2	0	1	0	2
Blairgowrie,	5,034	14	1	10	0	0	0	0	1	0	0	0	1	2	3
Campbeltown,	10,985	32	1	17	0	0	0	0	0	0	0	0	1	4	1
Crieff,	5,099	8	1	13	0	0	0	0	0	0	0	0	1	2	3
Dumbarton,	16,405	59	6	32	0	0	1	0	0	0	4	0	0	6	4
Dumfries, with Troqueer,	24,525	51	10	42	0	0	0	0	0	0	0	0	0	5	8
Dunfermline,	29,569	74	15	61	0	0	0	0	0	1	3	0	0	19	7
Elgin,	10,023	26	1	26	0	0	0	0	0	0	0	0	2	8	4
Falkirk (Burgh),	17,735	42	6	29	0	0	0	0	0	1	0	0	0	7	3
Forfar,	16,464	28	1	31	0	0	0	0	0	1	0	0	0	11	4
Galashiels,	15,008	34	8	22	0	0	0	0	0	1	0	0	2	3	4
Haddington,	5,591	10	2	12	0	0	0	1	0	0	0	0	0	3	2
Hawick, with Wilton,	23,698	61	3	28	0	1	0	1	0	0	0	0	3	4	2
Inverness,	25,141	53	14	49	0	1	0	0	1	0	1	0	0	7	3
Kilmarnock,	27,640	78	23	52	0	0	3	0	0	0	5	0	0	9	1
Kirkcaldy and Abbotshall,	18,353	51	3	32	0	0	0	1	0	0	3	0	3	6	1
Kirkcudbright,	3,607	8	1	7	0	0	0	0	0	0	0	0	0	1	0
Montrose	16,799	36	6	22	0	1	0	0	0	0	0	0	0	4	2
New Monkland, with Landward,	33,498	132	12	81	0	0	1	2	1	1	12	0	0	17	13
Peterhead, with Boddam,	17,384	30	5	29	0	3	0	3	0	2	1	0	0	1	4
Rothsay,	8,850	12	2	27	0	0	0	0	0	0	0	0	0	4	1
Shettleston,	11,179	39	4	30	0	0	0	0	1	0	3	0	0	9	1
Stirling,	15,729	35	5	27	0	0	0	0	0	1	1	0	0	8	5
Stranraer,	6,849	17	4	10	0	0	1	0	0	0	0	0	1	1	1
Wick,	12,403	24	2	28	0	0	0	0	0	0	0	0	2	6	1
Glasgow—Landward and Suburban Census Population.															
Cathcart,	12,211	29	2	21	0	0	0	0	1	0	1	0	0	7	1
Eastwood,	13,915	36	4	31	0	0	0	0	0	1	0	0	0	4	8
Maryhill,	18,385	78	9	36	0	0	0	0	0	0	0	0	0	14	4
Dennistoun (Landward),	6,009	25	3	72	0	0	0	0	0	0	1	0	0	22	9
St Rollox (Landward),	945	2	1	3	0	0	0	0	0	0	1	0	0	1	0
Hutchesontown (Landwd.)	5,951	27	3	11	0	0	0	1	0	0	3	0	0	3	0
Gorbals (Landward),	5,011	30	1	11	0	0	0	0	1	0	0	0	0	0	0
Tradeston (Landward),	5,451	25	2	7	0	0	0	0	0	0	1	0	0	1	1
Kinning Park (Landward)	15,752	46	22	33	0	0	0	0	0	0	3	0	0	10	5
Plantation,	18,405	75	17	43	0	5	0	2	0	0	5	0	0	17	2
Govan,	33,510	131	18	103	0	2	0	3	2	0	1	0	1	21	14
Partick,	39,028	109	19	97	0	0	2	0	0	0	9	1	0	17	3

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors only, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 136 feet above the sea-level,

For the month of **MARCH 1890.**

Mean Barometric pressure, 29·684 inches; less than the average of the same month for 1856–89 by 0·163 inch.

Barometric monthly range, 1·458 inch; greater by 0·005 inch.

Mean temperature, $42^{\circ}5'$; greater by $2^{\circ}3'$.

Mean daily range of temperature, $11^{\circ}9'$; greater by $0^{\circ}6'$.

Mean humidity, 82; less by 2.

Rain, number of days, 19; greater by 4.

Rain, depth in inches, 2·71; greater by 0·03 inch.

Wind, pressure on square inch, 1·66 lbs.; less by 0·36 lb.

Wind, direction of, E. to W. as 6 to 12, and N. to S. as 5 to 5; the average being E. to W. as 7 to 12, and N. to S. as 5 to 5.

Hence the month of March has been characterised by decidedly low barometric pressure, with usual range of the same; exceptionally high and variable temperature; winds normal as to distribution but somewhat light on the whole, in spite of occasional gales.

The depression of the barometer at this season is by no means without precedent, the pressure having been 29·648 inches in 1888, and as low as 29·398 inches in 1864, not to mention other years.

The shade temperature was last exceeded in March 1882, when the mean was $44^{\circ}3'$.

As usual, the rainfall has been very irregularly distributed, varying from 1·58 inch at Leith to 5·67 inches at Greenock. Snow fell heavily at Aberdeen on the 7th and 8th.

The highest shade temperature ($61^{\circ}3'$) was registered at Aberdeen on March 12th, while the lowest ($20^{\circ}5'$) occurred at Perth on the night of the 2nd.

The mean humidity was slightly below the average for the month.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, GREENOCK, LEITH, and PERTH,

During the Month of MARCH 1890.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.		DEDUCTIONS from Glaisher's Tables 2nd Edit.					RAIN.		WINDS.										Mean Pres- sure on Sq. ft.
		Mean at Station and 32°.	Mean at Sea-level and 32°.	Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Va- pour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.											
																			N	NE	E	SE	S	SW	W	NW	Calm or Variable.	lbs.		
GLASGOW, J. B. RUSSELL, Esq., M.D., Medical Officer of Health.	54	29.642	29.701	1.498	53.5	21.8	43.4	36.7	12.9	25.9	43.2	40.5	37.3	.222	2.53	80	17	2.13	1	0	3	1	3	3	8	4	8	0.37		
EDINBURGH, JAMES BUCHANAN, Esq., and R. C. MOSSMAN, Esq.	254	29.405	29.684	1.494	59.5	25.4	42.8	34.1	11.6	20.2	41.8	39.4	36.4	.217	2.50	82.	20	1.83	3	1	2	1	2	0	9	7	6	0.40		
DUNDEE, W. R. McKEIVIE, Esq., Cura- tor of Cemeteries.	164	29.492	29.672	1.470	58.0	22.1	41.8	35.9	11.8	22.3	41.3	39.4	37.0	.221	2.55	85	15	1.93	1	4	2	5	1	4	10	4	0	3.17		
ABERDEEN, JAMES DALE, Esq., Gordon's Hospital.	66	29.580	29.684	1.420	61.3	24.5	41.7	36.8	12.0	20.7	41.6	39.4	36.7	.218	2.52	84	18	3.04	3	4	2	2	2	6	4	2	0.96			
PAISLEY, DONALD MACLEAN, Esq., The Coats Observatory.	107		
GREENOCK, JAMES WILSON, Esq., Green- ock Water Works.	233	29.474	29.730	1.461	54.7	25.8	42.4	28.9	10.7	19.4	42.4	40.4	38.0	.229	2.64	85	24	5.67	0	2	4	2	0	3	9	8	3	1.21		
LEITH, JAMES BOLAM, Esq., Navi- gation School, and GEORGE REDPATH, Esq.	70	29.611	29.638	1.534	60.1	27.8	43.7	32.3	10.4	18.7	43.4	40.6	37.3	.223	2.63	79	21	1.58	2	1	5	0	3	2	17	0	1	3.84		
PERTH, Mr A. GAEDDEKE, Gardener to James F. Pullar, Esq.	140	29.506	29.660	1.330	56.5	20.5	41.8	36.0	13.9	23.4	42.4	40.0	37.1	.221	2.56	82	17	2.82	2	5	10	4	2	8	0	0	0	...		
Means	136	...	29.684	1.458	56.3	20.5	42.5	34.4	11.9	21.5	42.3	40.0	37.1	.222	2.56	82	19	2.71	2	2	4	2	2	4	8	4	3	1.66		
North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Paisley, 55° 50'; Greenock, 55° 57'; Leith, 56° 23'; Mean, 56° 12'. West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 25'; Aberdeen, 2° 6'; Paisley, 4° 27'; Greenock, 4° 45'; Leith, 3° 26'; Mean, 3° 30'.																														

North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Paisley, 55° 50'; Greenock, 55° 57'; Leith, 55° 58'; Perth, 56° 28'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Paisley, 4° 27'; Greenock, 4° 45'; Leith, 3° 28'; Perth, 3° 30'.

* Absolute Highest.

† Absolute Lowest.

MONTHLY RETURN

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;

WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

APRIL 1890.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by ADAM and CHARLES BLACK, 6 North Bridge, Edinburgh.

REPORT.

DURING the month of April 1890 there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Greenock, Leith, Paisley, and Perth the Births of 3768 children, of whom 1854 were males and 1914 females. Of these, 3492 were legitimate and 276 illegitimate, being in the proportion of one illegitimate in every 13·7 Births; or the illegitimate Births constituted 7·3 per cent. of the whole. In Greenock, 2·3 per cent. of the Births were illegitimate; in Leith, 3·1; in Paisley, 4·2; in Edinburgh, 6·6; in Glasgow, 7·3; in Aberdeen, 10·0; in Dundee 11·6; and in Perth, 13·4 per cent.

968 Marriages were registered in these Towns during April, being 134 above the average number for the month during the last ten years, allowing for increase of the population.

The Deaths of 2767 persons were recorded in these Towns during the month, of whom 1362 were males and 1405 females. Allowance being made for increase of the population, this is 180 above the average for the corresponding month of the last ten years.

A comparison of the Deaths registered shows that during April the mortality was at the annual rate of 17·6 Deaths per thousand persons in Greenock, 18·9 in Leith, 20·1 in Perth, 21·3 in Paisley, 22·7 in Edinburgh, 23·6 in Aberdeen, 23·8 in Dundee, and 29·5 in Glasgow.

Of the 1293 Deaths registered in Glasgow, 268 were of children under one year of age, and 190 of persons over 60 years; of the 506 registered in Edinburgh, 93 were of children under one year, and 117 of persons over 60 years; of the 325 in Dundee, 72 were under one, and 57 over 60; of the 240 in Aberdeen, 52 were under one, and 67 over 60; of the 115 in Greenock, 21 were under one, and 18 over 60; of the 122 in Leith, 31 were under one, and 19 over 60; of the 111 in Paisley, 10 were under one, and 28 over 60; and of the 55 in Perth, 7 were under one, and 17 over 60 years.

Of the whole 2767 Deaths, 1130, or 40·8 per cent., were of children under five years of age. In Paisley, 17·1 per cent. of the persons who died were under five years of age; in Perth, 25·4; in Edinburgh, 37·0; in Greenock, 38·3; in Aberdeen, 40·0; in Dundee, 40·6; in Glasgow, 44·3; and in Leith, 54·1 per cent.

Miasmatic Diseases caused 385 Deaths, or 13·9 per cent. of the whole mortality. This rate was exceeded in Aberdeen and Leith from the presence of Measles and Hooping-Cough in each of these Towns.

Measles was the most fatal epidemic, having caused 171 Deaths, or 6·2 per cent. of the whole mortality. In Greenock, 4·3 per cent. of the deaths were caused by Measles; in Aberdeen, 5·4; in Glasgow, 6·5; in Edinburgh, 6·7; in Dundee, 8·6; and in Leith, 9·0 per cent.

Fever caused 21 Deaths, of which 6 were tabulated as Typhus and 15 as Enteric Fever. Of the 6 deaths from Typhus, 2 occurred in Glasgow, 1 in Leith, and 3 in Paisley.

Hooping-Cough caused 144 Deaths, or 5·2 per cent. of the whole. In Aberdeen, 25 of the deaths were caused by Hooping-Cough, being at the rate of 10·4 per cent. of the deaths there.

Diarrhoea and Dysentery caused 27 Deaths; Diphtheria, 22; Scarlatina, 19; and Puerperal Fever, 8.

72 Deaths were attributed to Apoplexy, 53 to Paralysis, 205 to Diseases of the Heart, and 72 to Premature Birth Debility.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 622, or 22·5 per cent. of the whole. Those from Consumption alone numbered 292, or 10·6 per cent. 18 deaths were caused by Croup.

92 Deaths resulted from Violent Causes, of which 8 were suicides. 3 Deaths were attributed to Chronic Alcoholism, and one to Delirium Tremens.

Four males and two females were aged 90 years and upwards, the eldest of whom was a blacksmith, aged 94 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES.

APRIL 1890.

TOWNS.	POPULATION.*			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1871.	Census 1881.	Estimated to middle of 1890.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW, . . .	491,846	511,415	530,208	822	896	1718	1592	126	465	669	624	1293
EDINBURGH, . .	200,277	234,402	271,135	310	295	605	565	40	152	245	261	506
DUNDEE, . . .	120,724	142,455	166,027	214	208	422	373	49	119	146	179	325
ABERDEEN, . . .	88,181	105,076	123,600	163	156	319	287	32	50	121	119	240
GREENOCK, . . .	59,794	69,238	79,312	124	132	256	250	6	50	55	60	115
LEITH, . . .	46,172	60,843	78,538	95	96	191	185	6	53	53	69	122
PAISLEY, . . .	43,257	55,633	63,469	96	94	190	182	8	59	48	63	111
PERTH, . . .	26,382	29,756	33,274	30	37	67	53	9	20	25	30	55
TOTAL, . . .	1,081,633	1,208,823	1,345,563	1854	1914	3768	3492	276	968	1362	1405	2767

APRIL 1889, . . .	Mean Temp. 43°·3	1995	1862	3857	3575	282	895	1264	1298	2562
APRIL 1888, . . .	Mean Temp. 43°·1	1883	1802	3685	3389	296	855	1137	1166	2303
APRIL 1887, . . .	Mean Temp. 43°·1	1918	1734	3652	3366	286	690	1179	1224	2403
APRIL 1886, . . .	Mean Temp. 43°·8	2052	1832	3884	3563	321	653	1081	1193	2274
APRIL 1885, . . .	Mean Temp. 45°·0	1969	1873	3842	3509	333	824	1234	1179	2413
APRIL 1884, . . .	Mean Temp. 43°·9	2076	1891	3967	3693	274	913	1246	1267	2513
APRIL 1883, . . .	Mean Temp. 45°·7	1933	1833	3766	3461	305	934	1431	1418	2849
APRIL 1882, . . .	Mean Temp. 44°·3	1848	1730	3578	3321	257	763	1144	1123	2267
APRIL 1881, . . .	Mean Temp. 42°·7	1981	1754	3735	3463	272	662	1153	1202	2355
APRIL 1880, . . .	Mean Temp. 45°·6	1953	1917	3870	3590	280	686	1338	1278	2616

DEATHS from Small-pox, Measles, Scarlatina, Diphtheria, Hooping-Cough, Fevers, and Diarrhœa, registered in each District of the several Towns during the Month of April 1890.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Hooping-Cough.	Fevers.	Diarrhœa.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Hooping-Cough.	Fevers.	Diarrhœa.
GLASGOW—								DUNDEE—							
1. Bridgeton, . .	0	15	5	1	12	9	0	1. St Peter, . .	0	8	0	1	1	0	0
2. Camlachie, . .	0	13	0	1	7	0	3	2. St Mary, . .	0	10	0	1	0	0	1
3. Dennistoun, . .	0	7	0	1	6	0	0	3. St Clement, . .	0	7	0	0	3	0	0
4. Calton, . . .	0	10	0	0	1	0	0	4. St Andrew, . .	0	3	0	0	5	1	1
5. Blackfriars, . .	0	5	1	0	3	0	0	5. Lochee, . . .	0	0	0	0	0	0	1
6. St Rollox, . . .	0	6	0	1	5	0	1	ABERDEEN—							
7. Blythswood, . .	0	0	0	0	1	0	3	1. St Nicholas, . .	0	11	0	1	13	1	1
8. Milton, . . .	0	13	1	0	5	0	1	2. Aberdeen, . . .	0	2	0	0	7	0	1
9. Kelvin, . . .	0	5	0	1	6	0	0	3. Woodside, . . .	0	0	0	0	0	0	0
10. Anderston, . .	0	0	1	0	8	0	3	4. Old Aberdeen, . .	0	0	0	0	0	0	1
11. Hutchesontown, . .	0	5	0	0	9	0	1	GREENOCK—							
12. Gorbals, . . .	0	4	0	0	5	1	1	1. East, . . .	0	0	0	1	2	0	0
13. Tradeston, . .	0	1	0	1	6	0	0	2. Middle, . . .	0	0	0	0	0	0	0
14. Kinning Park, . .	0	0	0	0	0	0	1	3. West, . . .	0	1	1	1	3	0	0
EDINBURGH—								LEITH—							
1. St George, . . .	0	20	1	1	10	0	1	1. North, . . .	0	7	0	1	1	0	0
2. St Andrew, . . .	0	6	0	1	3	0	2	2. South, . . .	0	4	5	2	5	1	0
3. Canongate, . . .	0	2	1	1	6	2	1	PAISLEY, . . .	0	0	0	2	0	4	2
4. St Giles, . . .	0	2	2	0	1	0	0	PERTH, . . .	0	0	0	2	0	1	0
5. Newington, . .	0	4	1	1	5	1	0								

* NOTE.—The Population here given is that of the various Registration Districts, which in some cases differ slightly from that of the Parliamentary Burghs in consequence of some of the Districts including small fragments of the extra burghal population.

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of APRIL 1890.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - -	2767	573	128	402	190	1293	187	43	159	117	506	132	33	103	57	325	96	20	57	67	240
I. SPECIFIC FEBRILE OR ZYMOTIC DIS.	442	173	17	18	3	211	68	7	7	2	84	40	5	-	1	46	36	4	5	3	48
II. PARASITIC DISEASE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC „	6	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
IV. CONSTITUTIONAL „	512	46	51	116	11	224	14	18	43	9	84	11	17	38	9	75	5	9	27	4	45
V. DEVELOPMENTAL „	164	41	-	-	27	68	21	-	-	17	38	10	-	-	11	21	5	-	-	11	16
VI. LOCAL „	1424	260	56	224	142	682	70	16	93	83	262	46	11	58	35	150	39	6	24	49	118
VII. VIOLENCE - -	92	5	2	24	6	37	3	2	15	5	25	7	-	7	1	15	2	1	1	-	4
VIII. ILL-DEFINED & NOT SPECIFIED CAUSES	127	48	2	17	1	68	11	-	1	1	13	18	-	-	-	18	8	-	-	-	8
I.																					
1. MIASMATIC DISEASES -	385	161	15	7	1	184	62	6	4	1	73	36	5	-	-	41	36	4	2	1	43
2. DIARRHOEAL „ -	27	7	2	4	1	14	3	-	1	-	4	3	-	-	-	3	-	-	1	2	3
3. MALARIAL „ -	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
4. ZOOGEOUS „ -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. VENEREAL „ -	7	2	-	1	-	3	1	1	-	-	2	1	-	-	-	1	1	-	-	-	-
6. SEPTIC „ -	22	3	-	6	1	10	1	-	2	1	4	-	-	-	1	1	-	-	2	-	2
II.																					
PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																					
DIETETIC DISEASES -	6	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
IV.																					
CONSTITUTIONAL DISEASES	512	46	51	116	11	224	14	18	43	9	84	11	17	38	9	75	5	9	27	4	45
V.																					
DEVELOPMENTAL DISEASES	164	41	-	-	27	68	21	-	-	17	38	10	-	-	11	21	5	-	-	11	16
VI.																					
1. DIS. OF NERVOUS SYSTEM -	306	58	16	22	36	132	16	4	19	20	59	14	-	13	8	35	13	3	4	12	32
2. „ ORGANS OF SPECIAL SENSE -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. „ CIRCULATORY SYSTEM	205	2	6	53	26	87	1	3	15	17	36	1	2	14	8	25	-	1	8	13	22
4. „ RESPIRATORY SYSTEM	622	151	18	94	59	322	44	4	29	31	108	26	5	17	16	64	18	1	4	17	40
5. „ DIGESTIVE SYSTEM -	178	45	7	29	11	92	5	2	15	7	29	4	2	7	2	15	7	1	5	3	16
6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS -	4	-	-	1	-	1	1	-	1	-	2	-	-	-	-	-	1	-	-	-	1
7. „ URINARY SYSTEM -	67	2	5	16	8	31	2	1	9	6	18	1	-	4	1	6	-	-	2	2	4
8. „ REPRODUCTIVE SYSTEM :-																					
(a) DISEASES OF ORGANS OF GENERATION -	7	-	1	2	-	3	-	-	1	2	3	-	-	-	-	-	-	-	1	-	1
(b) DISEASES OF PARTURITION -	9	-	-	2	-	2	-	-	2	-	2	-	-	2	-	2	-	-	-	-	-
9. „ ORGANS OF LOCOMOTION -	16	1	3	4	1	9	-	2	-	-	2	-	2	-	-	2	-	-	-	1	1
10. „ INTEGUMENTARY SYSTEM -	9	1	-	1	1	3	1	-	2	-	3	-	-	1	-	1	-	-	-	1	1

DEATHS FROM ALL CAUSES at Four Periods of Life.

53

Registered during the Month of APRIL 1890.

CAUSES OF DEATH.	GREENOCK.					LEITH.					PAISLEY.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - - -	44	12	41	18	115	65	9	29	19	122	19	16	48	28	111	14	7	17	17	55
I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES -	9	-	1	1	11	22	4	1	1	28	2	3	4	-	9	2	2	1	-	5
II. PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC „ -	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV. CONSTITUTIONAL „ -	2	6	15	-	23	7	1	13	1	22	1	6	18	-	25	2	3	5	4	14
V. DEVELOPMENTAL „ -	1	-	-	1	2	3	-	-	1	4	-	-	-	11	11	1	-	-	3	4
VI. LOCAL „ -	21	4	23	15	63	30	4	14	15	63	11	7	24	16	58	7	2	11	8	28
VII. VIOLENCE - - - -	1	2	1	1	5	-	-	1	1	2	1	-	1	1	3	-	-	-	1	1
VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES -	9	-	-	-	9	3	-	-	-	3	4	-	1	-	5	2	-	-	1	3
I.																				
1. MIASMATIC DISEASES - -	9	-	-	-	9	22	4	-	-	26	-	3	3	-	6	1	2	-	-	3
2. DIARRHEAL „ - - -	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	1	-	-	-	1
3. MALARIAL „ - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. ZOOGENOUS „ - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. VENEREAL „ - - -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6. SEPTIC „ - - -	-	-	1	-	1	-	-	1	1	2	-	-	1	-	1	-	-	1	-	1
II.																				
PARASITIC DISEASES - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																				
DIETETIC DISEASES - - - -	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV.																				
CONSTITUTIONAL DISEASES- -	2	6	15	-	23	7	1	13	1	22	1	6	18	-	25	2	3	5	4	14
V.																				
DEVELOPMENTAL DISEASES- -	1	-	-	1	2	3	-	-	1	4	-	-	-	11	11	1	-	-	3	4
VI.																				
1. DISEASES OF NERVOUS SYSTEM -	8	-	5	4	17	3	1	1	3	8	3	3	5	4	15	4	-	2	2	8
2. „ ORGANS OF SPECIAL SENSE - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. „ CIRCULATORY SYSTEM -	1	6	4	11	-	2	4	3	9	-	-	2	3	5	-	1	6	3	10	7
4. „ RESPIRATORY SYSTEM -	4	1	8	4	17	23	-	7	6	36	5	3	11	9	28	1	1	2	3	7
5. „ DIGESTIVE SYSTEM -	7	2	1	2	12	3	1	1	1	6	3	-	2	-	5	2	-	1	-	3
6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7. „ URINARY SYSTEM -	-	-	2	1	3	1	-	1	2	4	-	-	1	-	1	-	-	-	-	-
8. „ REPRODUCTIVE SYSTEM :-																				
(a) DISEASES OF ORGANS OF GENERATION -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) DISEASES OF PARTURITION - - -	-	-	1	-	1	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
9. „ ORGANS OF LOCOMOTION - - -	-	1	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
10. „ INTEGUMENTARY SYSTEM - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

55

Registered during the Month of APRIL 1890.

CAUSES OF DEATH.	GREENOCK.					LEITH.					PAISLEY.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																				
1. ACCIDENT OR NEGLIGENCE	-	1	2	1	1	5	-	-	-	1	1	-	1	-	2	-	-	-	1	1
2. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. SUICIDE	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-
4. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII.																				
ILL-DEFINED AND NOT SPECIFIED CAUSES	9	-	-	-	9	3	-	-	-	3	4	-	1	-	5	2	-	-	1	3
MIASMATIC DISEASES.																				
Small-pox { Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	1	-	-	1	11	-	-	-	11	-	-	-	-	-	-	-	-	-	-
Epidemic Rose Rash	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	-	1	-	-	1	2	3	-	-	5	-	-	-	-	-	-	-	-	-	-
Typhus	-	-	-	-	-	-	1	-	-	1	-	1	2	-	3	-	-	-	-	-
Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hooping-cough	-	5	-	-	5	6	-	-	-	6	-	-	-	-	-	-	-	-	-	-
Mumps	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	-	2	-	-	2	3	-	-	-	3	-	2	-	-	2	1	1	-	-	2
Cerebro-spinal Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1
Enteric Fever	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-
Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHOEAL DISEASES.																				
Simple Cholera	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	1	-	-	-	1
Diarrhoea, Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MALARIAL DISEASES.																				
Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																				
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																				
Syphilis	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gonorrhoea, Stricture of Urethra	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEPTIC DISEASES.																				
Phagedæna	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Pyæmia, Septicæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Fever	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	1	-	1

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of APRIL 1890.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60 etc.	Total.
PARASITIC DISEASES.																					
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Veg. Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Par.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																					
Starvation, Want of Breast Milk	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism	3	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Delirium Tremens	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																					
Rheumatic Fever, Rheumatism of Heart	12	-	3	2	2	7	-	2	1	-	3	-	-	-	-	-	-	-	1	-	1
Rheumatism	6	-	1	4	-	5	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Gout	2	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Rickets	4	1	-	-	-	1	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-
Cancer	69	-	-	13	7	20	-	12	5	17	-	-	9	6	15	-	-	4	3	7	3
Tabes Mesenterica	29	11	4	-	-	15	1	-	-	1	4	1	-	-	5	1	2	-	-	-	-
Tubercular Meningitis (Acute Hydrocephalus)	48	16	8	-	-	24	4	7	-	11	5	-	-	-	5	2	1	-	-	3	3
Phthisis	292	15	24	89	1	129	4	4	25	3	36	14	28	3	45	4	6	19	1	26	26
Other forms of Tuber. Scrofula	35	3	9	6	-	18	2	5	1	-	8	2	2	-	4	2	-	1	-	3	3
Purp., Hamorrhagic Diathesis	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Anæmia, Chl., Leucocythæmia	9	-	-	1	-	1	-	-	2	-	2	-	-	-	-	-	-	1	-	-	-
Diabetes Mellitus	5	-	2	1	-	3	-	-	1	-	1	-	-	-	-	-	-	1	-	1	1
Other Constitutional Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																					
Premature Birth	72	37	-	-	-	37	20	-	-	-	20	9	-	-	9	1	-	-	-	1	1
Atelectasis	5	2	-	-	-	2	-	-	-	-	1	-	-	-	1	2	-	-	-	2	2
Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida	3	2	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1
Imperforate Anus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1
Other Congenital Defects	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Old Age	82	-	-	-	27	27	-	-	17	17	-	-	-	11	11	-	-	-	11	11	11
DISEASES OF NERVOUS SYSTEM.																					
Inflammation of Brain or its Membranes	62	23	7	1	-	31	2	3	-	5	10	-	1	1	12	1	2	1	-	4	4
Apoplexy	72	-	1	9	17	27	-	-	5	11	16	-	7	4	11	-	-	-	8	8	8
Softening of Brain	3	-	-	-	1	1	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-
Hemiplegia, Brain Paralysis	44	-	1	7	14	22	-	2	6	8	-	-	1	3	4	-	-	-	1	1	1
Paralysis Agitans	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1
Insanity, General Par. of Insane	3	-	-	-	-	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-	-
Chorea	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1
Epilepsy	10	1	-	1	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Convulsions	49	21	-	-	-	21	11	1	-	12	2	-	-	-	2	10	-	3	-	4	10
Laryngismus Stridulus	8	5	-	-	-	5	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Idiopathic Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Dis. of Spinal Cord	8	1	1	-	-	2	-	-	2	1	3	-	2	-	2	-	-	-	1	1	1
Other Diseases of Ner. System	45	7	6	4	4	21	2	1	5	-	8	2	-	1	3	2	-	-	-	2	2
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Otorrhœa	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis and Dis. of Nose	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

57

57

CAUSES OF DEATH.	GREENOCK.					LEITH.					PAISLEY.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Thrush - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Vegetable Parasites - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Parasites - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Delirium Tremens - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Rheumatism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer - - - - -	-	-	2	-	2	-	-	2	-	2	-	-	1	-	1	1	1	1	3	5
Tubes Mesenterica - - - - -	1	1	-	-	2	1	-	-	-	1	-	1	-	-	1	1	-	-	-	1
Tubercular Meningitis (Acute Hydrocephalus) - - - - -	-	-	-	-	-	2	-	-	-	2	1	1	-	-	2	-	1	-	-	1
Phthisis - - - - -	-	5	13	-	18	3	1	9	1	14	-	4	15	-	19	-	1	4	-	5
Other forms of Tuberculosis, Scrofula - - - - -	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Purpura, Hemorrhagic Diathesis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chlorosis, Leucocythæmia - - - - -	-	-	-	-	-	-	-	2	-	2	-	-	2	-	2	1	-	-	-	1
Diabetes Mellitus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Constitutional Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																				
Premature Birth - - - - -	1	-	-	-	1	3	-	-	-	3	-	-	-	-	-	1	-	-	-	1
Atelectasis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cyanosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Imperforate Anus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old Age - - - - -	-	-	-	1	1	-	-	-	1	1	-	-	-	11	11	-	-	-	3	3
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Membranes - - - - -	4	-	-	-	4	-	1	-	-	1	1	1	-	-	2	2	-	1	-	3
Apoplexy - - - - -	1	-	-	-	1	-	-	-	1	1	-	-	4	2	6	1	-	1	-	2
Softening of Brain - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemiplegia, Brain Paralysis - - - - -	-	-	1	3	4	-	-	1	2	3	-	-	-	1	1	-	-	1	-	1
Paralysis Agitans - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity, General Paralysis of Insane - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-
Convulsions- - - - -	1	-	-	-	1	2	-	-	-	2	-	1	1	-	2	1	-	-	-	1
Laryngismus Stridulus - - - - -	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Idiopathic Tetanus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Diseases of Spinal Cord - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Nervous System - - - - -	1	-	4	1	6	1	-	-	-	1	1	1	-	1	3	-	-	1	-	1
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Otorrhœa - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis and Dis. of Nose - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye- - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Registered during the Month of APRIL 1890.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																					
Endocarditis, Valvular Dis. -	169	2	6	48	22	78	-	2	9	15	26	1	2	10	7	20	-	1	6	10	17
Pericarditis -	1	-	-	-	-	-	-	1	1	-	2	-	-	1	-	-	-	1	-	-	1
Hypertrophy of Heart -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris -	4	-	-	1	1	2	-	-	1	1	1	-	-	-	-	-	-	-	1	1	1
Syncope -	12	-	-	1	1	2	-	-	2	1	3	-	-	1	-	1	-	1	1	2	2
Aneurism -	5	-	-	2	1	3	-	-	1	1	1	-	-	-	-	-	-	-	1	1	1
Senile Gangrene -	2	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis -	4	-	-	-	1	1	-	-	1	1	1	-	-	1	-	1	-	-	-	-	-
Phlebitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Cir. System	5	-	-	1	-	1	1	-	-	-	1	-	-	1	1	2	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis -	9	5	-	-	-	5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2
Croup -	18	3	2	-	-	5	4	-	-	-	4	3	-	-	-	3	2	1	-	-	3
Other Dis. of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma -	8	1	-	3	1	5	-	-	1	2	3	-	-	-	-	-	-	-	-	-	-
Bronchitis -	303	58	4	50	35	147	28	2	7	24	61	15	2	6	10	33	3	-	2	10	20
Pneumonia -	213	51	10	34	15	110	12	2	15	4	33	8	3	8	6	25	7	-	1	4	12
Pleurisy -	12	2	1	-	1	4	-	-	3	-	3	-	-	2	-	2	-	-	-	-	-
Other Diseases of Resp. System	59	31	1	7	7	46	-	-	3	1	4	-	-	1	-	1	-	-	1	2	3
DISEASES OF DIGESTIVE SYSTEM.																					
Stomatitis -	3	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dentition -	25	16	-	-	-	16	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Sore-throat, Quinsy -	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia -	3	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hamatemesis -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Melæna -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach -	32	7	2	7	2	18	1	-	3	-	4	2	1	4	1	8	-	-	1	-	1
Enteritis -	31	15	1	3	-	19	2	-	-	1	3	1	-	-	-	1	3	-	-	3	3
Ulceration of Intestine -	5	-	1	2	-	3	-	-	1	-	1	-	-	-	-	1	-	1	-	1	1
Ileus, Obstruction of Intestine	8	1	1	3	1	6	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1
Stricture or Strang. of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine -	2	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Hernia -	7	-	-	-	1	1	-	-	3	2	5	-	-	-	-	-	-	1	-	1	1
Fistula -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis -	17	1	1	2	-	4	-	1	3	-	4	-	-	1	-	1	-	2	1	3	3
Ascites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver -	7	-	-	2	1	3	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-
Other Diseases of Liver	23	1	-	6	5	12	-	1	1	4	6	-	-	-	-	1	-	1	-	1	1
Other Dis. of Digestive System	10	1	-	1	-	2	1	-	-	-	1	-	-	1	-	1	4	-	-	1	5
DIS. OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																					
Diseases of Lymphatic System	3	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	1	-	-	-	1
Diseases of Spleen -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchocele -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Addison's Disease -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis -	14	2	2	6	1	11	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-
Bright's Disease -	32	-	3	6	4	13	2	-	3	4	9	-	-	3	1	4	-	-	2	-	2
Uræmia -	3	-	-	-	1	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Suppression of Urine -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Hæmaturia -	2	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	7	-	-	1	-	1	-	-	1	1	2	-	-	-	-	-	-	-	1	1	1
Other Dis. of Urinary System	7	-	-	3	-	3	-	1	1	1	3	-	-	-	-	-	-	-	1	-	-

59

59

	GREENOCK.					LEITH.					PAISLEY.					PERTH.					
CAUSES OF DEATH.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	
DISEASES OF CIRCULATORY SYSTEM.																					
Endocarditis, Valvular Disease	-	-	4	4	8	-	2	3	1	6	-	-	-	2	3	5	-	1	5	3	9
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hypertrophy of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Angina Pectoris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Syncope	-	1	-	2	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
Aneurism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Senile Gangrene	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
Embolism, Thrombosis	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
Phlebitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Varicose Veins	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	
Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	
Croup	-	-	-	-	-	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Emphysema, Asthma	1	-	4	3	8	10	-	4	4	18	-	1	4	8	13	1	-	1	1	3	
Bronchitis	-	-	-	-	-	-	-	-	-	-	2	2	6	1	11	-	-	-	1	1	
Pneumonia	3	1	3	1	8	9	-	2	2	13	2	2	1	-	1	-	1	-	1	1	
Pleurisy	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	1	
Other Diseases of Respiratory System	-	-	1	-	1	-	-	1	-	1	1	-	-	-	1	-	-	1	1	2	
DISEASES OF DIGESTIVE SYSTEM.																					
Stomatitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dentition	-	4	-	-	4	1	-	-	-	1	1	-	-	-	1	1	-	-	-	1	
Sore-throat, Quinsy	-	1	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	
Dyspepsia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hæmatemesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Melena	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diseases of Stomach	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
Enteritis	1	-	-	-	1	2	-	-	-	2	-	-	1	-	1	1	-	-	-	1	
Ulceration of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ileus, Obstruction of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Stricture or Strangulation of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Intussusception of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hernia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Peritonitis	-	-	-	1	1	-	1	-	-	1	1	-	1	-	2	-	-	1	-	1	
Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Gallstones	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cirrhosis of Liver	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Liver	2	1	-	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																					
Diseases of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diseases of Spleen	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchocele	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Addison's Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bright's Disease	-	-	1	-	1	-	-	1	1	2	-	-	1	-	1	-	-	-	-	-	
Uræmia	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
Suppression of Urine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Calculus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hæmaturia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diseases of Bladder and of Prostate	-	-	1	1	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Urinary System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

61

61

[illegible]

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in selected Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—APRIL 1890.

DISTRICTS.	Estimated Population at Middle of 1890.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Fever—Typhus & Typhoid.	Diphtheria.	Croup and Laryngitis.	Hooping-Cough.	Cholera.	Diarrhea and Dysentery.	Bronchitis, Pneu- monia and Pleurisy.	Consumption.
Arbroath,	23,831	52	11	36	0	0	0	0	0	0	0	0	1	8	7
Ayr,	25,599	73	7	50	0	0	0	0	0	0	3	0	0	6	8
Banff, with Macduff,	9,298	23	1	19	0	0	0	0	1	0	8	0	1	3	0
Blairgowrie,	5,034	4	0	7	0	0	0	0	0	0	0	0	0	1	3
Campbeltown,	10,985	28	0	20	0	0	0	0	0	0	0	0	0	7	2
Crieff,	5,099	10	0	12	0	0	0	0	0	1	0	0	1	2	2
Dumbarton,	16,405	43	11	28	0	1	0	0	0	2	5	0	0	4	4
Dumfries, with Troqueer,	24,525	63	10	40	0	0	0	0	0	0	0	0	1	8	4
Dunfermline,	29,569	79	19	34	0	0	0	0	0	1	1	0	6	10	4
Elgin,	10,023	21	5	16	0	0	0	0	0	0	2	0	0	4	1
Falkirk (Burgh),	17,735	46	5	30	0	0	0	1	0	0	1	0	0	9	2
Forfar,	16,464	27	4	13	0	0	0	0	0	0	0	0	0	0	2
Galashiels,	15,008	30	6	11	0	0	0	0	0	0	0	0	0	2	3
Haddington,	5,591	11	1	7	0	0	0	0	0	0	0	0	0	1	0
Hawick, with Wilton,	23,698	52	9	41	0	3	0	0	0	0	5	0	0	9	2
Inverness,	25,141	54	11	46	0	1	0	0	0	0	4	0	0	7	6
Kilmarnock,	27,640	74	21	45	0	0	3	0	0	0	9	0	0	7	4
Kirkcaldy and Abbotshall,	18,353	51	8	25	0	0	0	0	0	0	1	0	0	6	5
Kirkcudbright,	3,607	14	0	5	0	0	0	0	0	0	0	0	0	1	0
Montrose	16,799	30	3	40	0	0	0	1	0	0	6	0	0	7	5
New Monkland, with Landward,	33,498	110	20	50	0	0	0	0	0	0	1	0	3	12	6
Peterhead, with Boddam,	17,384	33	2	37	0	0	0	0	0	3	0	0	1	5	3
Rothsay,	8,850	20	4	21	0	0	0	0	0	1	0	0	0	2	3
Shettleston,	11,179	29	2	36	0	5	0	0	0	0	6	0	1	4	8
Stirling,	15,729	40	5	29	0	0	0	0	0	0	2	0	1	5	3
Stranraer,	6,849	12	4	6	0	0	0	0	0	1	0	0	0	0	0
Wick,	12,403	35	9	16	0	0	0	0	0	1	0	0	0	5	3
Catcart,	12,211	28	7	17	0	0	0	0	0	0	2	0	0	3	4
Eastwood,	13,915	47	6	23	0	0	0	0	0	0	3	0	0	2	4
Maryhill,	18,385	67	12	48	0	0	0	0	0	0	7	0	0	11	6
Dennistoun (Landward),	6,009	23	2	50	0	3	0	0	1	0	3	0	4	12	1
St Rollox (Landward),	945	3	0	2	0	0	0	0	1	0	0	0	0	0	0
Hutchesontown (Landwd.)	5,951	26	3	11	0	0	0	0	0	0	2	0	0	2	4
Gorbals (Landward),	5,011	15	2	8	0	0	1	0	0	0	1	0	0	1	1
Tradeston (Landward),	5,451	17	3	9	0	0	0	0	0	0	0	0	0	2	2
Kinning Park (Landward)	15,752	50	19	29	0	2	0	0	0	0	2	0	0	5	4
Plantation,	18,405	75	7	45	0	6	1	0	0	0	4	0	2	9	5
Govan,	33,510	134	27	96	0	3	2	2	0	1	7	0	1	21	13
Partick,	39,028	158	26	69	0	8	0	1	2	2	1	0	1	8	4

Glasgow—Landward and Suburban
Census Population.

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors only, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 136 feet above the sea-level,

For the month of **APRIL 1890.**

Mean Barometric pressure, 29.824 inches; less than the average of the same month for 1856–89 by 0.067 inch.

Barometric monthly range, 1.016 inch; less by 0.238 inch.

Mean temperature, $44^{\circ}5'$; less by $0^{\circ}3'$.

Mean daily range of temperature, $15^{\circ}5'$; greater by $2^{\circ}0'$.

Mean humidity, 75; less by 5.

Rain, number of days, 13; equal to the average.

Rain, depth in inches, 1.23; less by 1.03 inch.

Wind, pressure on square inch, 1.07 lbs.; less by 0.71 lb.

Wind, direction of, E. to W. as 10 to 7, and N. to S. as 6 to 4; the average being E. to W. as 9 to 9, and N. to S. as 5 to 6.

April 1890 has therefore been a dry, calm month, normal as to mean temperature and barometric pressure, although the temperature has varied more than usually; while the pressure has been subject to but moderate changes.

The daily vicissitudes of temperature were most strongly felt at Perth, where the change within twenty-four hours was as much as $32^{\circ}0'$ on the 4th. At Glasgow, however, the daily range amounted to $31^{\circ}2'$ on the 2nd. The absolute highest temperature of $65^{\circ}0'$ was registered at Paisley on 2nd April; while the minimum of $25^{\circ}0'$ occurred on the 13th at Perth.

East and North-East winds have been strongly predominant, associated with an average number of showery days; but with only a very small rainfall. Indeed, the month's rain was considerably less than one inch at each of the stations, Edinburgh, Dundee, Leith, and Perth. The mean rainfall of April is, however, proverbially an uncertain factor, having ranged in these returns from 4.88 inches in 1871, to 0.34 inch in 1873. Other instances of scant rainfall in this month are 1.13 inch in 1875, and 1.18 inch in 1881.

The small amount of rain, together with the harsh East winds, sufficiently account for the excessive dryness represented by a mean humidity of 75 per cent.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, GREENOCK, LEITH, and PERTH,

During the Month of APRIL 1890.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.							HYGRO- METER.		DEDUCTIONS from Glaisher's tables 2nd Edit.				RAIN.		WINDS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
		Mean at Sea-level and 32°.	Range.	inch.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Vapour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
																			N	NE	E	SE	S	SW	W	NW	Calm or Variable.	lbs.	Mean Pres- sure on Sq. ft.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
GLASGOW.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														

North Latitude.—Glasgow, 56° 58'; Edinburgh, 56° 31'; Aberdeen, 57° 9'; Paisley, 56° 50'; Greenock, 56° 58'; Leith, 56° 23'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 3° 35'; Aberdeen, 2° 6'; Paisley, 4° 27'; Greenock, 4° 45'; Leith, 3° 8'; Perth, 3° 26'; Mean, 3° 30'.

* Absolute Highest. † Absolute Lowest.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

MAY 1890.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & CO., Old Fishmarket Close, and sold by ADAM and CHARLES BLACK, 6 North Bridge, Edinburgh.

REPORT.

DURING the month of May 1890 there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Greenock, Leith, Paisley, and Perth the Births of 3835 children, of whom 1945 were males and 1890 females. Of these, 3505 were legitimate and 330 illegitimate, being in the proportion of one illegitimate in every 11·6 Births; or the illegitimate Births constituted 8·6 per cent. of the whole. In Paisley, 2·8 per cent. of the Births were illegitimate; in Greenock, 5·4; in Leith, 6·0; in Edinburgh, 8·0; in Glasgow, 8·3; in Perth, 11·0; in Aberdeen, 11·6; and in Dundee, 13·9 per cent.

475 Marriages were registered in these Towns during the month, being 60 below the average for May during the last ten years, allowing for increase of the population.

The Deaths of 2606 persons were recorded in these Towns during May, of whom 1285 were males and 1321 females. Increase of population being allowed for, this number is 28 above the average for the month during the last ten years.

A comparison of the Deaths registered shows that during May the mortality was at the annual rate of 18·0 Deaths per thousand persons in Perth, 18·1 in Edinburgh and in Greenock, 19·4 in Paisley, 19·5 in Leith, 24·2 in Dundee, 24·4 in Aberdeen, and 26·3 in Glasgow.

Of the 1183 Deaths registered in Glasgow, 254 were of children under one year

of age, and 161 of persons over 60 years; of the 418 registered in Edinburgh, 88 were of children under one year, and 81 of persons over 60 years; of the 341 in Dundee, 88 were of children under one, and 42 of persons over 60 years; of the 256 in Aberdeen, 54 were under one, and 69 over 60; of the 122 in Greenock, 19 were under one, and 21 over 60; of the 130 in Leith, 33 were under one, and 18 over 60; of the 105 in Paisley, 14 were under one, and 23 over 60; and of the 51 in Perth, 9 were under one, and 14 over 60 years.

Of the whole 2606 Deaths, 1144, or 43·9 per cent., were of children under five years of age. In Paisley, 32·4 per cent. of the persons who died were under five years of age; in Greenock, 34·4; in Perth, 35·3; in Edinburgh, 39·5; in Aberdeen, 41·0; in Glasgow, 44·9; in Leith, 50·0; and in Dundee, 54·0 per cent.

Miasmatic Diseases caused 418 Deaths, or 16·0 per cent. of the whole mortality. This rate was exceeded in Glasgow, Dundee, and Aberdeen from the prevalence of Measles and Hooping-Cough in each of these Towns; and in Leith from that of Measles, Scarlatina, and Hooping-Cough.

Measles was the most fatal of the epidemics, having caused 188 Deaths, or 7·2 per cent. of the mortality. In Glasgow, 97, or 8·2 per cent. of the deaths in that Town were caused by Measles; and in Dundee, 53, or 15·5 per cent. of the Deaths there.

Fever caused 15 Deaths, of which 2 were tabulated as Typhus and 13 as Enteric Fever. Of the 2 deaths from Typhus, 1 occurred in Edinburgh and 1 in Leith.

Hooping-Cough caused 153 Deaths, or 5·9 per cent. of the whole. In Aberdeen, 30 deaths were recorded from Hooping-Cough; in Leith, 11; and in Perth, 6; being at the rates of 11·7, 8·5, and 11·8 per cent. of the deaths in these respective Towns.

Diarrhœa and Dysentery caused 46 Deaths; Diphtheria, 27; Scarlatina, 25; and Puerperal Fever, 5.

66 Deaths were attributed to Apoplexy, 49 to Paralysis, 169 to Diseases of the Heart, and 72 to Premature Birth Debility.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 520, or 19·9 per cent. of the whole. Those from Consumption alone numbered 280, or 10·7 per cent. 15 deaths were caused by Croup.

107 Deaths resulted from Violent Causes, of which 3 were suicides. 4 Deaths were attributed to Chronic Alcoholism, and 3 to Delirium Tremens.

Two males and three females were aged 90 years and upwards, the eldest of whom was the widow of a mariner, and was aged 98 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES. MAY 1890.

TOWNS.	POPULATION.*			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1871.	Census 1881.	Estimated to middle of 1890.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW, .	491,846	511,415	530,203	861	843	1704	1563	141	202	589	504	1183
EDINBURGH, .	200,277	234,402	271,135	325	322	650	598	52	90	209	209	418
DUNDEE, .	120,724	142,455	166,027	221	219	440	379	61	59	154	187	341
ABERDEEN, .	88,181	105,076	123,600	175	153	328	290	38	54	129	127	256
GREENOCK, .	59,794	69,238	79,312	103	102	205	194	11	29	64	58	122
LEITH, .	46,172	60,843	78,538	113	105	218	205	13	17	55	75	130
PAISLEY, .	48,257	55,638	63,469	101	116	217	211	6	14	57	48	105
PERTH, .	26,382	29,756	33,274	43	30	73	65	8	10	28	23	51
TOTAL, .	1,081,633	1,208,823	1,345,563	1945	1890	3835	3505	330	475	1285	1321	2606

MAY 1889, . . .	Mean Temp. 52°·3	2100	1962	4062	3737	325	499	1231	1238	2469
MAY 1888, . . .	Mean Temp. 49°·2	2046	1830	3876	3578	298	501	1119	1151	2270
MAY 1887, . . .	Mean Temp. 49°·8	1959	1903	3862	3509	353	489	1174	1197	2371
MAY 1886, . . .	Mean Temp. 47°·9	1924	1872	3796	3512	284	523	1185	1204	2389
MAY 1885, . . .	Mean Temp. 46°·6	1794	1832	3926	3309	317	432	1053	1140	2223
MAY 1884, . . .	Mean Temp. 49°·4	2076	2038	4114	3784	330	440	1244	1267	2511
MAY 1883, . . .	Mean Temp. 49°·0	2024	1932	3956	3649	307	515	1445	1335	2780
MAY 1882, . . .	Mean Temp. 50°·2	2134	2088	4222	3862	360	531	1247	1213	2460
MAY 1881, . . .	Mean Temp. 51°·6	2061	1898	3959	3615	344	584	1127	1153	2280
MAY 1880, . . .	Mean Temp. 50°·0	1996	1944	3940	3625	315	537	1342	1293	2635

DEATHS from Small-pox, Measles, Scarlatina, Diphtheria, Hooping-Cough, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of May 1890.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Diphtheria	Hooping- Cough.	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Diphtheria	Hooping- Cough.	Fevers.	Diarrhoea.
GLASGOW—								DUNDEE—							
1. Bridgeton, .	0	16	7	1	3	5	3	1. St Peter, .	0	5	0	1	2	0	1
2. Camlachie, .	0	4	0	1	5	0	3	2. St Mary, .	0	17	0	1	2	0	3
3. Dennistoun, .	0	14	2	3	7	0	1	3. St Clement, .	0	11	1	1	1	0	1
4. Calton, .	0	2	0	0	4	1	1	4. St Andrew, .	0	12	0	2	5	0	4
5. Blackfriars, .	0	2	0	0	5	0	4	5. Lochee, .	0	8	0	0	1	0	1
6. St Rollox, .	0	6	0	1	7	0	0	ABERDEEN—							
7. Blythswood, .	0	2	0	0	2	0	0	1. St Nicholas, .	0	9	0	0	20	0	2
8. Milton, .	0	13	1	0	2	1	4	2. Aberdeen, .	0	2	1	1	10	0	1
9. Kelvin, .	0	22	0	2	5	1	1	3. Woodside, .	0	0	0	2	0	0	0
10. Anderston, .	0	2	0	2	3	0	1	4. Old Aberdeen, .	0	0	0	0	0	0	0
11. Hutchesontown, .	0	1	0	0	10	0	2	GREENOCK—							
12. Gorbals, .	0	3	0	0	3	0	1	1. East, .	0	0	0	0	0	0	0
13. Tradeston, .	0	9	0	0	2	0	0	2. Middle, .	0	0	0	0	1	0	0
14. Kinning Park, .	0	1	0	0	0	1	0	3. West, .	0	1	0	2	2	0	0
EDINBURGH—								LEITH—							
1. St George, .	0	13	1	0	10	2	3	1. North, .	0	1	4	0	4	0	0
2. St Andrew, .	0	1	0	0	3	1	0	2. South, .	0	5	2	1	7	1	1
3. Canongate, .	0	3	1	1	7	2	0	PAISLEY, .	0	0	3	2	2	0	2
4. St Giles, .	0	2	2	0	4	0	5	PERTH, .	0	0	0	2	6	0	0
5. Newington, .	0	1	0	1	3	0	1								

* NOTE.—The Population here given is that of the various Registration Districts, which in some cases differ slightly from that of the Parliamentary Burghs in consequence of some of the Districts including small fragments of the extra burghal population.

DEATHS FROM ALL CAUSES at Four Periods of Life.

69

Registered during the Month of MAY 1890.

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MAY 1890.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																					
1. ACCIDENT OR NEGLIGENCE	104	9	7	31	1	48	4	1	7	1	13	6	1	6	1	14	3	3	5	-	11
2. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. SUICIDE	3	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-
4. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII.																					
ILL-DEFINED AND NOT SPECIFIED CAUSES	119	43	-	14	3	60	13	-	3	-	16	13	-	-	-	13	9	-	1	-	10
MIASMATIC DISEASES.																					
Small-pox { Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	188	92	4	1	-	97	17	3	-	-	20	52	1	-	-	53	10	-	1	-	11
Epidemic Rose Rash	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	25	7	3	-	-	10	2	2	-	-	4	-	1	-	-	1	1	-	-	-	1
Typhus	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	9	1	-	1	2	4	-	-	-	2	2	-	-	1	-	1	-	-	1	-	1
Hooping-Cough	153	57	6	-	-	63	25	2	-	-	27	11	-	-	-	11	28	2	-	-	30
Mumps	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	27	8	2	-	-	10	1	1	-	-	2	2	3	-	-	5	3	-	-	-	3
Cerebro-spinal Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	13	1	4	4	-	9	1	2	1	-	4	-	-	-	-	-	-	-	-	-	-
Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHOEAL DISEASES.																					
Simple Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery	46	15	-	4	2	21	4	1	3	1	9	6	-	4	-	10	2	-	-	1	3
MALARIAL DISEASES.																					
Remittent Fever	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																					
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																					
Syphilis	16	10	-	-	-	10	2	-	1	-	3	1	-	-	-	1	1	-	-	-	-
Gonorrhoea, Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEPTIC DISEASES.																					
Phagedæna	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	8	2	-	2	-	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-
Pyæmia, Septicæmia	5	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	1	-	1	-	-
Puerperal Fever	5	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	2	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MAY 1890.

[illegible]

73

73

CAUSES OF DEATH.	GREENOCK.					LEITH.					PAISLEY.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Thrush - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Vegetable Parasites - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Parasites - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk - - - - -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
{ Delirium Tremens - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism of Heart - - - - -	-	-	-	-	-	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-
Rheumatism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer - - - - -	-	-	2	1	3	-	-	4	1	5	-	-	1	2	3	-	-	2	-	2
Tabes Mesenterica - - - - -	2	-	-	-	2	2	-	-	-	2	-	1	-	-	1	-	-	-	-	-
Tubercular Meningitis (Acute Hydrocephalus) - - - - -	-	2	-	-	2	4	2	-	-	6	2	-	-	-	2	2	-	-	-	2
Phthisis - - - - -	1	5	12	-	18	2	4	3	1	10	-	3	7	1	11	-	1	3	-	4
Other forms of Tuberculosis, Scrofula - - - - -	-	1	-	-	1	2	-	1	-	3	-	2	-	-	2	-	1	1	-	2
Purpura, Hæmorrhagic Diathesis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chlorosis, Leucocythæmia - - - - -	-	-	2	-	2	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
Diabetes Mellitus - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Constitutional Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																				
Premature Birth - - - - -	3	-	-	-	3	7	-	-	-	7	-	-	-	-	-	4	-	-	-	4
Atelectasis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cyanosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Imperforate Anus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects - - - - -	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Old Age - - - - -	-	-	5	-	5	-	-	4	-	4	-	-	6	-	6	-	-	3	-	-
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Membranes - - - - -	4	-	-	-	4	-	-	-	-	-	5	-	-	-	5	-	-	-	-	-
Apoplexy - - - - -	-	-	1	2	3	-	-	1	5	6	-	-	4	-	4	-	-	1	1	2
Softening of Brain - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemiplegia, Brain Paralysis - - - - -	-	-	1	1	-	-	-	-	-	-	-	-	1	4	5	-	-	1	1	-
Paralysis Agitans - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity, General Paralysis of Insane - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions - - - - -	-	-	-	-	-	3	-	1	-	4	-	1	-	-	1	1	-	1	-	1
Laryngismus Stridulus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Idiopathic Tetanus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Diseases of Spinal Cord - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Nervous System - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Otorrhœa - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis and Dis. of Nose - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life
Registered during the Month of MAY 1890.

75

CAUSES OF DEATH.	GREENOCK.					LEITH.					PAISLEY.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																				
Endocarditis, Valvular Disease	-	-	3	5	8	-	-	2	2	4	-	-	4	1	5	-	-	1	2	3
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Angina Pectoris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syncope	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Aneurism	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Senile Gangrene	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Phlebitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup	-	-	-	-	-	-	-	-	-	-	4	-	-	-	4	2	-	-	-	2
Other Diseases of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	4	1	4	3	12	5	-	3	1	9	3	-	4	4	11	-	-	-	1	1
Pneumonia	9	2	3	-	14	4	1	5	1	11	4	1	3	2	10	1	-	2	-	3
Pleurisy	-	-	1	-	1	-	-	2	-	2	-	-	1	1	1	-	-	-	-	-
Other Diseases of Respiratory System	-	-	-	1	1	1	-	-	-	1	2	-	1	1	4	-	-	-	-	-
DISEASES OF DIGESTIVE SYSTEM.																				
Stomatitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dentition	-	1	-	-	1	-	-	1	-	1	2	-	-	-	2	1	-	-	-	1
Sore-throat, Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmatemesis	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Melena	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach	1	-	-	-	1	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-
Enteritis	1	-	-	-	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulceration of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Ileus, Obstruction of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stricture or Strangulation of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Hernia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Ascites	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Gallstones	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Other Diseases of Liver	-	-	1	-	1	1	-	2	-	3	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																				
Diseases of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Spleen	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchocele	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Addison's Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bright's Disease	-	-	1	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Uræmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suppression of Urine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Calculus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmaturia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Bladder and of Prostate	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Urinary System	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MAY 1890.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF ORGANS OF GENERATION.																					
Ovarian Disease - - -	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Diseases of Uterus and Vagina	4	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Testes, Penis, Scrotum, &c.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																					
Abortion, Miscarriage - - -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - - -	2	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding -	3	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Other Accidents of Childbirth	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																					
Caries, Necrosis - - -	9	-	-	1	1	2	-	1	-	1	-	-	-	-	-	-	-	1	2	-	3
Arthritis, Ostitis, Periostitis -	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locom.	6	-	1	-	2	3	-	-	1	-	1	1	1	-	2	-	-	-	-	-	-
DISEASES OF INTEGUMENTARY SYSTEM.																					
Carbuncle - - -	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - - -	4	1	-	2	-	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Lupus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Eczema - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integ. System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																					
Fractures, Contusions - - -	54	4	6	21	1	32	1	1	6	1	9	-	1	1	-	2	-	1	1	-	2
Gunshot Wounds - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cut, Stab - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burn, Scald - - -	9	1	1	1	-	3	-	-	-	-	-	1	-	1	-	2	1	1	-	-	2
Poison - - -	2	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Drowning - - -	13	1	-	5	-	6	-	-	-	-	-	-	-	1	-	1	-	1	2	-	3
Suffocation - - -	19	1	-	2	-	3	2	-	-	-	2	5	-	2	1	8	2	-	1	-	3
Otherwise - - -	7	2	-	1	-	3	1	-	1	-	2	-	-	-	-	-	-	-	1	-	1
HOMICIDE.																					
Murder, Manslaughter - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUICIDE.																					
Gunshot Wounds - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cut, Stab - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poison - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hanging - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Otherwise - - -	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
EXECUTION.																					
Hanging - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																					
Dropsy - - -	5	-	-	3	-	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition	90	38	-	5	-	43	13	-	-	-	13	13	-	-	-	13	7	-	-	-	7
Mortification - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - -	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Abscess - - -	3	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage - - -	5	1	-	1	-	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Ill-defined and not specified Causes - - -	14	2	-	5	2	9	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2

DEATHS FROM ALL CAUSES at Four Periods of Life.

77

Registered during the Month of MAY 1890.

CAUSES OF DEATH.	GREENOCK.					LEITH.					PAISLEY.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total	0-5	5-20	20-60	60, etc.	Total	0-5	5-20	20-60	60, etc.	Total	0-5	5-20	20-60	60, etc.	Total
DISEASES OF ORGANS OF GENERATION.																				
Ovarian Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1
Pelvic Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Testes, Penis, Scrotum, &c. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																				
Abortion, Miscarriage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Puerperal Convulsions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																				
Caries, Necrosis - - -	-	2	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Arthritis, Ostitis, Periostitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locomotion - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF INTEGUMENTARY SYSTEM.																				
Carbuncle - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Eczema - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphigus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integumentary System - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																				
Fractures, Contusions - - -	-	-	3	-	3	-	-	1	-	1	1	1	1	-	3	-	-	2	-	2
Gunshot Wounds - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cut, Stab - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burn, Scald - - -	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Poison - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning - - -	-	1	1	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Suffocation - - -	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1
Otherwise - - -	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
HOMICIDE.																				
Murder, Manslaughter - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUICIDE.																				
Gunshot Wounds - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cut, Stab - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poison - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hanging - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Otherwise - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
EXECUTION.																				
Hanging - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																				
Dropsy - - -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition - - -	6	-	1	-	7	4	-	-	-	4	2	-	-	-	2	1	-	-	-	1
Mortification - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Sudden (Cause unascertained) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other ill-defined and not specified Causes - - -	1	-	1	-	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—MAY 1890.

DISTRICTS.	Estimated Population at Middle of 1890.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Fevers—Typhus & Typhoid.	Diphtheria.	Croup and Laryngitis.	Whooping-Cough.	Cholera.	Diarrhea and Dysentery.	Bronchitis, Pneu- monia and Pleurisy.	Consumption.
Arbroath,	23,831	63	4	38	0	0	0	1	0	0	0	0	0	11	7
Ayr,	25,599	68	1	53	0	0	0	1	0	0	1	0	1	2	5
Banff, with Macduff,	9,298	19	1	16	0	0	0	0	0	1	3	0	0	2	4
Blairstown,	5,034	10	2	7	0	0	0	0	0	0	0	0	0	0	2
Campbeltown,	10,985	29	3	16	0	0	0	0	0	0	0	0	0	2	2
Crieff,	5,099	12	1	9	0	0	0	0	0	1	0	0	1	2	0
Dumbarton,	16,405	66	3	32	0	0	0	0	0	1	6	0	1	9	2
Dumfries, with Troqueer, . .	24,525	65	4	39	0	0	0	0	0	0	0	0	0	7	3
Dunfermline,	29,569	60	4	32	0	0	0	0	0	0	0	0	0	5	6
Elgin,	10,023	31	2	21	0	1	0	0	0	0	1	0	0	4	3
Falkirk (Burgh),	17,735	50	5	24	0	0	0	1	0	0	4	0	1	6	1
Forfar,	16,464	30	6	18	0	0	0	1	0	1	0	0	0	3	1
Galashiels,	15,008	35	0	17	0	0	0	0	0	0	0	0	0	3	4
Haddington,	5,591	12	0	8	0	0	0	0	0	0	0	0	1	0	1
Hawick, with Wilton,	23,698	56	6	50	0	13	0	2	0	0	7	0	0	11	2
Inverness,	25,141	54	4	50	0	8	0	0	2	1	0	0	0	12	5
Kilmarnock,	27,640	89	3	53	0	0	1	0	2	0	3	0	2	10	7
Kirkcaldy and Abbotshall, . .	18,353	47	7	31	0	0	0	0	0	1	3	0	0	3	5
Kirkcudbright,	3,607	5	2	5	0	0	0	0	0	0	0	0	0	0	0
Montrose	16,799	33	4	40	0	0	0	0	0	0	8	0	0	5	2
New Monkland, with Landward, .	33,498	132	7	45	0	0	0	0	0	0	0	0	2	9	5
Peterhead, with Boddam, . . .	17,384	52	3	15	0	0	0	0	0	1	0	0	2	0	0
Rothsay,	8,850	18	1	10	0	0	0	0	0	0	0	0	1	1	2
Shettleston,	11,179	40	3	19	0	2	0	0	0	0	1	0	0	3	3
Stirling,	15,729	30	7	26	0	1	0	0	0	1	3	0	1	3	4
Stranraer,	6,849	17	1	9	0	0	0	0	0	0	0	0	0	1	0
Wick,	12,403	32	1	22	0	0	0	0	0	2	0	0	0	9	2
Cathcart,	12,211	27	1	20	0	0	0	0	0	0	1	0	0	4	3
Eastwood,	13,915	28	7	23	0	0	0	2	0	0	0	0	0	2	9
Maryhill,	18,385	80	4	44	0	6	1	0	0	0	3	0	2	5	4
Dennistoun (Landward), . .	6,009	14	0	30	0	2	0	0	0	0	0	0	0	0	0
St Rollox (Landward), . . .	945	4	0	0	0	0	0	0	0	0	0	0	0	0	0
Hutchesontown (Landwd.) . .	5,951	26	1	10	0	0	0	0	0	0	5	0	0	0	2
Gorbals (Landward),	5,011	23	0	14	0	0	0	0	1	0	2	0	2	1	1
Tradeston (Landward), . . .	5,451	21	2	12	0	1	0	0	0	0	0	0	0	2	0
Kinning Park (Landward) . .	15,752	54	13	32	0	7	0	0	1	0	2	0	0	5	6
Plantation,	18,405	72	12	64	0	22	1	0	2	0	4	0	4	17	2
Govan,	33,510	135	12	98	0	9	1	3	0	0	4	0	0	19	14
Partick,	39,028	137	7	93	0	20	1	0	1	2	4	0	1	10	4

Glasgow—Landward and Suburban
Census Population.

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors only, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 136 feet above the sea-level,

For the month of MAY 1890.

Mean Barometric pressure, 29·852 inches; less than the average of the same month for 1856–89 by 0·082 inch.

Barometric monthly range, 0·930 inch; less by 0·153 inch.

Mean temperature, $51^{\circ}5'$; greater by $1^{\circ}9'$.

Mean daily range of temperature, $14^{\circ}3'$; less by $0^{\circ}6'$.

Mean humidity, 80; greater by 3

Rain, number of days, 16; greater by 2.

Rain, depth in inches, 2·49; greater by 0·27 inch

Wind, pressure on square foot, 0·99 lb.; less by 0·57 lb.

Wind, direction of, E. to W. as 14 to 5, and N. to S. as 3 to 6; the average being E. to W. as 9 to 9, and N. to S. as 5 to 6.

During the month of May barometric pressure has been somewhat low, but decidedly limited as to range.

The mean temperature, although $1^{\circ}9'$ above the average, has still been $0^{\circ}8'$ below that of the phenomenally warm weather of the same month last year. The limited range of this important factor has greatly favoured the development of vegetation, from being necessarily associated with relatively high night temperatures. The highest readings of the shade thermometer were $74^{\circ}3'$ at Glasgow on the 23rd, and $74^{\circ}2'$ at Paisley on the 24th. The lowest was $33^{\circ}5'$ at Perth on the 4th.

Rain has been slightly in excess of the average for the season both as to quantity and number of days of falling. The rather high degree of humidity has been in accordance with the rainfall.

It will be noticed that one half of the total winds blew from the eastern quarter of the compass. This unusual prevalence of east winds is the more remarkable from being associated with a considerable degree of moisture.

Abstract of Meteorological Observations.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, GREENOCK, LEITH, and PERTH,
During the Month of MAY 1890.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.								HYGRO- METER.		DEDUCTIONS from Glaisher's Tables 2nd Edit.					RAIN.		WINDS.										Mean Pres- sure on Sq. ft.			
		Range.	inch.	inch.	Mean at Sea-level and 32°.	inch.	Mean at Station and 32°.	inch.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Vapour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	lbs.	N	NE	E	SE	S	SW	W	NW	Calm or Variable.			
feet.																																			
GLASGOW, J. B. RUSSELL, Esq., M.D., J. B. Medical Officer of Health.	54	29-751	29-840	0-944	74-3	33-0	52-8	36-3	15-9	23-0	43-6	51-9	43-6	45-3	304	3-43	78	12	2-95	0	3	4	1	2	2	3	4	12	0-10						
EDINBURGH, JAMES BUCHANAN, Esq., and R. C. MOSSMAN, Esq.	254	29-568	29-847	0-923	71-0	36-3	51-0	34-7	13-9	26-2	46-6	49-4	46-6	43-6	235	3-24	81	14	1-71	0	2	8	2	3	1	2	3	10	0-25						
DUNDEE, W. R. M'KEVIE, Esq., Cura- tor of Cemeteries.	164	29-673	29-853	0-930	69-3	35-0	50-4	34-3	14-2	23-5	47-9	50-0	47-9	45-7	307	3-48	85	15	2-17	0	3	5	14	1	4	3	1	0	0-83						
ABERDEEN, JAMES DALE, Esq., Gordon's Hospital.	66	29-783	29-857	0-916	72-1	38-0	50-2	34-1	12-3	22-4	47-3	49-6	47-3	44-8	296	3-43	84	21	3-32	4	5	5	3	5	6	3	0	0	0-67						
PAISLEY, DONALD MACLEAN, Esq., The Coals Observatory.	107	29-716	29-833	0-932	74-2	37-9	53-6	36-3	16-1	27-2	48-7	52-2	48-7	45-1	301	3-42	77	16	3-03	0	1	16	2	4	3	2	2	1	1-39						
GREENOCK, JAMES WILSON, Esq., Green- ock Water Works.	233	29-614	29-870	0-908	69-7	36-8	52-0	32-9	14-0	25-1	48-7	53-1	48-7	44-3	291	3-30	72	16	3-29	0	1	16	2	0	0	8	4	0	1-04						
LEITH, JAMES BOLAM, Esq., Navi- gation School, and GEORGE REDFATH, Esq.	70	29-776	29-853	0-927	68-2	38-1	50-9	30-1	11-2	24-0	47-3	50-1	47-3	44-3	292	3-35	81	16	1-84	0	2	15	2	4	0	6	2	0	2-62						
PERTH, Mr A. GARDNER, Gardener to James F. Fullar, Esq.	140	29-711	29-865	0-960	71-5	33-5	51-2	38-0	17-0	30-6	45-1	51-2	45-1	45-0	300	3-40	80	15	1-65	0	0	11	12	0	8	0	0	0	...						
Means	136	...	29-852	0-930	6-4-3	33-5	51-5	34-6	14-3	25-9	47-9	50-9	47-9	44-8	297	3-38	80	16	2-49	1	2	10	5	2	3	3	2	3	0-99						
North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Paisley, 55° 50'; Greenock, 55° 57'; Leith, 55° 58'; Perth, 56° 23'; Mean, 56° 12'. West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Paisley, 4° 27'; Greenock, 4° 45'; Leith, 3° 8'; Perth, 3° 26'; Mean, 3° 30'.																																			

North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Paisley, 55° 50'; Greenock, 55° 57'; Leith, 55° 53'; Perth, 56° 23'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Paisley, 4° 27'; Greenock, 4° 45'; Leith, 3° 8'; Perth, 3° 26'; Mean, 3° 30'.

* Absolute Highest. † Absolute Lowest.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

JUNE 1890.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by ADAM and CHARLES BLACK, 6 North Bridge, Edinburgh.

REPORT.

DURING the month of June 1890 there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Greenock, Leith, Paisley, and Perth the Births of 3697 children, of whom 1913 were males and 1784 females. Of these, 3414 were legitimate and 283 illegitimate, being in the proportion of one illegitimate in every 13·1 Births; or the illegitimate Births constituted 7·7 per cent. of the whole. In Perth, 3·9 per cent. of the Births were illegitimate; in Leith, 4·4; in Greenock, 4·7; in Paisley, 6·3; in Glasgow, 7·1; in Edinburgh and in Dundee, 8·3; and in Aberdeen, 13·2 per cent.

1616 Marriages were registered in these Towns during the month, being 203 above the average number for June during the last ten years, allowing for increase of population.

The Deaths of 2352 persons were recorded in these Towns during June, of whom 1164 were males and 1188 females. Increase of the population being allowed for, this number is 11 above the June average for the last ten years.

A comparison of the Deaths registered shows that during June the mortality was at the annual rate of 16·6 Deaths per thousand persons in Greenock, 16·9 in Paisley, 17·0 in Edinburgh, 17·9 in Perth, 18·2 in Aberdeen, 18·6 in Leith, 22·4 in Dundee, and 25·7 in Glasgow.

Of the 1118 Deaths registered in Glasgow, 234 were of children under one year of age, and 168 of persons over 60 years; of the 378 registered in Edinburgh, 52 were of children under one year, and 116 of persons over 60 years; of the 306 in Dundee, 78 were under one year, and 54 over 60; of the 185 in Aberdeen, 36 were under one, and 52 over 60; of the 108 in Greenock, 24 were under one, and 17 over 60; of the 120 in Leith, 26 were under one, and 20 over 60; of the 88 in Paisley, 17 were under one, and 18 over 60; and of the 49 in Perth, 6 were under one, and 16 over 60 years.

Of the whole 2352 Deaths, 976, or 41·5 per cent., were of children under five years of age. In Perth, 24·5 per cent. of the persons who died were under five years of age; in Edinburgh, 27·8; in Paisley, 33·0; in Greenock, 37·0; in Aberdeen, 37·8; in Leith, 43·3; in Glasgow, 46·9; and in Dundee, 47·1 per cent.

Miasmatic Diseases caused 335 Deaths, or 14·2 per cent. of the whole mortality. This rate was exceeded in Glasgow from the prevalence of Measles and Hooping-Cough, in Dundee from Measles, and in Greenock and Perth from Hooping-Cough.

Measles was the most fatal epidemic, having caused 148 Deaths, or 6·3 per cent. of the whole mortality. In Glasgow, 99 Deaths, or 8·9 per cent. of the mortality; and in Dundee, 43 Deaths, or 14·1 per cent., resulted from Measles.

Fever caused 14 Deaths, of which one was tabulated as Typhus, and 13 as Enteric Fever. The Death from Typhus occurred in Perth.

Hooping-Cough caused 126 Deaths, or 5·3 per cent. of the whole. In Glasgow 68, or 6·1 per cent. of the Deaths there were caused by Hooping-Cough; in Greenock 9, or 8·3 per cent.; in Aberdeen 19, or 10·3 per cent.; and in Perth 6, or 12·2 per cent.

Diarrhoea and Dysentery caused 35 Deaths; Diphtheria, 25; Scarlatina, 19, and Puerperal Fever, 7.

63 Deaths were attributed to Apoplexy, 49 to Paralysis, 158 to Diseases of the Heart, and 63 to Premature Birth Debility.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 441, or 18·7 per cent. of the whole. Those from Consumption alone numbered 249, or 10·6 per cent. 19 deaths were caused by Croup.

62 Deaths resulted from Violent Causes, of which 5 were suicides. 3 Deaths were attributed to Chronic Alcoholism, and 1 to Delirium Tremens.

One male and eight females were aged 90 years and upwards, the eldest of whom was a female, aged 97 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES. JUNE 1890.

TOWNS.	POPULATION.*			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1871.	Census 1881.	Estimated to middle of 1890.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW,	491,846	511,415	530,208	842	795	1637	1520	117	749	545	573	1118
EDINBURGH,	200,277	234,402	271,135	327	296	623	571	52	312	197	181	378
DUNDEE,	120,724	142,455	166,027	223	200	423	358	35	142	157	149	306
ABERDEEN,	88,181	105,076	123,009	179	161	340	295	45	144	79	106	185
GREENOCK,	59,794	69,238	79,312	96	94	190	181	9	57	60	48	108
LEITH,	46,172	60,843	73,538	113	89	202	193	9	89	52	63	120
PAISLEY,	48,257	55,638	63,469	102	104	206	193	13	86	40	48	88
PERTH,	26,382	29,756	33,274	31	45	76	73	3	37	34	15	49
TOTAL,	1,081,633	1,208,823	1,345,563	1913	1784	3697	3414	283	1616	1164	1188	2352

JUNE 1889,	Mean Temp. 57°·4	1815	1790	3605	3304	301	1384	1013	1023	2041
JUNE 1888,	Mean Temp. 52°·5	1918	1782	3700	3384	316	1315	1002	1000	2002
JUNE 1887,	Mean Temp. 58°·4	1962	1819	3781	3464	317	1280	1075	1112	2187
JUNE 1886,	Mean Temp. 53°·9	1962	1939	3901	3584	317	1312	1129	1082	2211
JUNE 1885,	Mean Temp. 55°·1	1959	1897	3856	3548	308	1332	1141	1119	2260
JUNE 1884,	Mean Temp. 55°·2	1987	2023	4015	3705	310	1414	1172	1100	2272
JUNE 1883,	Mean Temp. 54°·3	1842	1819	3661	3317	344	1460	1260	1287	2547
JUNE 1882,	Mean Temp. 54°·5	1930	1854	3814	3528	286	1360	1130	1100	2230
JUNE 1881,	Mean Temp. 54°·0	1935	1846	3781	3460	321	1228	1058	1044	2102
JUNE 1880,	Mean Temp. 55°·5	2033	1913	3946	3606	340	1276	1202	1082	2284

DEATHS from Small-pox, Measles, Scarlatina, Diphtheria, Hooping-Cough, Fevers, and Diarrhœa, registered in each District of the several Towns during the Month of June 1890.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Hooping-Cough.	Fevers.	Diarrhœa.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Hooping-Cough.	Fevers.	Diarrhœa.
GLASGOW—								DUNDEE—							
1. Bridgeton,	0	13	3	1	9	2	0	1. St Peter,	0	2	0	0	2	0	4
2. Camlachie,	0	4	0	0	6	0	3	2. St Mary,	0	4	0	0	0	1	0
3. Dennistoun,	0	4	1	0	5	0	2	3. St Clement,	0	12	0	0	0	0	1
4. Calton,	0	4	0	0	0	0	4	4. St Andrew,	0	24	0	4	7	0	1
5. Blackfriars,	0	6	1	0	3	6	1	5. Lochee,	0	1	0	0	0	0	0
6. St Rollox,	0	11	0	0	8	0	1	ABERDEEN—							
7. Blythswood,	0	2	1	1	1	1	0	1. St Nicholas,	0	1	1	0	11	0	0
8. Milton,	0	23	2	0	3	1	2	2. Aberdeen,	0	0	0	0	8	1	6
9. Kelvin,	0	10	0	0	4	1	5	3. Woodside,	0	0	0	1	0	0	0
10. Anderson,	0	11	1	1	5	0	1	4. Old Aberdeen,	0	0	0	0	0	0	0
11. Hutchesontown,	0	4	0	2	10	0	3	GREENOCK—							
12. Gorbals,	0	22	0	0	6	0	0	1. East,	0	0	0	1	0	1	1
13. Tradeston,	0	2	1	1	3	0	0	2. Middle,	0	2	0	0	5	0	1
14. Kinning Park,	0	3	0	0	5	0	0	3. West,	0	0	1	3	4	1	1
EDINBURGH—								LEITH—							
1. St George,	0	2	0	1	3	0	2	1. North,	0	0	1	2	1	0	0
2. St Andrew,	0	0	0	1	0	0	1	2. South,	0	1	3	1	3	1	0
3. Canongate,	0	0	2	1	5	1	1	PAISLEY,	0	0	1	3	0	2	0
4. St Giles,	0	0	0	0	0	1	1	PERTH,	0	0	0	0	6	1	0
5. Newington,	0	0	0	1	3	0	0								

* NOTE.—The Population here given is that of the various Registration Districts, which in some cases differ slightly from that of the Parliamentary Burghs in consequence of some of the Districts including small fragments of the extra burghal population.

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JUNE 1890.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - -	2352	524	114	312	168	1118	105	28	129	116	378	144	27	81	54	306	70	12	51	52	185
I. SPECIFIC FEBRILE OR ZYMOTIC DIS.	406	189	15	16	3	223	27	1	6	1	35	58	3	4	1	66	23	1	4	2	30
II. PARASITIC DISEASE	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
III. DIETETIC	5	1	-	3	-	4	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
IV. CONSTITUTIONAL	471	47	43	89	16	195	19	15	42	18	94	6	14	31	5	56	8	1	26	4	39
V. DEVELOPMENTAL	162	37	-	-	31	68	12	-	-	22	34	11	-	-	10	21	3	-	-	9	12
VI. LOCAL	1143	201	49	182	109	541	41	12	72	68	193	53	9	45	36	143	29	10	20	35	94
VII. VIOLENCE - -	62	10	3	15	3	31	3	-	7	3	13	2	1	-	1	4	2	-	1	1	4
VIII. ILL-DEFINED & NOT SPECIFIED CAUSES	102	39	4	7	6	56	2	-	1	4	7	14	-	1	1	16	5	-	-	1	6
I.																					
1. MIASMATIC DISEASES -	335	171	14	3	-	188	18	1	3	-	22	51	3	3	-	57	22	1	-	-	23
2. DIARRHEAL	36	12	-	7	2	21	5	-	-	-	5	5	-	-	1	6	-	-	-	-	-
3. MALARIAL	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. ZOOGENOUS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. VENEREAL	12	4	-	-	-	4	4	-	1	-	5	2	-	-	-	2	-	-	-	-	-
6. SEPTIC	22	2	1	5	1	9	-	-	2	1	3	-	-	1	-	1	1	-	4	2	7
II.																					
PARASITIC DISEASES -	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
III.																					
DIETETIC DISEASES -	5	1	-	3	-	4	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
IV.																					
CONSTITUTIONAL DISEASES	471	47	43	89	16	195	19	15	42	18	94	6	14	31	5	56	8	1	26	4	39
V.																					
DEVELOPMENTAL DISEASES	162	37	-	-	31	68	12	-	-	22	34	11	-	-	10	21	3	-	-	9	12
VI.																					
1. DIS. OF NERVOUS SYSTEM -	255	44	10	29	33	116	12	3	12	18	45	6	2	8	13	29	8	3	4	7	22
2. " ORGANS OF SPECIAL SENSE -	9	2	1	2	-	5	-	-	2	-	2	1	-	-	-	1	-	-	1	-	1
3. " CIRCULATORY SYSTEM	158	2	8	31	19	60	1	2	16	23	42	1	1	8	8	18	-	1	2	8	11
4. " RESPIRATORY SYSTEM	441	118	17	64	42	241	21	4	17	13	55	32	3	16	8	59	15	2	7	10	34
5. " DIGESTIVE SYSTEM -	160	33	5	26	9	73	7	1	9	8	25	12	2	6	3	23	5	2	2	5	14
6. " LYMPHATIC SYSTEM AND DUCTLESS GLANDS -	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7. " URINARY SYSTEM -	79	1	7	21	6	35	1	-	9	6	16	-	-	3	4	7	-	-	3	4	7
8. " REPRODUCTIVE SYSTEM: -																					
(a) DISEASES OF ORGANS OF GENERATION -	14	-	-	5	-	5	-	-	5	-	5	-	-	2	-	2	-	-	1	-	1
(b) DISEASES OF PARTURITION -	6	-	-	1	-	1	-	-	1	-	1	-	-	1	-	1	-	1	-	-	1
9. " ORGANS OF LOCOMOTION -	15	1	1	1	-	3	1	-	1	-	2	1	1	1	-	3	-	1	-	-	1
10. " INTEGUMENTARY SYSTEM -	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2

85

85

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JUNE 1890.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																					
1. ACCIDENT OR NEGLIGENCE	57	10	3	14	2	29	3	-	7	2	12	2	1	-	1	4	2	-	1	1	4
2. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. SUICIDE - - - -	5	-	-	1	1	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
4. EXECUTION - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII.																					
ILL-DEFINED AND NOT SPECIFIED CAUSES - - -	102	39	4	7	6	56	2	-	1	4	7	14	-	1	1	16	5	-	-	1	6
MIASMATIC DISEASES.																					
Small-pox { Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	148	94	5	-	-	99	1	1	-	-	2	41	2	-	-	43	1	-	-	-	1
Epidemic Rose Rash	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	19	8	2	-	-	10	2	-	-	-	2	-	-	-	-	-	1	-	-	-	1
Typhus - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Hooping-Cough - - -	126	65	3	-	-	68	11	-	-	-	11	9	-	-	-	9	19	-	-	-	19
Mumps - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria - - - -	25	4	2	-	-	6	4	-	-	-	4	1	1	2	-	4	1	-	-	-	1
Cerebro-spinal Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	13	-	2	3	-	5	-	-	2	-	2	-	-	1	-	1	-	1	-	-	1
Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHŒAL DISEASES.																					
Simple Cholera - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery - -	35	12	-	7	2	21	5	-	-	-	5	5	-	-	1	6	-	-	-	-	-
MALARIAL DISEASES.																					
Remittent Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague - - - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																					
Hydrophobia - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																					
Syphilis - - - - -	11	4	-	-	-	4	4	-	-	-	4	2	-	-	-	2	-	-	-	-	-
Gonorrhœa, Stricture of Urethra	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
SEPTIC DISEASES.																					
Phagedœna - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	13	2	-	2	1	5	-	-	1	1	2	-	-	-	-	-	1	-	1	2	4
Pyæmia, Septicæmia - -	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Puerperal Fever - - -	7	-	1	3	-	4	-	-	-	-	-	-	-	1	-	1	-	2	-	-	2

DEATHS FROM ALL CAUSES at Four Periods of Life.

87

Registered during the Month of JUNE 1890.

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JUNE 1890.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60 etc.	Total.
PARASITIC DISEASES.																					
Thrush - - - - -	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Dis. from Veg. Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Par. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																					
Starvation, Want of Breast Milk	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy - - - - -	3	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
{ Delirium Tremens -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																					
Rheumatic Fever, Rheumatism of Heart - - -	6	-	1	-	1	2	-	-	1	-	1	-	-	1	-	1	-	-	1	-	1
Rheumatism - - - - -	3	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Gout - - - - -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets - - - - -	8	1	-	-	-	1	4	-	-	-	4	2	-	-	-	2	-	-	-	-	-
Cancer - - - - -	80	-	2	9	10	21	-	-	9	13	22	-	-	8	3	11	-	8	4	12	3
Tabes Mesenterica - - -	38	14	4	1	-	19	6	3	-	-	9	1	-	1	-	2	2	-	1	-	-
Tubercular Meningitis (Acute Hydrocephalus) - - -	47	17	6	-	-	23	4	3	-	-	7	1	-	-	-	1	2	-	-	-	2
Phthisis - - - - -	249	8	27	73	3	111	2	6	27	5	40	1	12	20	2	35	4	16	-	17	4
Other forms of Tuber. Scrofula	28	4	3	3	-	10	3	2	2	-	7	1	2	-	-	3	-	-	-	-	-
Purp., Hemorrhagic Diathesis	3	2	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chl., Leucocythæmia	6	1	-	2	-	3	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Diabetes Mellitus - - -	2	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-
Other Constitutional Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																					
Premature Birth - - - -	63	33	-	-	-	33	10	-	-	-	10	8	-	-	-	8	2	-	-	-	2
Atelectasis - - - - -	5	-	-	-	-	-	2	-	-	-	2	-	-	-	-	1	-	-	-	-	1
Cyanosis - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Spina Bifida - - - - -	3	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Imperforate Anus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
Old Age - - - - -	86	-	-	-	31	31	-	-	-	22	22	-	-	-	10	10	-	-	9	-	9
DISEASES OF NERVOUS SYSTEM.																					
Inflammation of Brain or its Membranes - - - -	46	11	7	3	1	22	3	1	2	-	6	2	-	1	-	3	2	3	1	-	6
Apoplexy - - - - -	63	1	2	10	15	28	1	-	3	8	12	2	-	2	6	8	1	-	5	-	6
Softening of Brain - -	12	-	-	3	2	5	-	-	-	2	2	-	-	1	1	2	-	-	1	2	3
Hemiplegia, Brain Paralysis -	40	-	-	6	11	17	-	-	2	7	9	-	-	3	5	8	-	-	2	-	2
Paralysis Agitans - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity, General Par. of Insane	3	-	-	-	-	-	-	-	2	-	2	-	-	-	1	1	-	-	-	-	-
Chorea - - - - -	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	8	1	-	1	1	3	1	1	-	3	1	-	1	-	2	-	-	-	-	-	-
Convulsions - - - - -	39	22	-	1	-	23	4	-	-	4	1	-	-	-	1	3	-	-	-	-	3
Laryngismus Stridulus - -	2	1	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Idiopathic Tetanus - - -	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Paraplegia, Dis. of Spinal Cord	9	-	-	3	1	4	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-
Other Diseases of Ner. System	30	8	-	2	2	12	3	-	1	1	5	1	1	-	-	2	2	-	-	-	2
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Otorrhœa. - - -	7	2	1	1	-	4	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-
Epistaxis and Dis. of Nose -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Ophthalmia and Dis. of Eye -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

89

Registered during the Month of JUNE 1890.

CAUSES OF DEATH.	GREENOCK.					LEITH.					PAISLEY.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Vegetable Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Delirium Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism of Heart	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Rheumatism	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Gout	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Rickets	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Cancer	-	-	3	1	4	-	3	3	-	6	-	-	1	1	1	-	2	1	3	-
Tabes Mesenterica	1	1	-	-	2	2	-	-	-	2	1	-	-	1	1	-	-	-	-	-
Tubercular Meningitis (Acute Hydrocephalus)	1	1	-	-	2	8	1	-	-	9	1	1	-	-	2	-	1	-	-	1
Phthisis	-	2	10	2	17	2	5	8	-	15	3	7	-	10	-	1	3	-	-	4
Other forms of Tuberculosis, Scrofula	-	-	-	-	2	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-
Purpura, Hæmorrhagic Diathesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chlorosis, Leucocythæmia	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes Mellitus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Constitutional Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																				
Premature Birth	-	4	-	-	4	3	-	-	-	3	2	-	-	2	1	-	-	-	-	1
Atelectasis	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Imperforate Anus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Old Age	-	-	-	-	-	-	-	3	-	3	-	-	9	9	-	-	-	2	-	2
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Membranes	1	2	-	-	3	2	-	-	-	2	3	1	-	4	-	-	-	-	-	-
Apoplexy	-	-	3	-	3	-	-	-	2	2	-	-	2	2	4	-	-	-	-	-
Softening of Brain	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemiplegia, Brain Paralysis	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	2	-	2
Paralysis Agitans	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity, General Paralysis of Insane	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions	-	-	-	-	-	7	-	-	-	7	1	-	-	1	-	-	-	-	-	-
Laryngismus Stridulus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Idiopathic Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Paraplegia, Diseases of Spinal Cord	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	1	-	1	-	1
Other Diseases of Nervous System	1	-	1	1	3	-	-	1	-	1	2	-	1	2	5	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Otorrhœa	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis and Dis. of Nose	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JUNE 1890.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																					
Endocarditis, Valvular Dis. -	126	1	8	24	15	48	-	2	13	17	32	-	1	7	6	14	-	1	2	6	9
Pericarditis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart -	6	-	-	1	-	1	-	-	-	3	3	-	-	1	1	2	-	-	-	-	-
Angina Pectoris -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syncope -	13	-	-	3	2	5	-	3	2	5	1	-	-	-	-	1	-	-	-	1	1
Aneurism -	3	-	-	1	-	1	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-
Senile Gangrene -	5	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Embolism, Thrombosis -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Cir. System	3	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis -	3	1	-	-	-	1	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-
Croup -	19	4	2	-	-	6	-	-	-	-	-	3	1	-	-	4	4	-	-	-	4
Other Dis. of Larynx & Trachea	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma -	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Bronchitis -	192	38	4	31	30	103	14	3	4	8	29	11	1	3	5	20	7	1	2	6	16
Pneumonia -	180	55	7	29	8	99	4	1	6	4	15	18	-	11	3	32	4	1	4	2	11
Pleurisy -	6	-	-	1	-	1	1	-	3	1	5	-	-	-	-	-	-	-	-	-	-
Other Diseases of Resp. System	39	19	4	3	4	30	2	-	3	-	5	-	-	1	-	1	-	-	1	2	3
DISEASES OF DIGESTIVE SYSTEM.																					
Stomatitis -	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dentition -	23	10	-	-	-	10	1	-	-	-	1	5	-	-	-	5	3	-	-	-	3
Sore-throat, Quinsy -	5	1	1	-	1	3	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-
Dyspepsia -	2	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmatemesis -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melæna -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach -	21	5	-	6	3	14	1	-	2	-	3	-	-	1	1	2	-	-	1	-	1
Enteritis -	36	11	1	2	-	14	2	-	2	-	4	6	-	-	-	6	2	-	-	-	2
Ulceration of Intestine -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	10	1	-	-	2	3	-	-	1	1	2	-	-	1	-	1	-	-	-	2	2
Stricture or Strang. of Intestine	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia -	4	-	-	-	-	-	-	-	1	1	2	-	-	1	-	1	-	-	-	1	1
Fistula -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis -	21	-	1	6	-	7	-	1	1	2	4	-	-	2	1	3	-	2	-	1	3
Ascites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver -	3	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Liver	21	4	-	5	2	11	1	-	1	2	4	1	-	1	1	3	-	-	-	1	1
Other Dis. of Digestive System	8	-	1	3	-	4	2	-	-	2	4	-	-	-	-	-	-	-	-	-	-
DIS. OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																					
Diseases of Lymphatic System	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Spleen -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchocele -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Addison's Disease -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis -	19	-	3	4	2	9	-	-	4	1	5	-	-	-	-	-	-	-	1	1	2
Bright's Disease -	27	-	2	9	2	13	-	-	1	2	3	-	-	3	1	4	-	-	1	1	2
Uræmia -	4	-	1	1	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Suppression of Urine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus -	3	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Hæmaturia -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate:	6	-	-	2	-	2	-	1	1	1	3	-	-	-	1	1	-	-	-	-	-
Other Dis. of Urinary System	19	1	1	4	2	8	-	-	2	1	3	-	-	-	2	2	-	-	1	2	3

DEATHS FROM ALL CAUSES at Four Periods of Life.

91

Registered during the Month of JUNE 1890.

CAUSES OF DEATH.	GREENOCK.					LEITH.					PAISLEY.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																				
Endocarditis, Valvular Disease	-	1	4	3	8	-	1	5	2	8	-	-	1	1	2	-	-	2	3	5
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Syncope	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Aneurism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Senile Gangrene	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Circulatory System	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup	-	1	-	-	1	1	-	-	-	1	1	-	-	-	1	2	-	-	-	2
Other Diseases of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	-	3	1	-	4	4	-	2	6	2	2	5	2	9	-	-	3	2	5	2
Pneumonia	-	2	-	3	7	5	-	4	2	11	-	2	1	3	-	1	1	-	-	-
Pleurisy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF DIGESTIVE SYSTEM.																				
Stomatitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dentition	-	-	-	-	-	1	-	-	-	1	3	-	-	-	3	-	-	-	-	-
Sore-throat, Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmatemesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melæna	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Enteritis	-	3	-	-	3	2	-	1	3	3	3	1	-	4	-	-	-	-	-	-
Ulceration of Intestine	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Stricture or Strangulation of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis	-	-	-	-	-	-	-	-	-	-	1	2	-	-	3	-	-	-	1	1
Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																				
Diseases of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Spleen	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchocele	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Addison's Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis	-	-	1	-	1	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-
Bright's Disease	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Uræmia	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suppression of Urine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Hæmaturia	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Diseases of Bladder and of Prostate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Urinary System	-	-	2	-	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JUNE 1890.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF ORGANS OF GENERATION.																					
Ovarian Disease - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of Uterus and Vagina	8	-	-	3	-	3	-	-	5	-	5	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - -	3	-	-	1	-	1	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Testes, Penis, Scrotum, &c.	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																					
Abortion, Miscarriage - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Placenta Prævia, Flooding -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth	4	-	-	1	-	1	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																					
Caries, Necrosis - - -	9	-	1	1	-	2	-	1	-	1	-	1	1	-	2	-	1	-	-	-	1
Arthritis, Ostitis, Periostitis	3	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locom.	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
DISEASES OF INTEGUMENTARY SYSTEM.																					
Carbuncle - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Pemphigus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integ. System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																					
Fractures, Contusions - -	-	3	2	10	-	15	-	-	5	1	6	-	1	-	1	-	-	-	-	-	-
Gunshot Wounds - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Cut, Stab - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burn, Scald - - -	8	-	1	1	1	3	-	-	1	1	2	-	-	-	-	2	-	-	1	-	3
Poison - - -	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Drowning - - -	5	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Suffocation - - -	11	6	-	-	-	6	2	-	-	-	2	2	-	-	2	-	-	-	-	-	-
Otherwise - - -	4	1	-	1	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
HOMICIDE.																					
Murder, Manslaughter - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUICIDE.																					
Gunshot Wounds - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cut, Stab - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poison - - -	2	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Drowning - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hanging - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Otherwise - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EXECUTION.																					
Hanging - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																					
Dropsy - - -	8	1	1	-	3	5	-	-	-	1	1	-	-	1	1	1	-	-	-	-	1
Debility, Atrophy, Inanition	75	37	3	2	-	42	2	-	1	-	3	14	-	1	-	15	1	-	-	-	1
Mortification - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained)	4	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Other Ill-defined and not specified Causes - - -	13	-	-	4	3	7	-	-	-	3	3	-	-	-	-	-	2	-	-	1	3

93

Registered during the Month of JUNE 1890.

CAUSES OF DEATH.	GREENOCK.					LEITH.					PAISLEY.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF ORGANS OF GENERATION.																				
Ovarian Disease -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Testes, Penis, Scrotum, &c.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																				
Abortion, Miscarriage -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																				
Caries, Necrosis -	-	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1
Arthritis, Ostitis, Periostitis -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1
Other Dis. of Organs of Locomotion -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1
DISEASES OF INTEGUMENTARY SYSTEM.																				
Carbuncle -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis -	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Lupus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integumentary System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																				
Fractures, Contusions -	-	-	2	-	2	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1
Gunshot Wounds -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Cut, Stab -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burn, Scald -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poison -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Suffocation -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Otherwise -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HOMICIDE.																				
Murder, Manslaughter -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUICIDE.																				

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—JUNE 1890.

DISTRICTS	Estimated Population at Middle of 1890.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Fever—Typhus & Typhoid.	Diphtheria.	Croup and Laryngitis.	Whooping-Cough.	Cholera.	Diarrhoea and Dysentery.	Bronchitis, Pneumonia and Pleurisy.	Consumption.
Arbroath,	23,831	46	20	38	0	0	0	0	1	0	2	0	1	5	2
Ayr,	25,599	59	22	46	0	0	0	0	1	0	1	0	0	7	7
Banff, with Macduff,	9,298	29	10	16	0	0	0	0	0	0	0	0	0	2	3
Blairgowrie,	5,034	6	4	4	0	0	0	0	0	0	0	0	1	0	1
Campbeltown,	10,985	37	4	15	0	0	0	0	0	0	0	0	0	7	1
Crieff,	5,099	13	5	8	0	0	0	0	2	1	0	0	0	0	1
Dumbarton,	16,405	51	18	31	0	0	0	0	0	0	9	0	1	1	4
Dumfries, with Troqueer,	24,525	65	19	42	0	0	0	0	0	0	0	0	1	5	6
Dunfermline,	29,569	57	30	38	0	0	0	0	0	0	0	0	2	5	3
Elgin,	10,623	29	7	21	0	2	0	0	0	5	0	0	0	3	3
Falkirk (Burgh),	17,735	53	20	28	0	0	0	1	0	0	0	0	0	5	5
Forfar,	16,464	34	11	18	0	0	0	0	0	0	0	0	0	2	1
Galashiels,	15,008	22	17	5	0	0	0	0	0	0	0	0	0	1	0
Haddington,	5,591	10	3	5	0	0	0	0	1	0	0	0	0	2	0
Hawick, with Wilton,	23,698	68	18	42	0	5	0	1	0	0	1	0	1	6	3
Inverness,	25,141	50	24	37	0	4	0	0	0	0	3	0	0	5	3
Kilmarnock,	27,640	68	28	52	0	0	1	2	0	0	6	0	2	8	9
Kirkcaldy and Abbotshall,	18,353	48	22	27	0	1	0	0	0	2	0	0	0	3	6
Kirkcudbright,	3,607	9	3	3	0	0	0	0	0	1	0	0	0	2	0
Montrose	16,799	23	14	28	0	0	0	0	0	0	4	0	0	0	0
New Monkland, with Landward,	33,498	139	32	53	0	0	0	3	0	1	0	0	2	4	11
Peterhead, with Boddam,	17,384	46	8	19	0	0	1	1	0	1	1	0	2	4	3
Rothsay,	8,850	21	8	22	0	0	0	0	0	0	0	0	0	6	1
Shettleston,	11,179	40	15	13	0	3	0	0	0	0	0	0	0	1	2
Stirling,	15,729	41	16	17	0	0	0	1	0	0	1	0	0	0	2
Stranraer,	6,849	18	0	14	0	0	0	0	0	0	0	0	0	3	2
Wick,	12,403	41	6	16	0	0	0	0	0	1	0	0	0	1	1
Cathcart,	12,211	28	18	19	0	0	0	0	0	0	0	0	0	3	4
Eastwood,	13,915	44	11	25	0	0	0	0	0	0	1	0	0	8	6
Maryhill,	18,385	101	23	57	0	16	0	0	1	0	3	0	1	11	2
Dennistoun (Landward),	6,009	26	4	25	0	0	0	0	0	0	0	0	0	2	6
St Rollox (Landward),	945	3	1	0	0	0	0	0	0	0	0	0	0	0	0
Hutchesontown (Landwd.)	5,951	26	5	14	0	0	0	0	0	0	4	0	0	1	3
Gorbals (Landward),	5,011	29	7	8	0	0	0	0	0	0	1	0	0	1	1
Tradeston (Landward),	5,451	21	4	4	0	0	0	0	0	0	0	0	0	2	0
Kinning Park (Landward)	15,752	59	24	33	0	12	0	0	0	0	4	0	0	5	1
Plantation,	18,405	86	22	39	0	11	0	0	0	0	2	0	0	9	2
Govan,	23,510	133	39	87	0	6	0	1	0	1	6	0	0	23	10
Partick,	29,028	126	25	87	0	15	1	1	2	2	12	0	2	11	10

Glasgow—Landward and Suburban
Census Population.

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors only, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 136 feet above the sea-level,

For the month of JUNE 1890.

Mean Barometric pressure, 29·882 inches; less than the average of the same month for 1856–89 by 0·057 inch.

Barometric monthly range, 1·040 inch; greater by 0·120 inch.

Mean temperature, $55^{\circ}2$; less by $0^{\circ}6$.

Mean daily range of temperature, $14^{\circ}0$; less by $1^{\circ}2$.

Mean humidity, 78; greater by 1.

Rain, number of days, 21; greater by 8.

Rain, depth in inches, 3·49; greater by 1·06 inch.

Wind, pressure on square foot, 1·25 lb.; less by 0·12 lb.

Wind, direction of, E. to W. as 6 to 13, and N. to S. as 4 to 5; the average being E. to W. as 8 to 10, and N. to S. as 4 to 6.

It will be noticed that during the month of June the barometric pressure, although but slightly below the mean for the season, has been somewhat more than usually disturbed.

The mean temperature, on the other hand, has been appreciably below the average, but the range has been decidedly small, in such proportion, that the night temperatures have been normal for the time of the year. The absolute highest shade temperature occurred at Glasgow on the 10th, and the lowest at Greenock on the 1st.

The total rainfall is above one inch in excess of the average of past years, and as this was spread over more than the usual number of days in the proportion of 3 to 2, the weather has been very trying and disagreeable. The mean rainfall would have been still greater but for the relatively small record at Aberdeen, where only 1·75 inch fell. But this comparatively small quantity was associated with no less than 19 rainy days.

It may be noted that this is the first decidedly wet June in the towns since 1882, when the month's rain amounted to 3·36 inches. The normal quantity of 2·57 inches was recorded in 1888; but in other recent years the precipitation has been decidedly scanty in this month.

Damp west winds prevailed for very nearly half the times on which the direction of the wind was recorded.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, GREENOCK, LEITH, and PERTH,

During the Month of JUNE 1890.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.		DEDUCTIONS from Glaisher's Tables 2nd Edit.					RAIN.		WINDS.							Mean Pres- sure on Sq. ft.	
		Mean at Sea-level and 32°.	Range.	Inch.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	°	°	Wet Bulb, or Temp. of Evaporation.	°	Elastic Force of Vapour.	grs.	Wt. of Vapour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.							
																					N	NE	E	SE	S	SW		W
GLASGOW, J. B. RUSSELL, Esq., M.D., Medical Officer of Health.	54	29.824	29.883	1.108	72.0	39.2	55.6	32.8	13.2	25.5	°	55.5	51.9	.343	3.83	78	20	3.29	0	1	2	0	1	3	9	5	9	0.12
EDINBURGH, JAMES BUCHANAN, Esq., and R. C. MOSSMAN, Esq.	254	29.595	29.874	1.041	71.4	33.1	55.1	33.3	14.8	27.4	°	53.8	50.6	.328	3.70	79	19	3.23	1	2	2	0	3	2	10	5	5	0.28
DUNDEE, W. R. McKEVIE, Esq., Cura- tor of Cemeteries.	164	29.639	29.869	1.020	70.5	39.1	55.6	31.4	15.3	25.5	°	55.0	51.8	.344	3.86	80	22	3.00	0	5	1	4	0	6	10	4	0	1.64
ABERDEEN, JAMES DALE, Esq., Gordon's Hospital.	66	29.772	29.846	0.952	70.0	38.0	54.3	32.0	14.4	26.9	°	54.8	51.3	.333	3.81	77	19	1.75	4	4	2	2	4	7	3	4	0	0.85
PAISLEY, DONALD MACLEAN, Esq., The Coats Observatory.	107	°
GREENOCK, JAMES WILSON, Esq., Green- ock Water Works.	233	29.659	29.915	1.098	68.7	36.8	54.7	31.9	12.8	22.9	°	55.4	51.5	.334	3.76	76	22	6.01	1	1	7	1	0	2	9	9	0	1.49
LEITH, JAMES BOLAM, Esq., Navi- gation School, and GEORGE REDPATH, Esq.	70	29.805	29.882	1.052	70.0	41.6	55.7	28.4	12.5	21.2	°	55.0	51.4	.335	3.78	77	23	3.14	1	0	6	2	2	1	17	0	1	3.10
PERTH, Mr A. GARDECKE, Gardener to James F. Fullar, Esq.	140	29.751	29.905	1.010	67.0	37.0	55.2	30.0	15.2	27.0	°	55.5	51.9	.343	3.84	78	19	3.98	0	0	5	12	0	13	0	0	0	...
Means	136	...	29.882	1.040	(47.5)	55.2	31.4	14.0	25.2	21.2	°	51.5	48.2	.337	3.80	78	21	3.49	1	2	4	3	1	5	8	4	2	1.25
North latitude.—Glasgow, 56° 53'; Edinburgh, 56° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Paisley, 55° 50'; Greenock, 55° 57'; Leith, 55° 58'; Perth, 56° 28'; Mean, 56° 12'. West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Paisley, 3° 27'; Greenock, 4° 45'; Leith, 3° 8'; Perth, 3° 26'; Mean, 3° 30'.																												

* Absolute Highest.

† Absolute Lowest.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

JULY 1890.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by ADAM and CHARLES BLACK, 6 North Bridge, Edinburgh.

REPORT.

DURING the month of July 1890 there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Greenock, Leith, Paisley, and Perth the Births of 3655 children, of whom 1847 were males and 1808 females. Of these, 3329 were legitimate and 326 illegitimate, being in the proportion of one illegitimate in every 11·2 Births; or the illegitimate Births constituted 8·9 per cent. of the whole. In Dundee, 6·5 per cent. of the Births were illegitimate; in Paisley, 6·8; in Leith, 7·1; in Glasgow, 8·7; in Greenock, 9·0; in Perth, 9·4; in Edinburgh 10·8; and in Aberdeen, 12·3 per cent.

1452 Marriages were registered in these Towns during July, being 163 above the average for the month during the last ten years, increase of the population being allowed for.

The Deaths of 2230 persons were recorded in these Towns during the month, of whom 1118 were males and 1112 females. Allowing for increase of the population, this number is nine below the average for July during the last ten years.

A comparison of the Deaths registered shows that during July the mortality was at the annual rate of 13·6 Deaths per thousand persons in Leith, 15·9 in Greenock, 17·1 in Edinburgh, 19·0 in Dundee, 19·8 in Paisley, 20·5 in Aberdeen, 21·2 in Perth, and 22·0 in Glasgow.

Of the 989 Deaths registered in Glasgow, 217 were of children under one year of age, and 156 of persons over 60 years; of the 393 registered in Edinburgh, 84 were of children under one year, and 80 of persons over 60 years; of the 268 in Dundee, 71 were under one, and 39 over 60; of the 215 in Aberdeen, 53 were under one, and 52 over 60; of the 107 in Greenock, 29 were under one, and 22 over 60; of the 91 in Leith, 15 were under one, and 21 over 60; of the 107 in Paisley, 10 were under one, and 25 over 60; and of the 60 in Perth, 13 were under one, and 13 over 60 years.

Of the whole 2230 Deaths, 913, or 40·9 per cent. were of children under five years of age. In Paisley, 29·0 per cent. of the persons who died were under five years of age; in Edinburgh, 35·4; in Leith, 36·3; in Aberdeen, 38·1; in Glasgow and in Greenock, 43·0; in Perth, 46·7; and in Dundee, 48·1 per cent.

Miasmatic Diseases caused 312 Deaths, or 14·0 per cent. of the whole mortality. This rate was slightly exceeded in Glasgow from the prevalence there of Measles and Hooping-Cough, and very much in Perth from the same causes.

Hooping-Cough was, this month, the most fatal epidemic, having caused 152 Deaths, or 6·8 per cent. of the whole mortality. In Edinburgh, 27 Deaths, or 6·9 per cent. of the mortality there, were caused by Hooping-Cough; in Glasgow, 72, or 7·3 per cent; in Aberdeen, 21, or 9·8 per cent; and in Perth, 12, or 20·0 per cent.

Fever caused 18 Deaths, of which three was tabulated as Typhus, and 15 as Enteric Fever. One of the Deaths from Typhus occurred in Glasgow, one in Edinburgh, and one in Paisley.

Measles caused 107 Deaths or 4·8 per cent. of the whole. In Glasgow 65, or 6·6 per cent. of the Deaths in that town were caused by Measles; in Dundee 23, or 8·6 per cent.; and in Perth 4, or 6·7 per cent.

Diarrhoea and Dysentery caused 49 Deaths; Diphtheria, 17; Scarlatina, 16, and Puerperal Fever, 5.

60 Deaths were attributed to Apoplexy, 40 to Paralysis, 174 to Diseases of the Heart, and 66 to Premature Birth Debility.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 378, or 17·0 per cent. of the whole. Those from Consumption alone numbered 242, or 10·9 per cent. 17 Deaths were caused by Croup.

84 Deaths resulted from Violent Causes, of which 3 were suicides. 15 Deaths were the result of Chronic Alcoholism, and 3 of Delirium Tremens.

Three males and five females had passed the 90th year of life, the eldest of whom was the widow of a shipmaster, and was aged 93 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES.

JULY 1890.

TOWNS.	POPULATION.*			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1871.	Census 1881.	Estimated to middle of 1890.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW, . . .	491,846	511,415	530,208	891	808	1699	1552	147	735	504	485	989
EDINBURGH, . .	200,277	234,402	271,135	808	319	627	559	68	264	202	191	393
DUNDEE, . . .	120,724	142,455	166,027	196	222	418	391	27	182	124	144	268
ABERDEEN, . . .	88,181	105,076	123,600	148	136	284	249	35	109	121	94	215
GREENOCK, . . .	59,794	69,238	79,312	102	98	200	182	18	58	48	59	107
LEITH, . . .	46,172	60,843	78,538	89	95	184	171	13	51	46	45	91
PAISLEY, . . .	48,257	55,638	63,469	86	104	190	177	13	33	49	58	107
PERTH, . . .	26,382	29,756	33,274	27	26	53	48	5	20	24	36	60
TOTAL, . . .	1,081,633	1,208,823	1,345,563	1847	1808	3655	3320	326	1452	1118	1112	2230

JULY 1859, . . .	Mean Temp. 57°·1	1919	1795	3714	3412	302	1441	1168	1102	2270
JULY 1888, . . .	Mean Temp. 54°·7	1903	1759	3662	3343	319	1372	919	940	1859
JULY 1887, . . .	Mean Temp. 60°·6	1778	1791	3569	3270	299	1164	1047	1050	2097
JULY 1886, . . .	Mean Temp. 58°·0	1893	1805	3698	3400	298	1178	1025	1084	2109
JULY 1885, . . .	Mean Temp. 59°·1	1871	1814	3685	3352	333	1143	981	1045	2026
JULY 1884, . . .	Mean Temp. 58°·1	2047	1853	3900	3576	324	1241	1178	1189	2367
JULY 1883, . . .	Mean Temp. 57°·0	1944	1791	3735	3431	304	1289	1055	1124	2179
JULY 1882, . . .	Mean Temp. 58°·3	1886	1747	3633	3347	286	1224	1156	1036	2192
JULY 1881, . . .	Mean Temp. 57°·1	1832	1756	3588	3246	342	1085	981	919	1900
JULY 1880, . . .	Mean Temp. 57°·9	1820	1750	3570	3284	286	1049	1075	1100	2175

DEATHS from Small-pox, Measles, Scarlatina, Diphtheria, Hooping-Cough, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of July 1890.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Hooping- Cough.	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Hooping- Cough.	Fevers.	Diarrhoea.
GLASGOW—								DUNDEE—							
1. Bridgeton, . .	0	11	3	1	16	2	2	1. St Peter, . .	0	1	0	0	0	0	2
2. Camlachie, . .	0	28	1	2	5	0	3	2. St Mary, . .	0	0	0	0	0	1	4
3. Dennistoun, . .	0	3	1	1	2	0	1	3. St Clement, . .	0	10	0	1	3	0	0
4. Calton, . . .	0	4	0	0	4	0	5	4. St Andrew, . .	0	10	0	4	5	0	5
5. Blackfriars, . .	0	29	0	0	4	1	1	5. Lochee, . . .	0	0	0	0	0	0	0
6. St Rollox, . .	0	6	0	0	12	0	3	ABERDEEN—							
7. Blythswood, . .	0	2	0	0	1	0	0	1. St Nicholas, . .	0	4	0	0	13	5	5
8. Milton, . . .	0	11	0	0	3	1	0	2. Aberdeen, . .	0	0	0	0	8	1	2
9. Kelvin, . . .	0	2	0	0	7	0	1	3. Woodside, . .	0	0	0	0	0	0	0
10. Anderston, . .	0	16	0	0	4	0	0	4. Old Aberdeen, .	0	0	0	0	0	0	0
11. Hutchesontown, .	0	3	1	2	10	0	1	GREENOCK—							
12. Gorbals, . . .	0	1	0	0	3	0	0	1. East, . . .	0	1	0	0	1	0	0
13. Tradeston, . .	0	1	0	1	0	0	2	2. Middle, . . .	0	1	0	0	1	0	1
14. Kinning Park, .	0	1	0	0	1	0	0	3. West, . . .	0	3	0	0	3	0	2
EDINBURGH—								LEITH—							
1. St George, . .	0	1	0	1	9	3	1	1. North, . . .	0	2	0	0	2	0	0
2. St Andrew, . .	0	1	0	0	3	0	1	2. South, . . .	0	0	4	0	2	0	0
3. Canongate, . .	0	1	1	0	5	1	2	PAISLEY, . . .	0	0	3	1	3	1	2
4. St Giles, . . .	0	0	0	2	3	0	1	PERTH, . . .	0	4	0	0	12	2	0
5. Newington, . .	0	1	2	0	7	0	2								

* NOTE.—The Population here given is that of the various Registration Districts, which in some cases differ slightly from that of the Parliamentary Burghs in consequence of some of the Districts including small fragments of the extra burghal population.

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JULY 1890.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - -	2230	425	82	326	156	989	139	32	142	80	393	129	27	73	39	268	82	20	61	52	215
I. SPECIFIC FEBRILE OR ZYMOTIC DIS.	387	163	10	11	3	187	41	7	4	1	53	44	3	3	-	50	29	5	5	1	40
II. PARASITIC DISEASE	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC "	18	-	-	9	1	10	-	-	2	-	2	-	-	3	-	3	-	-	-	-	-
IV. CONSTITUTIONAL "	443	36	34	103	10	183	10	11	53	10	89	10	15	26	2	53	6	7	17	3	33
V. DEVELOPMENTAL "	149	30	-	-	27	57	14	-	-	9	23	11	-	13	24	9	-	-	12	21	21
VI. LOCAL "	1050	151	35	162	108	456	62	12	66	55	195	44	8	38	22	112	36	6	37	32	111
VII. VIOLENCE - -	84	7	2	29	4	42	5	2	9	4	20	4	1	2	-	7	1	2	2	2	7
VIII. ILL-DEFINED & NOT SPECIFIED CAUSES	98	37	1	12	3	53	7	-	3	1	11	16	-	1	2	19	1	-	-	2	3
I.																					
1. Miasmatic Diseases -	312	141	10	3	-	154	31	7	3	-	41	34	3	1	-	38	23	5	3	-	31
2. Diarrheal " -	49	14	-	2	3	19	7	-	-	-	7	9	-	2	-	11	6	-	1	-	7
3. Malarial " -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. Zoogenous " -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. Venereal " -	10	5	-	-	-	5	2	-	-	-	2	1	-	-	-	1	-	-	-	-	-
6. Septic " -	16	3	-	6	-	9	1	-	1	1	3	-	-	-	-	-	-	-	1	1	2
II.																					
PARASITIC DISEASES -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																					
DIETETIC DISEASES - -	18	-	-	9	1	10	-	-	2	-	2	-	-	3	-	3	-	-	-	-	-
IV.																					
CONSTITUTIONAL DISEASES	443	36	34	103	10	183	10	11	53	10	89	10	15	26	2	53	6	7	17	3	33
V.																					
DEVELOPMENTAL DISEASES	149	30	-	-	27	57	14	-	-	9	23	11	-	13	24	9	-	-	12	21	21
VI.																					
1. Dis. of Nervous System -	236	32	8	27	28	95	20	2	15	16	53	8	2	3	9	22	11	-	3	8	22
2. " Organs of Special Sense - -	3	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
3. " Circulatory System	174	1	8	38	26	73	1	1	16	18	36	-	-	9	8	17	-	1	13	12	26
4. " Respiratory System	378	81	10	58	33	182	33	3	11	12	59	26	4	10	3	43	19	2	7	3	31
5. " Digestive System -	160	36	3	17	7	63	8	3	5	5	21	9	-	9	2	20	6	-	10	6	22
6. " Lymphatic System and Ductless Glands - -	3	-	-	1	-	1	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
7. " Urinary System -	57	-	1	12	9	22	-	3	11	4	18	-	1	4	-	5	-	1	-	3	4
8. " Reproductive System: -																					
(a) Diseases of Organs of Generation -	6	-	1	-	1	2	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
(b) Diseases of Parturition -	12	-	-	4	-	4	-	-	3	-	3	-	-	-	-	-	-	-	3	-	3
9. " Organs of Locomotion - -	13	1	3	3	-	7	-	-	1	-	1	1	-	1	-	2	-	2	-	-	2
10. " Integumentary System - -	8	-	-	1	4	5	-	-	1	-	1	-	1	1	-	2	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

101

Registered during the Month of JULY 1890.

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

103

Registered during the Month of JULY 1890.

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

105

Registered during the Month of JULY 1890.

CAUSES OF DEATH.	GREENOCK.					LEITH.					PAISLEY.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Thrush - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Vegetable Parasites - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Parasites - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism - - - - -	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
{ Delirium Tremens - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Rheumatism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer - - - - -	-	-	1	3	4	-	1	2	3	-	4	-	4	-	1	-	-	1	-	1
Tabes Mesenterica - - - - -	1	1	1	-	3	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-
Tubercular Meningitis (Acute Hydrocephalus) - - - - -	1	4	9	-	14	6	2	-	8	2	-	-	11	-	2	1	1	-	-	2
Phthisis - - - - -	1	1	1	-	3	4	-	-	4	-	-	-	-	-	-	-	-	1	-	1
Other forms of Tuberculosis, Scrofula - - - - -	1	1	1	-	3	4	-	-	1	-	1	-	-	-	-	-	-	1	-	1
Purpura, Hemorrhagic Diathesis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chlorosis, Leucocythæmia - - - - -	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Diabetes Mellitus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Constitutional Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																				
Premature Birth - - - - -	2	-	-	-	2	2	-	-	-	2	1	-	-	-	1	2	-	-	-	2
Atelectasis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cyanosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Imperforate Anus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old Age - - - - -	-	-	-	2	2	-	-	-	4	4	-	-	-	6	6	-	-	-	4	4
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Membranes - - - - -	6	-	-	-	6	-	-	1	-	1	3	-	1	-	4	-	-	-	-	-
Apoplexy - - - - -	-	-	1	2	3	-	-	2	1	3	-	-	3	-	3	-	-	1	-	1
Softening of Brain - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemiplegia, Brain Paralysis - - - - -	-	-	1	1	2	-	-	1	2	3	-	-	2	-	2	-	-	-	1	1
Paralysis Agitans - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity, General Paralysis of Insane - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Convulsions - - - - -	2	-	1	-	3	1	-	-	-	1	1	-	-	-	1	1	-	-	-	1
Laryngismus Stridulus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Idiopathic Tetanus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Diseases of Spinal Cord - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2
Other Diseases of Nervous System - - - - -	1	2	-	-	3	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Otorrhœa - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis and Dis. of Nose - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JULY 1890.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																					
Endocarditis, Valvular Dis. -	154	-	8	35	25	68	-	1	11	17	29	-	-	8	7	15	-	1	11	11	23
Pericarditis -	4	1	-	1	-	2	1	-	-	-	1	-	-	-	1	1	-	-	-	-	-
Hypertrophy of Heart -	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Angina Pectoris -	5	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	2	-	2
Syncope -	3	-	-	-	1	1	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Aneurism -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Senile Gangrene -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Embolism, Thrombosis -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Phlebitis -	1	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Varicose Veins -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Cir. System	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis -	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Croup -	17	2	-	-	-	2	1	-	-	-	1	5	-	-	-	5	1	1	-	-	2
Other Dis. of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Empysema, Asthma -	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis -	166	30	3	28	23	84	21	-	2	7	30	12	-	4	2	18	8	-	2	2	12
Pneumonia -	165	46	7	23	7	83	11	2	9	4	26	9	2	6	1	18	8	-	5	1	14
Pleurisy -	14	2	-	4	1	7	-	1	-	1	2	-	1	-	-	1	-	1	-	-	1
Other Diseases of Resp. System	10	1	-	2	2	5	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2
DISEASES OF DIGESTIVE SYSTEM.																					
Stomatitis -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Dentition -	15	7	-	-	-	7	2	-	-	-	2	3	-	-	-	3	-	-	-	-	-
Sore-throat, Quinsy -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmatemesis -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melæna -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach -	40	9	-	4	4	17	1	-	-	-	1	4	-	1	1	6	4	-	1	2	7
Enteritis -	31	10	2	2	-	14	3	-	-	-	3	2	-	-	-	2	-	-	1	1	2
Ulceration of Intestine -	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	6	-	-	-	1	1	-	1	-	1	2	-	-	1	-	1	-	-	2	-	2

107

107

CAUSES OF DEATH.	GREENOCK.					LEITH.					PAISLEY.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																				
Endocarditis, Valvular Disease	-	-	3	2	5	-	1	3	2	6	-	-	1	4	5	-	1	1	1	3
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Hypertrophy of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Angina Pectoris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Syncope	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Aneurism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Senile Gangrene	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1
Croup	3	-	-	-	3	1	-	-	-	1	3	-	-	-	3	-	-	-	-	-
Other Diseases of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Empysema, Asthma	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Bronchitis	2	2	2	2	6	-	1	2	3	5	5	2	4	11	9	1	1	1	2	4
Pneumonia	2	-	3	2	7	2	-	2	4	2	1	5	1	9	2	-	-	2	4	2
Pleurisy	-	-	-	-	-	-	1	-	1	1	-	-	-	1	1	-	1	-	1	1
Other Diseases of Respiratory System	-	-	-	-	-	-	-	1	1	2	-	-	-	2	-	-	-	-	-	-
DISEASES OF DIGESTIVE SYSTEM.																				
Stomatitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dentition	2	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Sore-throat, Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Hæmatemesis	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melena	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach	2	-	1	1	4	1	2	2	5	-	-	-	-	-	-	3	-	1	-	4
Enteritis	1	-	-	1	2	3	-	1	4	-	-	-	-	-	-	-	-	-	-	-
Ulceration of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stricture or Strangulation of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	1	1
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis	-	-	-	-	-	-	1	-	1	-	1	-	1	2	-	-	-	-	-	-
Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Liver	-	-	-	-	-	1	-	1	2	-	-	1	-	1	2	-	-	-	-	-
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-
DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																				
Diseases of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Spleen	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchocele	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Addison's Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Bright's Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uræmia	-	-	2	-	2	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
Suppression of Urine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmaturia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Bladder and of Prostate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Other Diseases of Urinary System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

109

Registered during the Month of JULY 1890.

[illegible]

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—JULY 1890.

DISTRICTS.	Estimated Population at Middle of 1890.	Total Births	Total Marriages	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Fever—Typhus & Typhoid.	Diphtheria.	Croup and Laryngitis.	Whooping-Cough.	Cholera.	Diarrhoea and Dysentery.	Bronchitis, Pneu- monia and Pleurisy.	Consumption.
Arbroath,	23,831	48	18	22	0	0	0	0	0	1	0	0	0	3	4
Ayr,	25,599	66	19	36	0	0	0	0	1	0	0	0	0	7	6
Banff, with Macduff,	9,298	16	4	18	0	0	1	0	0	0	2	0	1	0	3
Blairgowrie,	5,034	8	7	3	0	0	0	0	0	0	0	0	0	0	1
Campbeltown,	10,985	25	6	10	0	0	0	0	0	0	0	0	0	4	2
Crieff,	5,099	7	0	9	0	0	0	0	0	0	0	0	1	1	3
Dumbarton,	16,405	55	14	24	0	1	0	0	0	0	3	0	2	0	2
Dumfries, with Troqueer, . . .	24,525	55	20	39	0	0	1	0	0	1	0	0	1	7	4
Dunfermline,	29,569	72	32	36	0	1	0	0	0	0	0	0	0	5	3
Elgin,	10,023	25	7	14	0	0	0	0	0	0	3	0	0	1	1
Falkirk (Burgh),	17,735	32	27	23	0	2	0	0	0	0	0	0	0	3	0
Forfar,	16,464	27	14	18	0	0	0	0	0	0	0	0	0	0	2
Galashiels,	15,008	33	5	16	0	1	0	0	0	0	0	0	0	1	4
Haddington,	5,591	12	3	10	0	0	0	0	0	0	0	0	1	4	1
Hawick, with Wilton,	23,698	41	11	28	0	1	0	0	0	0	1	0	0	4	5
Inverness,	25,141	57	14	27	0	0	1	1	0	0	0	0	1	5	1
Kilmarnock,	27,640	88	27	39	0	0	2	0	1	1	0	0	1	5	2
Kirkcaldy and Abbotshall, . . .	18,353	46	18	25	0	0	1	0	0	0	1	0	0	2	6
Kirkcudbright,	3,607	8	2	2	0	0	0	0	0	0	0	0	0	0	0
Montrose,	16,799	36	13	28	0	0	0	0	0	0	4	0	0	2	3
New Monkland, with Landward, .	33,498	116	45	37	0	0	1	1	0	0	0	0	4	6	5
Peterhead, with Boddam, . . .	17,384	56	2	27	0	0	0	2	1	1	4	0	0	1	2
Rothsay,	8,850	13	2	17	0	0	0	0	0	0	1	0	0	3	4
Shettleston,	11,179	38	9	7	0	0	0	0	0	1	0	0	0	0	1
Stirling,	15,729	30	11	18	0	0	0	0	0	0	1	0	1	2	2
Stranraer,	6,849	14	4	12	0	0	0	0	0	0	0	0	0	3	3
Wick,	12,403	19	6	13	0	1	1	0	0	0	0	0	0	4	0
Cathcart,	12,211	33	9	16	0	0	0	0	0	0	0	0	0	0	3
Eastwood,	13,915	34	13	20	0	0	0	1	0	0	0	0	0	1	6
Maryhill,	18,385	87	23	51	0	14	0	0	3	0	5	0	1	6	5
Dennistoun (Landward), . . .	6,009	20	3	34	0	2	0	1	0	0	1	0	0	1	5
St Rollox (Landward), . . .	945	10	1	1	0	0	0	0	0	0	0	0	0	0	1
Hutchesontown (Landwd.), . .	5,951	29	6	9	0	2	2	0	0	0	1	0	0	0	2
Gorbals (Landward),	5,011	23	4	4	0	0	0	0	0	0	0	0	0	0	1
Tradeston (Landward), . . .	5,451	23	5	19	0	0	0	0	0	0	1	0	0	2	4
Kinning Park (Landward), . .	15,752	58	29	20	0	5	0	0	0	0	4	0	0	2	4
Plantation,	18,405	75	18	42	0	9	1	0	0	0	3	0	0	3	5
Govan,	33,510	135	30	88	0	6	1	1	2	1	4	0	2	18	9
Partick,	39,028	133	44	71	*1	3	0	0	0	1	8	0	1	14	4

* Chickenpox.

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors only, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 136 feet above the sea-level,

For the month of JULY 1890.

Mean Barometric pressure, 29·796 inches; less than the average of the same month for 1856–89 by 0·082 inch.

Barometric monthly range, 0·848 inch; less by 0·055 inch.

Mean temperature, $56^{\circ}2$; less by $2^{\circ}2$.

Mean daily range of temperature, $14^{\circ}6$; greater by $0^{\circ}2$.

Mean humidity, 78; less by 1.

Rain, number of days, 22; greater by 6.

Rain, depth in inches, 3·52; greater by 0·41 inch.

Wind, pressure on square foot, 1·55 lb.; greater by 0·19 lb.

Wind, direction of, E. to W. as 5 to 14, and N. to S. as 4 to 5; the average being E. to W. as 6 to 13, and N. to S. as 4 to 6.

The mean barometric pressure has, therefore, been somewhat low for the month, and more than usually limited in range.

The low temperatures which prevailed in the preceding month have extended into July, most markedly so until the 13th of the month. The result has been that the mean temperature of the month, instead of advancing $2^{\circ}6$ on that of June, as might have been expected from the average of former years, has been only $1^{\circ}0$ warmer, and has fallen no less than $2^{\circ}2$ short of the mean value. On the 13th, however, a decidedly warmer period set in, greatly to the advantage of the crops.

As in June, rainy days were unusually frequent, and the rainfall was considerably above the mean, although so much as 1·68 inch less than in July 1888, and 2·29 inches short of the corresponding month in 1884. There were 24 wet days in Dundee, and no less than 25 in Aberdeen, where 1·34 inch of rain fell in 24 hours on the 7th and 8th. Rain was very general on the former day, 1·00 inch being recorded at Glasgow; 0·57 inch at Edinburgh; 0·95 inch at Dundee; 1·12 inch at Paisley; 1·20 inch at Greenock; and 0·92 inch at Perth.

As usual at this season, west winds greatly preponderated, but somewhat exceeded the average in pressure.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, GREENOCK, LEITH, and PERTH,

During the Month of JULY 1890.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.					DEDUCTIONS from Glaisher's Tables 2nd Edit.					RAIN.		WINDS.									
		Range.	Inch.	Inch.	Range.	Mean Daily Range.	Monthly Range.	Mean Temperature.	Lowest in Month.	Highest in Month.							Number of Days it blew in certain Directions.									
	feet.	Inch.	Inch.	Inch.													N	NE	E	SE	S	SW	W	NW	Calm or Variable.	lbs.
GLASGOW, J. R. RUSSELL, Esq., M.D., Medical Officer of Health.	54	29.750	29.809	0.848													0	0	1	0	1	4	8	6	11	0.10
EDINBURGH, JAMES BUCHANAN, Esq., and R. C. MOSSMAN, Esq.	254	29.516	29.736	0.845													3	0	2	0	1	1	11	3	10	0.21
DUNDEE, W. E. M'KELVIE, Esq., Cura- tor of Cemeteries.	164	29.602	29.782	0.860													1	5	1	4	1	6	5	8	0	1.12
ABERDEEN, JAMES DALE, Esq., Gordon's Hospital.	66	29.677	29.751	0.925													4	0	3	3	7	3	5	6	0	3.92
PAISLEY, DONALD MACLEAN, Esq., The Coats Observatory.	107	29.687	29.804	0.846													2	3	2	0	1	9	12	2	0	1.56
GREENOCK, JAMES WILSON, Esq., Green- ock Water Works.	233	29.589	29.845	0.816													0	1	2	0	0	1	16	1	1	1.09
LEITH, JAMES BOLAM, Esq., Navl- gation School, and GEORGE REDPATH, Esq.	70	29.723	29.800	0.814													1	0	6	2	2	4	15	1	0	2.86
PERTH, Mr. A. GARDECKE, Gardener to James F. Pullar, Esq.	140	29.628	29.782	0.840													0	8	5	1	0	11	0	0	0	...
Means	136	...	29.736	0.848	141.0	56.2	27.9	56.2	44.0	66.3	3.88	78	22	3.52	1	2	3	1	2	3	1	2	5	9	5	1.55

North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Paisley, 55° 50'; Greenock, 55° 57'; Leith, 55° 58'; Perth, 56° 23'; Mean, 56° 12'.

West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 38'; Aberdeen, 2° 6'; Paisley, 3° 27'; Greenock, 4° 45'; Leith, 3° 26'; Perth, 3° 30'.

Absolute Highest. † Absolute Lowest.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

AUGUST 1890.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by ADAM and CHARLES BLACK, 6 North Bridge, Edinburgh.

REPORT.

DURING the month of August 1890 there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Greenock, Leith, Paisley, and Perth the Births of 3401 children, of whom 1724 were males and 1677 females. Of these, 3159 were legitimate and 242 illegitimate, being in the proportion of one illegitimate in every 14·1 Births; or the illegitimate Births constituted 7·1 per cent. of the whole. In Greenock, 5·2 per cent. of the Births were illegitimate; in Glasgow, 6·2; in Dundee, 6·8; in Perth, 7·0; in Paisley, 7·5; in Leith, 8·0; in Edinburgh, 8·3; and in Aberdeen, 10·1 per cent.

685 Marriages were registered in these Towns during August, being 59 below the average for the month during the last ten years, allowing for increase of the population.

The Deaths of 1985 persons were registered in these Towns during August, of whom 1006 were males and 979 females. Allowance being made for increase of the population, this number is 205 below the August average for the last ten years.

A comparison of the Deaths registered shows that during August the mortality was at the annual rate of 14·1 Deaths per thousand persons in Leith, 14·3 in Greenock, 14·6 in Aberdeen, 15·2 in Perth, 15·4 in Paisley, 15·5 in Edinburgh, 19·1 in Dundee, and 19·7 in Glasgow.

Of the 887 Deaths registered in Glasgow, 232 were of children under one year of age, and 121 of persons over 60 years; of the 359 in Edinburgh, 94 were of children under one year, and 90 of persons over 60 years; of the 270 in Dundee, 78 were under one, and 44 over 60 years; of the 153 in Aberdeen, 46 were under one, and 41 over 60; of the 96 in Greenock, 24 were under one, and 18 over 60; of the 94 in Leith, 37 were under one, and 20 over 60; of the 83 in Paisley, 20 were under one, and 17 over 60; and of the 43 in Perth, 6 were under one, and 13 over 60 years.

Of the whole 1985 Deaths, 882, or 44·4 per cent. were of children under five years of age. In Aberdeen, 36·6 of the persons who died were under five years of age; in Perth, 39·5; in Greenock, 39·6; in Edinburgh, 41·2; in Paisley, 43·4; in Glasgow, 45·8; in Dundee, 49·6; and in Leith, 50·0 per cent.

Miasmatic Diseases caused 187 Deaths, or 9·4 per cent. of the whole mortality. This rate was exceeded in Perth in consequence of the number of deaths from Measles and Hooping-Cough. It was also slightly exceeded in Glasgow and Edinburgh.

Diarrhoea and Dysentery caused 118 Deaths, or 5·9 per cent. of the mortality. In Edinburgh, 5·0 per cent. of the deaths were from these diseases; in Glasgow, 6·8; in Leith, 7·4; and in Dundee, 8·1 per cent.

Hooping-Cough caused 98 Deaths, or 4·9 per cent. of the whole. In Glasgow, 5·6; in Edinburgh, 6·7; and in Perth, 9·3 per cent. of the deaths in these Towns respectively were caused by Hooping-Cough.

Measles caused 32 Deaths, 4 of these, or 9·3 per cent. occurring in Perth.

Fever caused 13 Deaths, of which 12 were tabulated as Enteric, and one as Simple Continued Fever.

Diphtheria caused 23 Deaths; Scarlatina, 18; Puerperal Fever, 6; and Cholera, 3.

49 Deaths were attributed to Apoplexy, 40 to Paralysis, 143 to Diseases of the Heart, and 53 to Premature Birth Debility.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 304, or 15·3 per cent. of the whole. Those from Consumption alone numbered 212, or 10·7 per cent. 14 Deaths were attributed to Croup.

83 Deaths resulted from Violent Causes, of which 2 were suicides. 9 Deaths were caused by Chronic Alcoholism.

Two males and nine females were aged 90 years and upwards, the eldest being the widow of a thread manufacturer and was aged 98 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES. AUGUST 1890.

TOWNS.	POPULATION.*			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1871.	Census 1881.	Estimated to middle of 1890.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW, . . .	491,846	511,415	530,203	778	758	1536	1440	96	277	466	421	887
EDINBURGH, . .	200,277	234,402	271,135	297	280	577	529	48	164	194	165	359
DUNDEE, . . .	120,724	142,455	166,027	181	202	383	357	26	63	120	150	270
ABERDEEN, . .	88,181	105,076	123,600	150	157	307	276	31	46	73	80	153
GREENOCK, . .	59,794	69,238	79,312	107	86	193	183	10	26	51	45	96
LEITH, . . .	46,172	60,343	73,538	87	88	175	161	14	30	44	50	94
PAISLEY, . . .	48,257	55,638	63,469	94	79	173	160	13	65	36	47	83
PERTH, . . .	26,382	29,756	33,274	30	27	57	53	4	14	22	21	43
TOTAL, . . .	1,081,633	1,208,823	1,345,563	1724	1677	3401	3159	242	685	1006	979	1985

AUGUST 1889, . . .	Mean Temp. 56°·8	1779	1577	3356	3094	262	709	996	1023	2019
AUGUST 1888, . . .	Mean Temp. 56°·0	1726	1730	3456	3152	304	664	901	926	1827
AUGUST 1887, . . .	Mean Temp. 57°·7	1818	1799	3617	3299	318	769	1036	1090	2126
AUGUST 1886, . . .	Mean Temp. 57°·5	1821	1748	3569	3276	293	738	1011	999	2010
AUGUST 1885, . . .	Mean Temp. 54°·6	1817	1661	3478	3176	302	671	1074	1011	2085
AUGUST 1884, . . .	Mean Temp. 59°·1	1827	1658	3485	3172	313	642	1099	1049	2148
AUGUST 1883, . . .	Mean Temp. 57°·3	1816	1728	3544	3273	271	661	1102	1102	2204
AUGUST 1882, . . .	Mean Temp. 58°·3	1747	1711	3458	3202	256	709	1053	1057	2110
AUGUST 1881, . . .	Mean Temp. 54°·6	1867	1771	3638	3349	289	762	1050	963	2033
AUGUST 1880, . . .	Mean Temp. 60°·2	1776	1673	3449	3163	286	710	1075	1068	2143

DEATHS from Small-pox, Measles, Scarlatina, Diphtheria, Hooping-Cough, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of August 1890.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Hooping-Cough.	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Hooping-Cough.	Fevers.	Diarrhoea.
GLASGOW—								DUNDEE—							
1. Bridgeton, . .	0	3	4	7	9	5	8	1. St Peter, . .	0	1	0	1	1	0	5
2. Camlachie, . .	0	0	0	2	5	0	5	2. St Mary, . .	0	0	0	0	2	1	2
3. Dennistoun, . .	0	1	0	0	2	0	5	3. St Clement, . .	0	2	0	1	0	0	6
4. Calton, . . .	0	0	0	0	6	0	7	4. St Andrew, . .	0	4	1	0	6	1	7
5. Blackfriars, . .	0	0	0	0	3	0	3	5. Lochee, . . .	0	0	0	0	0	0	2
6. St Rollox, . .	0	7	0	2	3	0	4	ABERDEEN—							
7. Blythswood, . .	0	0	0	0	4	0	1	1. St Nicholas, . .	0	1	0	0	4	1	1
8. Milton, . . .	0	1	0	2	6	0	7	2. Aberdeen, . .	0	1	0	0	1	1	0
9. Kelvin, . . .	0	0	0	0	1	2	4	3. Woodside, . .	0	0	0	0	0	0	1
10. Anderson, . .	0	2	0	0	7	0	4	4. Old Aberdeen, . .	0	0	0	0	0	0	0
11. Hutchesontown, . .	0	0	0	0	2	0	8	GREENOCK—							
12. Gorbals, . . .	0	0	0	0	2	0	4	1. East, . . .	0	0	1	0	0	0	3
13. Tradeston, . .	0	0	1	0	0	0	2	2. Middle, . . .	0	1	0	0	0	0	1
14. Kinning Park, . .	0	0	0	1	0	0	1	3. West, . . .	0	0	0	2	1	1	0
EDINBURGH—								LEITH—							
1. St George, . .	0	1	1	0	9	0	2	1. North, . . .	0	0	0	0	1	0	2
2. St Andrew, . .	0	1	2	0	0	0	6	2. South, . . .	0	0	0	2	3	0	5
3. Canongate, . .	0	1	5	3	7	1	2	PAISLEY, . . .	0	0	3	0	1	0	3
4. St Giles, . . .	0	0	0	0	3	0	5	PERTH, . . .	0	4	0	0	4	0	2
5. Newington, . .	0	1	0	0	5	0	3								

* NOTE.—The Population here given is that of the various Registration Districts, which in some cases differ slightly from that of the Parliamentary Burghs in consequence of some of the Districts including small fragments of the extra burghal population.

DEATHS FROM ALL CAUSES at Four Periods of Life.

117

Registered during the Month of AUGUST 1890.

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

119

Registered during the Month of AUGUST 1890.

CAUSES OF DEATH.	GREENOCK.					LEITH.					PAISLEY.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																				
1. ACCIDENT OR NEGLIGENCE	-	3	1	1	-	5	-	1	1	-	2	1	-	3	-	4	-	-	-	-
2. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. SUICIDE	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII.																				
ILL-DEFINED AND NOT SPECIFIED CAUSES	3	-	-	-	3	3	-	-	-	3	6	-	-	1	7	2	-	-	-	2
MIASMATIC DISEASES.																				
Small-pox { Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	4	-	-	-	4
Epidemic Rose Rash	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	-	1	-	-	1	-	-	-	-	-	3	-	-	-	3	-	-	-	-	-
Typhus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hooping-cough	-	1	-	-	1	4	-	-	-	4	1	-	-	-	1	4	-	-	-	4
Mumps	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	-	1	1	-	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Cerebro-spinal Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHOEAL DISEASES.																				
Simple Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery	2	1	-	1	4	7	-	-	-	7	3	-	-	-	3	2	-	-	-	2
MALARIAL DISEASES.																				
Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																				
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																				
Syphilis	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Gonorrhoea, Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEPTIC DISEASES.																				
Phagedæna	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyæmia, Septicæmia	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
Puerperal Fever	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of AUGUST 1890.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60 etc.	Total.
PARASITIC DISEASES.																					
Thrush - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Veg. Parasites - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Par. - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																					
Starvation, Want of Breast Milk - - - - -	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	3
Scurvy - - - - -	9	-	-	3	1	4	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Delirium Tremens - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																					
Rheumatic Fever, Rheumatism of Heart - - - - -	6	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	2	-	3
Rheumatism - - - - -	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets - - - - -	4	1	-	-	-	1	-	-	-	-	2	-	-	-	2	1	-	-	-	1	-
Cancer - - - - -	70	-	1	16	9	26	-	5	6	11	-	5	7	12	-	-	4	5	9	-	-
Tabes Mesenterica - - - - -	35	14	6	1	-	21	2	-	1	3	2	1	1	4	1	-	1	-	-	2	-
Tubercular Meningitis (Acute Hydrocephalus) - - - - -	37	17	1	-	-	18	6	1	-	7	1	1	-	2	-	-	-	-	-	-	-
Phthisis - - - - -	212	14	22	66	1	103	2	4	25	31	6	6	25	1	38	-	3	9	-	12	-
Other forms of Tuber. Scrofula - - - - -	16	1	2	2	-	5	3	3	-	6	1	1	-	2	-	-	-	-	-	-	-
Purp., Hemorrhagic Diathesis - - - - -	2	-	-	1	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Anæmia, Chl., Leucocythæmia - - - - -	4	1	-	2	-	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Diabetes Mellitus - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Constitutional Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																					
Premature Birth - - - - -	53	21	-	-	-	21	9	-	-	9	8	-	-	8	7	-	-	-	-	7	-
Atelectasis - - - - -	2	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Cyanosis - - - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida - - - - -	2	-	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-
Imperforate Anus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
Other Congenital Defects - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old Age - - - - -	75	-	-	-	23	23	-	-	21	21	-	-	8	8	-	-	-	9	9	-	-
DISEASES OF NERVOUS SYSTEM.																					
Inflammation of Brain or its Membranes - - - - -	59	19	8	5	-	32	1	-	2	3	7	5	-	12	2	1	-	-	-	3	-
Apoplexy - - - - -	49	-	7	10	17	-	-	2	11	13	-	4	2	6	-	1	4	5	-	-	-
Softening of Brain - - - - -	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Hemiplegia, Brain Paralysis - - - - -	33	-	5	10	15	1	2	3	6	-	-	3	3	-	-	-	1	1	-	-	-
Paralysis Agitans - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity, General Par. of Insane - - - - -	4	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	1	-	-	1	-
Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	10	-	3	-	3	-	-	2	2	-	2	-	2	-	-	-	-	-	-	-	-
Convulsions - - - - -	47	16	1	1	18	6	-	-	6	6	-	-	-	6	8	-	-	-	-	8	-
Laryngismus Stridulus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Idiopathic Tetanus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Dis. of Spinal Cord - - - - -	6	-	5	-	5	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Other Diseases of Ner. System - - - - -	25	3	2	3	4	12	4	2	1	7	-	1	1	2	-	1	-	-	-	1	-
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Otorrhœa - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis and Dis. of Nose - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

121

Registered during the Month of AUGUST 1890.

CAUSES OF DEATH.	GREENOCK.					LEITH.					PAISLEY.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Vegetable Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-	1
Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1
Intemp. { Delirium Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism of Heart	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	-	-	-	4	4	-	1	2	-	3	-	-	1	3	4	-	-	-	1	1
Tabes Mesenterica	1	-	-	-	1	2	-	-	-	2	1	1	-	-	2	-	-	-	-	-
Tubercular Meningitis (Acute Hydrocephalus)	-	2	-	-	2	5	1	-	-	6	-	1	-	-	1	1	-	-	-	1
Phthisis	-	3	6	-	9	2	6	-	-	8	-	4	2	-	6	-	1	4	-	5
Other forms of Tuberculosis, Scrofula	-	-	-	-	-	-	2	-	-	2	1	-	-	-	1	-	-	-	-	-
Purpura, Hæmorrhagic Diathesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chlorosis, Leucocythæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes Mellitus	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Other Constitutional Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																				
Premature Birth	-	3	-	-	3	2	-	-	-	2	3	-	-	-	3	-	-	-	-	-
Atelectasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Imperforate Anus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old Age	-	-	-	1	1	-	-	6	-	6	-	-	-	3	3	-	-	-	4	4
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Membranes	4	2	-	-	6	-	-	-	-	2	2	-	-	-	2	1	-	-	-	1
Apoplexy	-	-	3	-	3	-	1	1	-	2	-	1	-	-	1	-	-	-	2	2
Softening of Brain	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Hemiplegia, Brain Paralysis	-	-	-	2	2	-	-	2	-	2	-	-	-	-	1	-	-	1	2	3
Paralysis Agitans	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity, General Paralysis of Insane	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	1
Convulsions	-	3	-	-	3	5	-	-	-	5	1	-	-	-	1	-	-	-	-	-
Laryngismus Stridulus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Idiopathic Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Diseases of Spinal Cord	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Nervous System	-	-	1	-	1	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Otorrhœa	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis and Dis. of Nose	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

123

Registered during the Month of AUGUST 1890.

CAUSES OF DEATH.	GREENOCK.					LEITH.					PAISLEY.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																				
Endocarditis, Valvular Disease	-	-	3	1	4	-	2	3	7	12	-	-	2	3	5	-	-	-	3	3
Pericarditis	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Angina Pectoris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syncope	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Aneurism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Senile Gangrene	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-
Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis	-	-	-	-	-	-	-	-	-	-	6	-	-	-	6	-	1	-	-	1
Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Bronchitis	-	3	1	1	5	4	-	-	-	4	1	-	-	-	1	-	-	-	-	-
Pneumonia	-	2	-	1	4	-	1	3	-	4	1	1	-	-	2	2	-	2	-	4
Pleurisy	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-
Other Diseases of Respiratory System	-	-	2	-	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
DISEASES OF DIGESTIVE SYSTEM.																				
Stomatitis	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Dentition	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Sore-throat, Quinsy	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Dyspepsia	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Hæmatemesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melena	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Diseases of Stomach	-	-	1	1	2	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-
Enteritis	-	6	-	-	6	5	-	-	-	5	-	-	-	-	-	-	-	-	-	-
Ulceration of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	-	-	1	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Stricture or Strangulation of Intestine	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis	-	-	2	-	2	-	-	-	-	-	1	1	1	-	3	-	-	-	-	-
Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Other Diseases of Liver	1	-	-	1	2	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-
Other Diseases of Digestive System	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																				
Diseases of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Spleen	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchocele	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Addison's Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Bright's Disease	-	1	-	1	2	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
Uræmia	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suppression of Urine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmaturia	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Diseases of Bladder and of Prostate	-	-	1	1	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Other Diseases of Urinary System	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of AUGUST 1890.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF ORGANS OF GENERATION.																					
Ovarian Disease - - -	4	-	-	1	-	1	-	-	1	2	3	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina	3	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - -	2	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Testes, Penis, Scrotum, &c.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
DISEASES OF PARTURITION.																					
Abortion, Miscarriage - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Puerperal Mania - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																					
Caries, Necrosis - - -	7	-	3	1	-	4	-	1	1	-	2	-	-	-	1	1	-	-	-	-	-
Arthritis, Ostitis, Periostitis	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locom.	7	1	-	1	-	2	-	1	1	-	2	-	-	-	-	-	-	1	-	-	1
DISEASES OF INTEGUMENTARY SYSTEM.																					
Carbuncle - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integ. System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																					
Fractures, Contusions - -	40	2	2	10	4	18	-	2	6	2	10	-	-	3	1	4	1	-	2	-	3
Gunshot Wounds - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cut, Stab - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burn, Scald - - - - -	9	-	2	-	-	2	-	1	1	-	2	1	-	-	-	1	-	1	-	-	1
Poison - - - - -	2	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Drowning - - - - -	11	-	1	5	-	6	-	-	-	-	-	-	-	-	-	-	-	1	2	-	3
Suffocation - - - - -	15	6	-	1	-	7	4	-	-	-	4	4	-	-	-	4	-	-	-	-	1
Otherwise - - - - -	4	1	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-
HOMICIDE.																					
Murder, Manslaughter - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUICIDE.																					
Gunshot Wounds - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cut, Stab - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poison - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hanging - - - - -	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Otherwise - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EXECUTION.																					
Hanging - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																					
Dropsy - - - - -	7	-	1	3	2	6	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition	71	28	-	2	-	30	11	-	-	-	11	11	-	1	-	12	5	-	1	-	6
Mortification - - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - - - -	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Hæmorrhage - - - - -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained)	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Ill-defined and not specified Causes - - -	11	5	-	1	-	6	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3

DEATHS FROM ALL CAUSES at Four Periods of Life.

125

Registered during the Month of AUGUST 1890.

CAUSES OF DEATH.	GREENOCK.					LEITH.					PAISLEY.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF ORGANS OF GENERATION.																				
Ovarian Disease - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Testes, Penis, Scrotum, &c. - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																				
Abortion, Miscarriage - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Placenta Prævia, Flooding - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																				
Caries, Necrosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arthritis, Ostitis, Periostitis - - - -	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locomotion - - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
DISEASES OF INTEGUMENTARY SYSTEM.																				
Carbuncle - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema - - - -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Pemphigus - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integumentary System - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																				
Fractures, Contusions - - - -	-	1	-	-	1	-	-	-	-	-	1	-	3	-	4	-	-	-	-	-
Gunshot Wounds - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cut, Stab - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burn, Scald - - - -	-	3	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poison - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning - - - -	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Suffocation - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Otherwise - - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
HOMICIDE.																				
Murder, Manslaughter - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUICIDE.																				
Gunshot Wounds - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cut, Stab - - - -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poison - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hanging - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Otherwise - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EXECUTION.																				
Hanging - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																				
Dropsy - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition - - - -	-	2	-	-	2	3	-	-	-	3	6	-	-	-	6	1	-	-	-	1
Mortification - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Hæmorrhage - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained) - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other ill-defined and not specified Causes - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—AUGUST 1890.

DISTRICTS.	Estimated Population at Middle of 1890.	Total Births	Total Marriages	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Fever—Typhus & Typhoid.	Diphtheria.	Croup and Laryngitis.	Whooping-Cough.	Cholera.	Diarrhoea and Dysentery.	Bronchitis, Pneu- monia and Pleurisy.	Consumption.
Arbroath,	23,831	50	11	22	0	0	0	1	0	0	1	0	1	3	2
Ayr,	25,599	73	14	38	0	0	0	0	0	0	0	0	5	2	5
Banff, with Macduff,	9,298	21	5	11	0	0	0	0	0	0	1	0	0	2	0
Blairstown,	5,034	11	1	4	0	0	0	0	0	0	0	0	0	1	1
Campbeltown,	10,985	32	3	10	0	0	0	0	0	0	0	0	0	0	3
Crieff,	5,099	13	1	9	0	0	0	0	0	0	0	0	0	1	0
Dumbarton,	16,405	59	8	26	0	0	0	0	0	0	1	0	6	2	0
Dumfries, with Troqueer,	24,525	51	7	42	0	0	0	0	0	0	0	0	0	5	3
Dunfermline,	23,569	48	9	42	0	1	0	2	0	0	2	0	0	3	1
Elgin,	10,023	23	6	9	0	0	0	1	0	0	1	0	0	2	4
Falkirk (Burgh),	17,735	51	4	37	0	4	0	0	0	2	0	0	0	3	2
Forfar,	16,464	40	3	18	0	0	0	0	0	0	0	0	0	1	6
Galashiels,	15,008	20	7	14	0	0	0	0	0	0	0	0	0	0	1
Haddington,	5,591	18	2	5	0	0	0	0	0	0	0	0	0	0	1
Hawick, with Wilton,	23,698	54	6	20	0	0	0	1	0	0	0	0	0	2	4
Inverness,	25,141	51	14	30	0	0	0	0	0	0	0	0	1	3	5
Kilmarnock,	27,640	72	32	41	0	0	1	1	0	2	4	0	4	6	1
Kirkcaldy and Abbotshall,	18,353	43	1	21	0	0	1	0	0	0	1	0	0	1	2
Kirkcudbright,	3,607	7	2	4	0	0	0	0	0	0	1	0	0	1	0
Montrose,	16,799	30	7	21	0	0	0	0	0	0	1	0	0	1	0
New Monkland, with Landward,	33,498	109	11	42	0	1	1	1	0	0	3	0	3	5	1
Peterhead, with Boddam,	17,384	41	4	18	*1	0	0	1	0	2	0	0	0	3	0
Rothsay,	8,850	21	2	23	0	0	0	1	3	0	0	0	0	0	1
Shettleston,	11,179	21	3	12	0	0	0	0	0	0	0	0	2	0	2
Stirling,	15,729	43	8	16	0	0	0	0	1	0	1	0	0	1	1
Stranraer,	6,849	19	6	6	0	0	0	0	0	0	0	0	1	2	1
Wick,	12,403	30	3	13	0	3	0	1	0	0	0	0	0	1	2
Glasgow—Landward and Suburban Census Population.	Cathcart,	12,211	31	8	15	0	0	0	0	0	0	0	0	2	1
	Eastwood,	13,915	48	4	16	0	0	0	0	2	0	0	0	1	4
	Maryhill,	18,385	65	8	28	0	0	0	0	0	1	0	4	3	2
	Dennistoun (Landward),	6,009	25	0	30	0	0	0	0	0	0	0	1	7	5
	St Rollox (Landward),	945	4	0	2	0	0	0	0	0	0	0	0	0	0
	Hutchesontown (Landwd.)	5,951	26	3	15	0	1	1	0	1	0	1	0	1	0
	Gorbals (Landward),	5,011	23	3	11	0	0	1	0	0	0	0	1	1	0
	Tradeston (Landward),	5,451	10	4	6	0	0	0	0	0	0	0	0	2	0
	Kinning Park (Landward)	15,752	68	15	30	0	0	0	0	0	2	0	4	4	3
	Plantation,	18,405	73	11	22	0	0	0	0	0	0	0	1	4	2
Glasgow—Landward and Suburban Census Population.	Govan,	33,510	105	16	64	0	2	2	1	3	2	3	0	5	10
	Partick,	39,028	113	15	56	0	2	0	0	0	1	4	1	1	8

* Chickenpox.

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors only, give for their mean position, *i.e.*, Lat. $56^{\circ}12' N.$, and Long. $3^{\circ}30' W.$, and height 136 feet above the sea-level,

For the month of AUGUST 1890.

Mean Barometric pressure, 29.802 inches; less than the average of the same month for 1856-89 by 0.064 inch.

Barometric monthly range, 1.186 inch; greater by 0.200 inch.

Mean temperature, $56^{\circ}6'$; less by $1^{\circ}0'$.

Mean daily range of temperature, $13^{\circ}8'$; less by $0^{\circ}1'$.

Mean humidity, 81; equal to the average.

Rain, number of days, 20; greater by 4.

Rain, depth in inches, 3.12; less by 0.28 inch.

Wind, pressure on square foot, 1.11 lb.; less by 0.25 lb.

Wind, direction of, E. to W. as 7 to 14, and N. to S. as 4 to 4; the average being E. to W. as 6 to 12, and N. to S. as 4 to 6.

This month has been characterised by low barometric pressure, accompanied by large barometric range, low mean temperature, rainfall somewhat less than usual, though spread over a greater number of days, and wind lighter as to force, but nearly normal in direction.

The barometric range has been greater than that of any August since 1883, the lowest readings, which were on the 15th, being followed by several days of wet and squally weather.

The temperatures of nearly all the towns have closely approximated to one another, no fewer than five of them showing a mean, differing by only half a degree or less from the average of the eight; while the highest mean was $57^{\circ}6'$ at Paisley, and the lowest $56^{\circ}0'$ at Aberdeen. The highest single reading of the maximum thermometer was $74^{\circ}1'$ at Aberdeen on the 6th, and the lowest reading of the minimum $33^{\circ}5'$ at Perth on the 31st.

Several very high night temperatures are recorded in the early part of the month. On the 5th, for instance, the lowest reading was $63^{\circ}3'$ at Edinburgh, $62^{\circ}9'$ at Leith, while at Glasgow, Aberdeen, and Perth on the same date the minimum record was not below 60° .

The rainfall was rather unusually distributed, the largest amounts having fallen in the eastern towns, *viz.*, 4.28 inches at Edinburgh and 3.41 inches at Leith, while the smallest amount was 2.56 at Paisley.

Humidity was on the average equal to that of past years, but varied in the different towns from 74 per cent. at Greenock to 87 per cent. at Perth.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, GREENOCK, LEITH, and PERTH,

During the Month of AUGUST 1890.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.		DEDUCTIONS from Glaisher's Tables 2nd Edit.					RAIN.		WINDS.												Mean Pressure on Sq. ft.	lbs.
		Mean at Station and 32°.	Mean at Sea-level and 32°.	Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Vapour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.														
																			N	NE	E	SE	S	SW	W	NW	Calm or Variable.						
GLASGOW, J. B. RUSSELL, Esq., M.D., Medical Officer of Health.	64	29.750	29.809	1.204	71.0	36.8	57.0	34.2	15.1	24.3	56.0	53.0	50.2	365	4.10	81	15	3.36	0	2	2	1	3	4	9	4	6	0.08					
EDINBURGH, JAMES BUCHANAN, Esq., and R. C. MOSSMAN, Esq.	254	29.521	29.800	1.140	71.3	40.1	56.6	31.7	13.8	21.9	55.2	52.6	50.1	362	4.06	84	18	4.23	4	1	3	0	0	2	11	3	7	0.67					
DUNDEE, W. R. M'KELVIE, Esq., Cura- tor of Cemeteries.	164	29.618	29.798	1.170	70.9	38.1	56.4	32.8	14.4	24.9	55.4	53.2	51.1	377	4.22	86	21	2.71	2	5	5	1	1	6	8	3	0	0.76					
ABERDEEN, JAMES DALE, Esq., Gordon's Hospital.	66	29.692	29.763	1.165	74.1	39.2	56.0	34.9	13.0	22.3	55.4	52.2	49.1	351	3.92	80	27	2.63	4	3	2	3	4	7	4	4	0	1.49					
PAISLEY, DONALD MACLEAN, Esq., The Coats Observatory.	107	29.696	29.813	1.139	72.5	40.9	57.6	31.6	14.3	21.2	56.0	52.5	49.2	352	3.95	78	16	2.56	0	1	8	0	0	5	10	7	0	1.30					
GREENOCK, JAMES WILSON, Esq., Green- ock Water Works.	233	29.584	29.840	1.201	67.9	41.8	56.4	26.1	12.2	17.9	57.2	53.0	49.1	349	3.88	74	21	3.27	0	2	6	1	0	1	12	9	0	1.04					
LEITH, JAMES BOLAM, Esq., Navi- gation School, and GEORGE REDPATH, Esq.	70	29.726	29.803	1.188	72.4	42.3	56.4	30.1	10.6	16.7	55.1	52.2	49.4	353	3.95	82	19	3.41	0	2	6	1	0	4	15	2	1	2.4					
PERTH, Mr A. GAEDDEKE, Gardener to James F. Pullar, Esq.	140	29.682	29.788	1.280	72.5	33.5	56.1	39.0	16.6	26.0	55.8	53.6	51.5	354	4.30	87	20	2.71	0	4	11	0	0	13	0	3	0	...					
Means	136	...	29.802	1.186	74.1	43.5	56.6	32.6	13.8	21.9	55.3	52.8	50.0	362	4.05	81	20	3.12	1	3	5	1	1	5	9	4	2	1.11					
North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Paisley, 55° 50'; Greenock, 55° 57'; Leith, 55° 58'; Perth, 56° 23'; Mean, 56° 12'. West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 32'; Aberdeen, 2° 6'; Paisley, 4° 27'; Greenock, 4° 45'; Leith, 3° 8'; Perth, 5° 26'; Mean, 3° 30'.																																	

* Absolute Highest.

† Absolute Lowest.

North Latitude.—Glasgow, 56° 53'; Edinburgh, 56° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Paisley, 56° 50'; Greenock, 56° 53'; Leith, 56° 58'; Perth, 56° 53'; Mean, 56° 12'.

West Longitude.—Glasgow, 3° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Paisley, 4° 27'; Greenock, 4° 45'; Leith, 3° 8'; Perth, 3° 26'; Mean, 3° 30'.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

SEPTEMBER 1890.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by ADAM and CHARLES BLACK, 6 North Bridge, Edinburgh.

REPORT.

DURING the month of September 1890, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Greenock, Leith, Paisley, and Perth, the Births of 3345 children, of whom 1736 were males and 1609 females. Of these, 3080 were legitimate and 265 illegitimate, being in the proportion of one illegitimate in every 12·6 Births; or the illegitimate Births constituted 7·9 per cent. of the whole. In Greenock, 3·2 per cent. of the Births were illegitimate; in Paisley, 4·4; in Perth, 5·5; in Leith, 6·0; in Edinburgh, 7·3; in Glasgow, 8·2; in Aberdeen, 8·8; and in Dundee, 11·8 per cent.

816 Marriages were registered in these Towns during September, being 91 above the average number for the month during the last ten years, allowing for increase of the population.

The Deaths of 2121 persons were recorded in these Towns during September, of whom 1062 were males and 1059 females. Increase of population being allowed for, this number is 55 above the average for the corresponding month of the last ten years.

A comparison of the Deaths registered shows that during September the mortality was at the annual rate of 12·0 Deaths per thousand persons in Greenock, 16·1 in Aberdeen and in Perth, 17·3 in Edinburgh, 17·4 in Leith, 17·7 in Dundee, 19·7 in Paisley, and 22·8 in Glasgow.

Of the 993 Deaths registered in Glasgow, 266 were of children under one year of age, and 141 of persons over 60 years; of the 386 in Edinburgh, 92 were of children under one year, and 99 of persons over 60 years; of the 241 in Dundee, 85 were under one year, and 45 over 60; of the 164 in Aberdeen, 46 were under one, and 43 over 60; of the 78 in Greenock, 13 were under one, and 14 over 60; of the 112 in Leith, 38 were under one, and 19 over 60; of the 103 in Paisley, 21 were under one, and 21 over 60; and of the 44 in Perth, 12 were under one, and 11 over 60 years.

Of the whole 2121 Deaths, 887, or 41·8 per cent. were of children under five years of age. In Edinburgh, 33·7 per cent. of the persons who died were under five years of age; in Greenock, 34·6; in Aberdeen, 37·2; in Perth, 38·6; in Paisley, 38·8; in Glasgow, 45·1; in Leith, 45·5; and in Dundee, 46·9 per cent.

Miasmatic Diseases caused 215 Deaths, or 10·1 per cent. of the whole mortality. This rate was exceeded in Glasgow, Paisley and Perth.

Diarrhoea and Dysentery caused 119 Deaths, or 5·6 per cent. of the whole. In Aberdeen the rate of mortality from these diseases was 4·2 per cent.; in Paisley, 4·9; in Glasgow, 5·0; in Edinburgh, 5·4; in Greenock, 6·4; in Perth, 6·8; in Dundee, 7·1; and in Leith, 9·8 per cent.

Fever caused 34 Deaths, of which 2 were tabulated as Typhus, 31 as Enteric, and one as Simple Continued Fever. Of the 2 Deaths from Typhus, one occurred in Glasgow, and one in Leith.

Hooping-Cough caused 87 Deaths, or 4·1 per cent. of the whole; Measles, 35; Scarlatina, 32; Diphtheria, 24; Puerperal Fever, 7; and Cholera, 5.

58 Deaths were attributed to Apoplexy, 45 to Paralysis, 141 to Diseases of the Heart, and 57 to Premature Birth Debility.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 361, or 17·0 per cent. of the whole. Those from Consumption alone numbered 192, or 9·1 per cent. 13 Deaths were attributed to Croup.

101 Deaths resulted from Violent Causes, of which one was suicidal. 8 Deaths were caused by Chronic Alcoholism, and 3 by Delirium Tremens.

Two males and 7 females were aged 90 years and upwards, the eldest of whom was the widow of a cab proprietor, and was aged 96 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES. SEPTEMBER 1890.

TOWNS.	POPULATION.*			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1871.	Census 1881.	Estimated to middle of 1890.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW,	491,846	511,415	530,208	800	728	1528	1402	126	385	518	475	993
EDINBURGH,	200,277	234,402	271,135	288	273	561	520	41	153	191	195	386
DUNDEE,	120,724	142,455	160,027	193	196	389	343	46	59	103	138	241
ABERDEEN,	88,181	105,076	123,600	151	132	283	258	25	96	82	82	164
GREENOCK,	59,794	69,238	79,312	95	90	185	179	6	29	50	28	78
LEITH,	46,172	60,843	78,538	101	83	184	173	11	39	45	67	112
PAISLEY,	48,257	55,638	63,469	81	79	160	153	7	34	53	50	103
PERTH,	26,382	29,756	33,274	27	28	55	52	3	21	20	24	44
TOTAL,	1,081,633	1,208,823	1,345,563	1736	1609	3345	3080	265	816	1062	1059	2121

SEPTEMBER 1889,	Mean Temp. 53°·1	1708	1664	3372	3099	273	775	997	939	1936
SEPTEMBER 1888,	Mean Temp. 52°·5	1602	1504	3106	2845	261	686	890	846	1736
SEPTEMBER 1887,	Mean Temp. 52°·6	1634	1637	3321	3068	253	643	966	1017	1983
SEPTEMBER 1886,	Mean Temp. 53°·1	1744	1679	3423	3141	282	559	957	1006	1963
SEPTEMBER 1885,	Mean Temp. 52°·0	1778	1692	3470	3167	303	669	901	921	1822
SEPTEMBER 1884,	Mean Temp. 54°·9	1987	1798	3785	3429	356	752	1135	1130	2315
SEPTEMBER 1883,	Mean Temp. 53°·9	1617	1511	3128	2869	259	711	990	964	1954
SEPTEMBER 1882,	Mean Temp. 52°·5	1691	1627	3318	3048	270	636	1021	1009	2030
SEPTEMBER 1881,	Mean Temp. 53°·3	1730	1635	3365	3106	259	705	869	911	1780
SEPTEMBER 1880,	Mean Temp. 56°·4	1662	1587	3249	2993	256	614	1003	1007	2010

DEATHS from Small-pox, Measles, Scarlatina, Diphtheria, Hooping-Cough, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of September 1890.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Hooping-Cough.	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Hooping-Cough.	Fevers.	Diarrhoea.
GLASGOW—								DUNDEE—							
1. Bridgeton,	0	4	7	5	9	12	7	1. St Peter,	0	1	0	0	1	0	6
2. Camlachie,	0	2	1	2	4	0	7	2. St Mary,	0	0	0	1	1	1	3
3. Dennistoun,	0	1	0	1	2	2	5	3. St Clement,	0	0	0	0	1	0	4
4. Calton,	0	1	2	0	8	0	3	4. St Andrew,	0	0	0	2	2	1	4
5. Blackfriars,	0	1	0	0	2	0	3	5. Lochee,	0	0	0	0	1	0	0
6. St Rollox,	0	5	0	0	6	0	3	ABERDEEN—							
7. Blythswood,	0	1	0	1	1	0	1	1. St Nicholas,	0	2	2	0	2	2	5
8. Milton,	0	2	0	0	9	0	2	2. Aberdeen,	0	1	2	0	2	0	0
9. Kelvin,	0	0	0	1	1	1	1	3. Woodside,	0	0	0	0	0	0	1
10. Anderston,	0	3	0	0	2	0	5	4. Old Aberdeen,	0	0	0	0	1	0	1
11. Hutchesontown,	0	0	1	1	4	0	3	GREENOCK—							
12. Gorbals,	0	0	0	1	3	4	8	1. East,	0	0	1	0	0	0	1
13. Tradeston,	0	2	0	0	0	0	2	2. Middle,	0	3	0	0	0	0	4
14. Kinning Park,	0	0	0	1	1	2	0	3. West,	0	3	0	0	0	1	0
EDINBURGH—								LEITH—							
1. St George,	0	0	1	1	2	0	8	1. North,	0	0	0	1	1	0	2
2. St Andrew,	0	0	1	0	5	1	3	2. South,	0	0	3	1	1	2	9
3. Canongate,	0	1	2	1	3	1	4	PAISLEY,	0	1	7	2	3	3	5
4. St Giles,	0	0	0	1	1	0	4	PERTH,	0	1	1	0	4	1	3
5. Newington,	0	0	1	1	4	0	2								

* NOTE.—The Population here given is that of the various Registration Districts, which in some cases differs slightly from that of the Parliamentary Burghs in consequence of some of the Districts including small fragments of the extra burghal population.

DEATHS FROM ALL CAUSES at Four Periods of Life.

133

Registered during the Month of SEPTEMBER 1890.

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of SEPTEMBER 1890.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																					
1. ACCIDENT OR NEGLIGENCE	100	13	3	21	3	40	4	4	13	3	24	5	1	7	-	13	1	-	2	3	6
2. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. SUICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII.																					
ILL-DEFINED AND NOT SPECIFIED CAUSES	93	36	-	10	-	46	5	-	1	-	6	16	-	2	1	19	5	-	-	-	5
MIASMATIC DISEASES.																					
Small-pox { Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	35	22	-	-	22	1	-	-	-	1	1	-	-	-	1	3	-	-	-	3
Epidemic Rose Rash	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	-	32	9	2	-	11	5	-	-	-	5	-	-	-	-	-	2	2	-	-	4
Typhus	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	-	3	2	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hooping-Cough	-	87	48	4	-	52	15	-	-	-	15	5	1	-	-	6	4	1	-	-	5
Mumps	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	-	24	10	2	1	13	2	2	-	-	4	3	-	-	-	3	-	-	-	-	-
Cerebro-spinal Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	-	31	-	10	10	20	-	-	1	1	2	-	1	-	1	1	-	1	1	-	2
Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHOEAL DISEASES.																					
Simple Cholera	-	5	1	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Diarrhoea, Dysentery	-	119	44	-	4	2	50	14	-	2	5	21	16	-	1	17	6	-	-	1	7
MALARIAL DISEASES.																					
Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																					
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																					
Syphilis	-	8	3	-	-	3	1	-	1	-	2	1	-	-	-	1	2	-	-	-	2
Gonorrhoea, Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEPTIC DISEASES.																					
Phagedæna	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	7	1	-	1	2	2	-	-	-	2	1	-	-	-	1	-	-	1	-	1
Pyæmia, Septicæmia	-	3	-	-	2	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Puerperal Fever	-	7	-	1	5	6	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

135

Registered during the Month of SEPTEMBER 1890.

[illegible]

DEATHS FROM ALL CAUSES, at Four Periods of Life.

137

Registered during the Month of SEPTEMBER 1890.

CAUSES OF DEATH.	GREENOCK.					LEITH.					PAISLEY.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Thrush - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Vegetable Parasites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Parasites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1
Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2
{ Delirium Tremens -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism of Heart - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer - - - - -	-	-	2	-	2	-	-	2	3	5	-	-	-	1	1	-	2	-	-	2
Tabes Mesenterica - - - - -	-	1	-	-	1	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Tubercular Meningitis (Acute Hydrocephalus) - - - - -	-	-	-	-	-	2	-	-	-	2	-	-	1	-	1	-	1	-	-	1
Phthisis - - - - -	-	1	4	-	5	1	7	1	-	9	-	3	4	-	7	-	3	-	-	3
Other forms of Tuberculosis, Scrofula -	1	-	1	-	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Purpura, Hæmorrhagic Diathesis -	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chlorosis, Leucocythæmia -	-	-	-	-	-	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-
Diabetes Mellitus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Other Constitutional Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																				
Premature Birth - - - - -	1	-	-	-	1	5	-	-	-	5	2	-	-	-	2	1	-	-	-	1
Atelectasis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cyanosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Imperforate Anus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old Age - - - - -	-	-	-	6	6	-	-	-	5	5	-	-	-	9	9	-	-	-	5	-
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Membranes - - - - -	2	-	-	-	2	-	-	-	-	3	1	-	-	4	1	-	-	-	-	1
Apoplexy - - - - -	-	-	3	-	3	-	-	2	2	4	-	-	1	-	1	-	-	-	-	-
Softening of Brain - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemiplegia, Brain Paralysis -	-	-	-	1	1	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-
Paralysis Agitans - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity, General Paralysis of Insane -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Epilepsy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions - - - - -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Laryngismus Stridulus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Idiopathic Tetanus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Diseases of Spinal Cord -	-	-	-	1	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Other Diseases of Nervous System -	-	-	1	1	2	-	-	-	-	-	3	1	1	-	5	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Otorrhœa - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Epistaxis and Dis. of Nose - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of SEPTEMBER 1890.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																					
Endocarditis, Valvular Dis. -	109	-	4	21	9	34	-	-	12	20	32	-	1	7	3	11	-	1	4	3	8
Pericarditis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris -	2	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syncope -	11	2	-	1	2	5	-	-	2	-	2	-	1	-	-	1	1	-	-	-	-
Aneurism -	7	-	-	1	-	1	-	-	1	1	-	-	-	1	2	3	-	-	-	-	1
Senile Gangrene -	6	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis -	5	-	-	1	1	2	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1
Phlebitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Cir. System	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis -	7	2	-	1	-	3	-	-	-	-	-	-	-	-	-	-	2	-	-	1	3
Croup -	13	1	-	-	-	1	5	-	-	-	5	-	-	-	-	-	2	1	-	-	3
Other Dis. of Larynx & Trachea	2	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Emphysema, Asthma -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis -	143	38	2	20	16	76	14	-	6	5	25	9	1	2	4	16	9	-	2	3	14
Pneumonia -	158	47	6	21	10	84	9	1	6	3	19	5	1	10	4	20	4	1	3	3	11
Pleurisy -	8	-	-	4	-	4	-	1	1	1	3	-	-	-	-	-	-	-	-	-	-
Other Diseases of Resp. System	29	10	1	6	4	21	1	-	-	-	1	-	-	-	1	1	1	-	-	1	2
DISEASES OF DIGESTIVE SYSTEM.																					
Stomatitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dentition -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sore-throat, Quinsy -	14	7	-	-	-	7	2	-	-	-	2	1	-	-	-	1	-	-	-	-	-
Dyspepsia -	4	1	-	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmatemesis -	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melæna -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach -	25	7	-	4	2	13	2	-	3	2	7	2	-	-	-	2	-	-	-	-	-
Enteritis -	64	24	2	2	-	28	7	-	1	-	8	11	-	2	1	14	2	1	1	4	3
Ulceration of Intestine -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	4	1	-	-	1	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Stricture or Strang. of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia -	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Fistula -	-	-	-	2	-	2	-	1	3	-	4	-	-	-	-	-	-	-	1	-	1
Peritonitis -	19	2	1	2	-	5	1	-	3	-	4	-	1	2	-	3	1	1	1	-	3
Ascites -	3	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Gallstones -	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver -	3	-	-	3	-	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Liver -	20	4	1	9	1	15	-	-	2	-	2	-	-	-	1	1	-	-	-	-	-
Other Dis. of Digestive System	9	1	-	2	-	3	1	-	1	-	2	-	-	-	-	-	-	-	1	-	1
DIS. OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																					
Diseases of Lymphatic System	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Spleen -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchocele -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Addison's Disease -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis -	7	-	-	2	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bright's Disease -	17	-	-	5	-	5	1	-	4	2	7	-	-	1	1	2	-	-	-	-	-
Uræmia -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Suppression of Urine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Hæmaturia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	10	-	-	1	2	3	-	-	1	3	4	-	-	1	-	1	-	-	-	1	1
Other Dis. of Urinary System	12	-	1	3	1	5	-	-	2	1	3	-	-	1	-	1	-	-	1	1	2

DEATHS FROM ALL CAUSES at Four Periods of Life.

139

Registered during the Month of SEPTEMBER 1890.

CAUSES OF DEATH.	GREENOCK.					LEITH.					PAISLEY.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																				
Endocarditis, Valvular Disease -	-	-	2	1	3	-	1	6	1	8	-	1	4	3	8	-	-	1	4	5
Pericarditis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syncope -	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
Aneurism -	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
Senile Gangrene -	-	-	-	-	-	-	-	-	2	2	-	-	-	1	1	-	-	-	-	-
Embolism, Thrombosis -	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Phlebitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup -	-	-	-	-	-	-	-	-	-	-	1	2	-	-	3	-	1	-	-	1
Other Diseases of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma -	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis -	-	1	2	1	4	-	-	-	1	5	2	-	-	1	3	-	-	-	-	-
Pneumonia -	3	2	1	6	7	-	5	-	12	2	1	1	-	4	1	-	-	1	2	-
Pleurisy -	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory System	-	2	1	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
DISEASES OF DIGESTIVE SYSTEM.																				
Stomatitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dentition -	1	-	-	-	1	2	-	-	-	2	-	-	-	-	1	-	-	-	-	1
Sore-throat, Quinsy -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Hæmatemesis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melæna -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteritis -	12	-	-	-	2	5	-	-	-	5	1	-	-	-	1	-	2	-	2	-
Ulceration of Intestine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stricture or Strangulation of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fistula -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis -	1	-	-	-	1	1	1	-	1	2	-	1	-	-	1	-	-	-	-	-
Ascites -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Gallstones -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Liver -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	2
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																				
Diseases of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Spleen -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchocele -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Addison's Disease -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis -	-	-	1	-	1	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
Bright's Disease -	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	1	-	1
Uræmia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suppression of Urine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmaturia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Bladder and of Prostate	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Other Diseases of Urinary System -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of SEPTEMBER 1890.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF ORGANS OF GENERATION.																					
Ovarian Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - -	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Testes, Penis, Scrotum, &c. - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																					
Abortion, Miscarriage - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding - - -	3	-	-	2	-	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth - - -	8	-	-	4	-	4	-	-	1	-	1	-	-	1	-	1	-	-	1	-	1
DISEASES OF ORGANS OF LOCOMOTION.																					
Caries, Necrosis - - -	6	1	1	-	-	2	-	-	-	-	-	1	-	-	1	1	1	1	-	-	3
Arthritis, Ostitis, Periostitis - - -	6	-	-	1	1	2	-	-	2	-	2	-	-	1	1	-	-	1	-	-	1
Other Dis. of Organs of Locomotion - -	7	-	1	2	1	4	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF INTEGUMENTARY SYSTEM.																					
Carbuncle - - -	2	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - -	2	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Eczema - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integ. System - - -	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																					
Fractures, Contusions - - -	56	1	1	11	2	15	1	4	13	3	21	1	1	5	-	7	-	-	-	1	1
Gunshot Wounds - - -	1	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Cut, Stab - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burn, Scald - - -	8	3	-	-	-	3	1	-	-	-	1	1	-	1	-	2	-	-	1	1	2
Poison - - -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning - - -	12	1	1	5	-	7	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1
Suffocation - - -	13	7	-	-	-	7	2	-	-	-	2	3	-	-	-	3	1	-	-	-	1
Otherwise - - -	8	1	1	3	1	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
HOMICIDE.																					
Murder, Manslaughter - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUICIDE.																					
Gunshot Wounds - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cut, Stab - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poison - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hanging - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Otherwise - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EXECUTION.																					
Hanging - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																					
Dropsy - - -	3	1	-	1	-	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Debility, Atrophy, Inanition - - -	75	33	-	3	-	36	5	-	-	-	5	16	-	1	-	17	3	-	-	-	3
Mortification - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained) - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Other Ill-defined and not specified Causes - - -	12	2	-	5	-	7	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2

DEATHS FROM ALL CAUSES at Four Periods of Life.

141

Registered during the Month of SEPTEMBER 1890.

CAUSES OF DEATH.	GREENOCK.					LEITH.					PAISLEY.					PERTH.					
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	
DISEASES OF ORGANS OF GENERATION.																					
Ovarian Disease -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diseases of Uterus and Vagina -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Disorders of Menstruation -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pelvic Abscess -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Perineal Abscess -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diseases of Testes, Penis, Scrotum, &c. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DISEASES OF PARTURITION.																					
Abortion, Miscarriage -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Mania -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Convulsions -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Placenta Prævia, Flooding -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phlegmasia Dolens -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
Other Accidents of Childbirth -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
DISEASES OF ORGANS OF LOCOMOTION.																					
Caries, Necrosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Arthritis, Ostitis, Periostitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Dis. of Organs of Locomotion -	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
DISEASES OF INTEGUMENTARY SYSTEM.																					
Carbuncle -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phlegmon, Cellulitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lupus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ulcer, Bedsore -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Eczema -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pemphigus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Dis. of Integumentary System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ACCIDENT OR NEGLIGENCE.																					
Fractures, Contusions -	-	1	-	6	-	7	1	-	1	-	2	-	-	2	-	2	-	-	1	-	1
Gunshot Wounds -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cut, Stab -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Burn, Scald -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Poison -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
Drowning -	-	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suffocation -	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	
Otherwise -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
HOMICIDE.																					
Murder, Manslaughter -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SUICIDE.																					
Gunshot Wounds -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cut, Stab -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Poison -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Drowning -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hanging -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
Otherwise -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EXECUTION.																					
Hanging -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ILL-DEFINED AND NOT SPECIFIED CAUSES.																					
Dropsy -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Debility, Atrophy, Inanition -	-	1	-	-	-	1	3	-	-	-	3	9	-	-	-	9	1	-	-	1	
Mortification -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tumour -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abscess -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hæmorrhage -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Sudden (Cause unascertained) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other ill-defined and not specified Causes -	-	2	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—SEPTEMBER 1890.

DISTRICTS.	Estimated Population at Middle of 1890.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Fever—Typhus & Typhoid.	Diphtheria.	Croup and Laryngitis.	Whooping-Cough.	Cholera.	Diarrhoea and Dysentery.	Bronchitis, Pneu- monia and Pleurisy.	Consumption.
Arbroath,	23,831	51	18	43	0	0	0	0	0	0	1	0	2	5	3
Ayr,	25,599	68	17	42	0	0	0	0	0	0	1	0	6	2	6
Banff, with Macduff,	9,298	29	4	6	0	0	0	0	0	0	0	0	0	1	1
Blairstown,	5,034	7	2	6	0	0	0	0	0	0	0	0	1	0	1
Campbeltown,	10,985	33	1	4	0	0	0	0	0	0	0	0	0	0	0
Crieff,	5,099	7	0	4	0	0	0	0	0	0	0	0	0	0	0
Dumbarton,	16,405	67	5	39	0	4	0	0	1	2	1	0	6	7	3
Dumfries, with Troqueer,	24,525	51	15	50	0	0	0	1	0	0	1	0	0	8	6
Dunfermline,	29,569	81	9	34	0	0	0	0	1	1	0	0	2	5	5
Elgin,	10,023	24	2	12	0	0	0	0	0	0	1	0	2	2	2
Falkirk (Burgh),	17,735	57	8	40	0	8	0	0	0	1	2	0	1	4	6
Forfar,	16,464	33	2	13	0	0	0	0	0	0	0	0	0	1	2
Galashiels,	15,008	18	2	17	0	2	0	1	2	0	0	0	0	0	5
Haddington,	5,591	9	1	10	0	0	0	0	0	0	1	0	0	1	1
Hawick, with Wilton,	23,698	44	9	24	0	0	0	0	0	1	0	0	0	4	3
Inverness,	25,141	54	7	38	0	0	1	0	1	0	0	0	1	2	8
Kilmarnock,	27,640	76	11	34	0	0	1	0	0	0	0	0	4	4	4
Kirkcaldy and Abbotshall,	18,353	42	8	28	0	0	0	1	0	0	3	0	1	1	2
Kirkcudbright,	3,607	5	1	7	0	0	0	0	0	0	0	0	0	1	1
Montrose,	16,799	27	8	23	0	0	0	0	0	1	2	0	1	2	2
New Monkland, with Landward,	33,498	98	14	51	0	0	1	1	0	3	3	0	2	6	4
Peterhead, with Boddam,	17,384	48	17	26	0	1	1	1	0	2	3	0	0	6	0
Rothsay,	8,850	21	2	23	0	0	0	0	0	0	0	0	1	4	2
Shettleston,	11,179	41	6	14	0	1	2	2	0	0	0	0	0	2	0
Stirling,	15,729	32	5	20	0	0	0	0	1	1	0	0	2	2	0
Stranraer,	6,849	15	2	10	0	0	0	0	0	0	0	0	1	0	1
Wick,	12,403	29	12	17	0	0	1	0	0	0	0	0	2	3	2
Cathcart,	12,211	37	7	14	0	0	0	1	0	0	0	0	1	0	3
Eastwood,	13,915	47	8	26	0	0	0	0	0	0	0	0	5	3	2
Maryhill,	18,385	78	9	37	0	1	1	0	1	0	2	0	3	3	2
Dennistoun (Landward),	6,009	21	0	24	0	0	0	0	0	0	0	0	1	7	0
St Rollox (Landward),	945	2	1	0	0	0	0	0	0	0	0	0	0	0	0
Hutchesontown (Landwd.)	5,951	23	7	16	0	0	3	1	1	0	0	0	1	2	2
Gorbals (Landward),	5,011	18	5	12	0	0	1	0	1	0	0	0	1	4	1
Tradeston (Landward),	5,451	12	4	6	0	0	0	0	0	0	0	0	2	2	0
Kinning Park (Landward)	15,752	54	20	7	0	0	0	2	0	0	0	0	3	4	2
Plantation,	18,405	65	10	33	0	1	0	1	5	0	3	0	1	6	2
Govan,	33,510	116	23	80	0	0	2	2	0	0	8	0	2	15	11
Partick,	39,028	135	35	69	0	0	0	1	2	2	0	0	6	7	7

Glasgow—Landward and Suburban.
Census Population.

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors only, give for their mean position, *i.e.*, Lat. $56^{\circ}12' N.$, and Long. $3^{\circ}30' W.$, and height 139 feet above the sea-level,

For the month of SEPTEMBER 1890.

Mean Barometric pressure, 30·004 inches; greater than the average of the same month for 1856–89 by 0·149 inch.

Barometric monthly range, 1·071 inch; less by 0·116 inch.

Mean temperature, $57^{\circ}7$; greater by $4^{\circ}1$.

Mean daily range of temperature, $14^{\circ}6$; greater by $1^{\circ}3$.

Mean humidity, 84; equal to the average.

Rain, number of days, 14; less by 2.

Rain, depth in inches, 3·44; greater by 0·01 inch.

Wind, pressure on square foot, 1·12 lb.; less by 0·30 lb.

Wind, direction of, E. to W. as 4 to 14, and N. to S. as 2 to 7; the average being E. to W. as 6 to 12, and N. to S. as 4 to 6.

Hence the weather of September 1890 has been remarkable for the very high and steady barometric pressure, accompanied generally by winds, lighter than usual, and a mean temperature far above the average for the season, while rain has been normal in mean quantity, though very irregular in distribution.

It is remarkable that the very high mean barometer of 30·004 inches was very nearly matched in the same month of last year, when it was 30·001 inches, and was considerably exceeded in 1888 when it was no less than 30·135 inches. These abnormally high pressures in three consecutive years have raised the mean pressure for the month by the very appreciable quantity of 0·018 inch.

The mean shade temperature of $57^{\circ}7$ is the highest in these records, with the sole exception of September 1865 when it was $58^{\circ}5$. The daily range is somewhat large, but not so large as to permit of night temperatures, even so low as the average for the month.

The absolute highest shade temperature occurred at Glasgow on September 7th, and the lowest at Perth on the night between the 9th and 10th.

As will be seen, the rainfall ranged from 1·72 inch at Aberdeen to 7·28 inches at Greenock, where 1·82 inch fell on the 30th, which was a very wet day at all the stations; Paisley recording 1·42 inch, Dundee 1·35 inch, Edinburgh and Glasgow alike, 1·19 inch, and Aberdeen 0·66 inch in 24 hours.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW; EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, GREENOCK, LEITH, and PERTH,

During the Month of *SEPTEMBER 1890.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.		DEDUCTIONS from Glaisher's Tables 2nd Edit.				RAIN.		WINDS.									
		Mean at Sea-level and 32°.	Mean at Station and 32°.	Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Vapour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.									
																			N	NE	E	SE	S	SW	W	NW	Calm or Variable.	lbs.
GLASGOW, J. B. RUSSELL, Esq., M.D., Medical Officer of Health.	54	29.955	30.014	1.114	76.3	42.3	58.2	34.0	14.7	33.0	57.2	54.5	52.0	.389	4.33	83	12	3.95	1	1	2	2	0	0	8	5	11	0.11
EDINBURGH, JAMES BUCHANAN, Esq., and R. C. MOSSMAN, Esq.	282	29.697	30.007	1.083	76.0	42.3	58.3	33.7	15.8	28.2	57.0	53.9	51.0	.374	4.17	80	12	2.23	1	0	2	0	3	2	12	2	8	0.11
DUNDEE, W. R. M'KEIVIE, Esq., Cura- tor of Cemeteries.	164	29.814	29.994	1.070	74.3	42.6	57.4	31.7	15.3	29.4	55.3	53.6	52.0	.389	4.35	89	13	2.89	0	2	0	7	1	6	10	4	0	1.30
ABERDEEN, JAMES DALE, Esq., Gordon's Hospital.	66	29.906	29.980	1.030	74.2	39.3	57.0	34.9	12.9	25.7	56.4	53.5	50.8	.372	4.17	82	13	1.72	2	0	0	1	6	12	7	2	0	0.88
PAISLEY, DONALD MACLEAN, Esq., The Coats Observatory.	107	29.887	30.004	1.108	75.1	44.9	58.4	30.2	14.1	30.2	56.8	54.3	52.0	.388	4.33	84	15	3.86	0	0	4	5	4	2	14	0	1	2.43
GREENOCK, JAMES WILSON, Esq., Green- ock Water Works.	283	29.778	30.034	1.029	69.7	44.3	57.3	25.4	11.3	20.1	57.4	54.1	51.1	.375	4.19	80	17	7.23	0	0	6	1	0	4	13	6	0	1.21
LEITH, JAMES BOLAM, Esq., Navi- gation School, and GEORGE REDPATH, Esq.		29.930	30.007	1.095	74.5	44.5	58.1	30.0	13.0	24.3	57.2	54.8	52.3	.397	4.42	85	19	2.47	0	0	3	2	2	1	17	1	4	1.82
PERTH, Mr A. GARDECKE, Gardener to James F. Pullar, Esq.	140	29.834	29.988	1.040	74.8	39.0	57.0	35.8	18.9	31.9	56.2	54.1	52.1	.391	4.39	86	11	3.13	0	2	3	3	3	1	21	0	0	...
Means	139	...	30.004	1.071	74.6	42.6	57.7	32.0	14.6	27.8	56.7	54.1	51.7	.384	4.29	84	14	3.44	1	1	2	3	2	6	10	2	3	1.12

North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Paisley, 55° 50'; Greenock, 55° 57'; Leith, 56° 23'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Paisley, 2° 27'; Greenock, 4° 45'; Leith, 3° 26'; Mean, 3° 30'.

North Latitude.—Glasgow, 56° 53'; Edinburgh, 56° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Paisley, 55° 58'; Greenock, 55° 57'; Leith, 55° 58'; Perth, 56° 23'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 6'; Aberdeen, 2° 6'; Paisley, 3° 8'; Greenock, 4° 45'; Leith, 3° 8'; Perth, 3° 26'; Mean, 3° 30'.

* Absolute Highest. † Absolute Lowest.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

OCTOBER 1890.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by ADAM and CHARLES BLACK, 6 North Bridge, Edinburgh.

REPORT.

DURING the month of October 1890, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Greenock, Leith, Paisley, and Perth, the Births of 3464 children, of whom 1794 were males and 1670 females. Of these, 3179 were legitimate and 285 illegitimate, being in the proportion of one illegitimate in every 12·2 Births; or the illegitimate Births constituted 8·2 per cent. of the whole. In Leith, 3·6 per cent. of the Births were illegitimate; in Paisley, 5·7; in Greenock, 6·1; in Glasgow, 8·1; in Edinburgh, 8·8; in Perth, 10·0; and in Dundee, and Aberdeen, 10·4 per cent.

702 Marriages were registered in these Towns during October, being 101 below the average number for the month during the last ten years, increase of population being allowed for.

The Deaths of 2297 persons were registered in these Towns during October, of whom 1130 were males and 1167 females. Allowing for increase of population, this number is exactly the same as the average for the month during the last ten years.

A comparison of the Deaths registered shows that during the month the mortality was at the annual rate of 16·9 Deaths per thousand persons in Greenock, 18·3 in Aberdeen, 18·4 in Dundee, 18·9 in Edinburgh, 19·1 in Paisley, 20·4 in Leith, 20·5 in Perth, and 22·2 in Glasgow.

Of the 998 Deaths registered in Glasgow, 252 were of children under one year of age, and 155 of persons over 60 years; of the 436 registered in Edinburgh, 111 were of children under one year, and 99 of persons over 60 years; of the 260 in Dundee, 81 were under one, and 35 over 60; of the 192 in Aberdeen, 49 were under one, and 51 over 60; of the 114 in Greenock, 31 were under one, and 22 over 60; of the 136 in Leith, 48 were under one, and 21 over 60; of the 103 in Paisley, 18 were under one, and 30 over 60; and of the 58 in Perth, 6 were under one, and 12 over 60 years.

Miasmatic Diseases caused 240 Deaths, or 10·4 per cent. of the whole mortality. This rate was exceeded in Greenock, Leith, Paisley and Perth, the most fatal diseases being Measles in Greenock, Diphtheria in Leith, Scarlatina in Paisley, and Measles in Perth.

Diarrhoea and Dysentery caused 100 Deaths, or 4·4 per cent. of the whole. In Dundee 24 deaths were stated to be from this cause, constituting 9·2 per cent. of the Deaths in that town.

Fever caused 39 Deaths, of which 4 were tabulated as Typhus, and 35 as Enteric Fever. Of the 4 Deaths from Typhus, one occurred Glasgow, two in Leith, and one in Paisley.

Hooping-Cough caused 66 Deaths, or 2·9 per cent. of the whole; Diphtheria was the cause of 46 Deaths, of which 14 occurred in Edinburgh, and 11 in Leith, being at the rate of 3·2 per cent. of the Deaths in the former, and 8·1 per cent. of those in the latter town.

Measles caused 47 Deaths, of which 11, or 9·6 per cent., occurred in Greenock, and 5, or 8·6 per cent., in Perth. Scarlatina caused 41 Deaths, Cholera 5, and Puerperal Fever 12.

66 Deaths were attributed to Apoplexy, 54 to Paralysis, 150 to Diseases of the Heart, and 56 to Premature Birth Debility.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 448, or 19·5 per cent. of the whole. Those from Consumption alone numbered 207, or 9·0 per cent. 17 Deaths were attributed to Croup.

89 Deaths resulted from Violent Causes, of which 5 were Suicides. 3 Deaths were caused by Chronic Alcoholism, and 3 by Delirium Tremens.

One male and 5 females had reached the 90th year of life, the eldest of whom was the widow of an army pensioner, and was aged 94 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES. OCTOBER 1890.

TOWNS.	POPULATION.*			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1871.	Census 1881.	Estimated to middle of 1890.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW,	491,846	511,415	530,208	867	791	1658	1524	134	336	492	506	998
EDINBURGH,	200,277	234,402	271,135	280	289	569	519	50	119	223	213	436
DUNDEE,	120,724	142,455	166,027	190	157	347	311	36	97	137	128	260
ABERDEEN,	88,181	105,076	123,600	161	156	317	284	33	54	87	105	192
GREENOCK,	59,794	69,238	79,312	79	100	179	168	11	18	58	56	114
LEITH,	46,172	60,343	78,538	113	80	193	186	7	35	60	76	136
PAISLEY,	48,257	55,638	63,469	68	73	141	133	8	27	43	60	103
PERTH,	26,382	29,756	33,274	36	24	60	54	6	16	30	28	58
TOTAL,	1,081,633	1,208,823	1,315,563	1794	1670	3464	3179	285	702	1130	1167	2297

OCTOBER 1889,	Mean Temp. 46°·1	1911	1862	3773	3490	238	755	1108	1113	2221
OCTOBER 1888,	Mean Temp. 48°·0	1999	1883	3882	3559	323	809	1130	1110	2240
OCTOBER 1887,	Mean Temp. 45°·1	1835	1719	3554	3262	292	811	1048	1111	2159
OCTOBER 1886,	Mean Temp. 50°·1	1832	1768	3600	3300	300	662	1017	981	1998
OCTOBER 1885,	Mean Temp. 43°·6	1923	1801	3724	3408	316	706	972	1011	1983
OCTOBER 1884,	Mean Temp. 47°·9	2018	1866	3884	3576	308	726	1162	1161	2323
OCTOBER 1883,	Mean Temp. 47°·0	1906	1816	3722	3423	299	794	1069	1116	2185
OCTOBER 1882,	Mean Temp. 48°·4	1912	1800	3712	3415	297	839	1100	1097	2197
OCTOBER 1881,	Mean Temp. 45°·2	1876	1760	3636	3359	277	850	1123	1008	2136
OCTOBER 1880,	Mean Temp. 43°·6	1662	1553	3215	2932	283	639	1131	1131	2262

DEATHS from Small-pox, Measles, Scarlatina, Diphtheria, Hooping-Cough, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of October 1890.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Hooping-Cough.	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Hooping-Cough.	Fevers.	Diarrhoea.
GLASGOW—								DUNDEE—							
1. Bridgeton,	0	2	13	6	9	10	2	1. St Peter,	0	0	0	0	0	0	4
2. Camlachie,	0	0	0	0	5	0	5	2. St Mary,	0	0	0	1	1	3	7
3. Dennistoun,	0	4	1	2	3	3	2	3. St Clement,	0	0	1	1	0	5	3
4. Calton,	0	0	2	0	5	0	5	4. St Andrew,	0	0	3	0	2	0	9
5. Blackfriars,	0	1	0	0	0	1	3	5. Lochee,	0	1	0	1	1	1	1
6. St Rollox,	0	6	1	0	5	0	1	ABERDEEN—							
7. Blythswood,	0	0	0	0	0	0	2	1. St Nicholas,	0	0	6	0	0	0	4
8. Milton,	0	0	0	1	2	2	4	2. Aberdeen,	0	1	2	0	0	1	4
9. Kelvin,	0	0	0	1	3	0	2	3. Woodside,	0	0	0	0	0	0	1
10. Anderston,	0	0	0	2	3	0	1	4. Old Aberdeen,	0	0	0	0	0	0	1
11. Hutchesontown,	0	5	0	1	3	1	1	GREENOCK—							
12. Gorbals,	0	0	0	0	3	0	5	1. East,	0	3	2	0	0	0	1
13. Tradeston,	0	2	0	0	0	0	0	2. Middle,	0	3	0	1	0	0	0
14. Kinning Park,	0	1	0	0	0	0	0	3. West,	0	5	1	0	0	2	0
EDINBURGH—								LEITH—							
1. St George,	0	1	0	2	1	1	3	1. North,	0	0	0	4	1	0	0
2. St Andrew,	0	0	0	2	2	0	5	2. South,	0	1	1	7	2	4	6
3. Canongate,	0	2	2	3	2	1	5	PAISLEY,	0	3	6	3	4	1	3
4. St Giles,	0	0	0	3	3	2	4	PERTH,	0	5	0	1	3	0	3
5. Newington,	0	1	0	4	3	1	3								

* NOTE.—The Population here given is that of the various Registration Districts, which in some cases differ slightly from that of the Parliamentary Burghs in consequence of some of the Districts including small fragments of the extra burghal population.

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of OCTOBER 1890.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - -	2297	468	80	295	155	998	167	34	136	99	436	119	23	83	35	260	75	21	45	51	192
I. SPECIFIC FEBRILE OR ZYMOTIC DIS.	386	117	20	21	3	161	47	5	11	5	68	35	6	6	1	48	16	5	5	3	29
II. PARASITIC DISEASE	2	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
III. DIETETIC	8	-	-	3	-	3	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-
IV. CONSTITUTIONAL	399	40	24	105	14	183	9	9	44	11	73	6	9	25	2	42	5	10	14	3	32
V. DEVELOPMENTAL	164	28	1	-	38	67	9	-	-	23	32	10	-	-	8	18	5	-	-	8	13
VI. LOCAL	1132	229	28	137	94	488	77	18	70	59	224	50	7	46	22	125	42	5	23	37	107
VII. VIOLENCE - - -	89	9	6	22	5	42	4	1	11	1	17	4	1	5	1	11	2	-	3	-	5
VIII. ILL-DEFINED & NOT SPECIFIED CAUSES	117	44	1	7	1	53	20	1	-	-	21	13	-	-	1	14	5	1	-	-	6
I.																					
1. Miasmatic Diseases - -	240	79	19	12	-	110	25	5	6	-	36	11	5	5	-	21	5	4	1	-	10
2. Diarrheal " - - -	105	33	-	2	1	36	15	-	1	5	21	23	1	-	-	24	10	-	-	1	11
3. Malarial " - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
4. Zoogenous " - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. Venereal " - - -	13	3	-	1	-	4	3	-	-	-	3	1	-	-	-	1	1	-	1	1	3
6. Septic " - - -	27	2	1	6	2	11	4	-	3	-	7	-	-	1	1	2	-	1	3	1	5
II.																					
PARASITIC DISEASES - -	2	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
III.																					
DIETETIC DISEASES - - -	8	-	-	3	-	3	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-
IV.																					
CONSTITUTIONAL DISEASES	399	40	24	105	14	183	9	9	44	11	73	6	9	25	2	42	5	10	14	3	32
V.																					
DEVELOPMENTAL DISEASES	164	28	1	-	38	67	9	-	-	23	32	10	-	-	8	18	5	-	-	8	13
VI.																					
1. Dis. of Nervous System -	254	33	7	33	27	100	17	4	12	14	47	11	2	14	6	33	8	1	3	15	29
2. " Organs of Special Sense - - -	5	1	-	1	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
3. " Circulatory System -	150	2	5	24	21	52	2	2	20	17	41	-	-	8	6	14	1	-	6	7	14
4. " Respiratory System -	448	143	9	46	24	222	39	5	12	13	69	30	-	10	7	47	23	2	6	10	44
5. " Digestive System -	187	47	2	18	16	83	16	2	12	11	41	8	2	10	2	22	9	-	4	2	14
6. " Lymphatic System and Ductless Glands - -	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7. " Urinary System - -	57	3	2	9	4	17	1	4	7	4	16	-	3	4	1	8	-	-	-	3	10
8. " Reproductive System:—																					
(a) Diseases of Organs of Generation -	6	-	-	3	1	4	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
(b) Diseases of Parturition -	5	-	-	1	-	1	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-
9. " Organs of Locomotion - -	15	-	3	1	-	4	1	1	1	-	3	-	-	-	-	-	1	2	-	-	4
10. " Integumentary System - -	3	-	-	1	-	1	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of OCTOBER 1890.

CAUSES OF DEATH.		GREENOCK.					LEITH.					PAISLEY.					PERTH.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - - -		57	9	26	22	114	70	13	32	21	136	31	12	30	30	103	21	7	18	12	58
I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES -		14	2	3	-	19	15	6	5	1	27	12	7	2	1	22	10	1	1	-	12
II. PARASITIC DISEASES -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC " -		-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	1	-	1
IV. CONSTITUTIONAL,, -		3	3	6	3	15	8	3	8	2	21	3	2	12	3	20	-	3	9	1	13
V. DEVELOPMENTAL,, -		5	-	-	8	13	6	-	-	4	10	3	-	-	6	9	-	-	-	2	2
VI. LOCAL " -		25	4	14	10	53	35	4	15	14	68	11	2	13	18	44	9	2	4	8	23
VII. VIOLENCE - - -		-	-	3	-	3	1	-	3	-	4	-	1	1	2	4	-	1	1	1	3
VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES -		10	-	-	1	11	4	-	-	-	4	2	-	2	-	4	2	-	2	-	4
I.																					
1. MIASMATIC DISEASES - -		13	2	2	-	17	9	6	5	-	20	9	7	1	-	17	8	1	-	-	9
2. DIARRHEAL " - -		-	-	1	-	1	6	-	-	-	6	2	-	-	1	3	2	-	1	-	3
3. MALARIAL " - -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. ZOOGENOUS " - -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. VENEREAL " - -		1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
6. SEPTIC " - -		-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-
II.																					
PARASITIC DISEASES - - -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																					
DIETETIC DISEASES - - - -		-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	1	-	1
IV.																					
CONSTITUTIONAL DISEASES - -		3	3	6	3	15	8	3	8	2	21	3	2	12	3	20	-	3	9	1	13
V.																					
DEVELOPMENTAL DISEASES - -		5	-	-	8	13	6	-	-	4	10	3	-	-	6	9	-	-	-	2	2
VI.																					
1. DISEASES OF NERVOUS SYSTEM -		3	2	2	3	10	4	1	6	4	15	4	-	2	8	14	3	-	1	4	8
2. " ORGANS OF SPECIAL SENSE - -		-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
3. " CIRCULATORY SYSTEM - -		-	2	3	5	-	-	-	3	5	8	-	-	6	6	12	-	-	2	2	4
4. " RESPIRATORY SYSTEM - -		18	-	3	3	24	23	1	5	4	33	2	1	2	2	7	4	-	-	1	5
5. " DIGESTIVE SYSTEM - -		4	1	2	1	8	4	1	-	1	6	5	-	1	1	7	2	1	1	1	5
6. " LYMPHATIC SYSTEM AND DUCTLESS GLANDS - -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7. " URINARY SYSTEM - -		-	1	4	-	5	2	-	1	-	3	-	-	1	-	1	-	-	-	-	-
8. " REPRODUCTIVE SYSTEM :-																					
(a) DISEASES OF ORGANS OF GENERATION -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) DISEASES OF PARTURITION - -		-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
9. " ORGANS OF LOCOMOTION - -		-	-	-	-	-	1	1	-	-	2	-	1	-	1	2	-	1	-	-	1
10. " INTEGUMENTARY SYSTEM - -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of OCTOBER 1890.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																					
1. ACCIDENT OR NEGLIGENCE	81	8	6	19	5	38	4	1	10	1	16	4	1	4	1	10	2	-	2	-	4
2. HOMICIDE	2	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
3. SUICIDE -	5	-	-	2	-	2	-	-	-	-	-	-	-	1	-	1	-	-	1	-	
4. EXECUTION	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VIII.																					
ILL-DEFINED AND NOT SPECIFIED CAUSES -	117	44	1	7	1	53	20	1	-	-	21	13	-	-	1	14	5	1	-	-	6
MIASMATIC DISEASES.																					
Small-pox { Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
No Statement	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chicken-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	47	18	3	-	-	21	4	-	-	-	4	1	-	-	-	1	1	-	-	1	
Epidemic Rose Rash	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever	41	12	5	-	-	17	1	1	-	-	2	3	1	-	-	4	4	3	1	8	
Typhus	4	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hooping-Cough	66	40	1	-	-	41	11	-	-	-	11	4	-	-	-	4	-	-	-	-	
Mumps	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria	46	6	7	-	-	13	9	3	2	-	14	1	2	-	-	3	-	-	-	-	
Cerebro-spinal Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Simple and Ill-defined Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Enteric Fever	35	3	3	10	-	16	-	1	4	-	5	2	2	5	-	9	-	1	-	1	
Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DIARRHŒAL DISEASES.																					
Simple Cholera	5	3	-	-	-	3	1	-	-	-	1	-	-	-	-	-	1	-	-	1	
Diarrhœa, Dysentery	100	30	-	2	1	33	14	-	1	5	20	23	1	-	-	24	9	-	-	10	
MALARIAL DISEASES.																					
Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ague	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
ZOOGENOUS DISEASES.																					
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Splenic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cowpox and other Effects of Vaccination	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VENEREAL DISEASES.																					
Syphilis	13	3	-	1	-	4	3	-	-	-	3	1	-	-	-	1	1	-	1	1	
Gonorrhœa, Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SEPTIC DISEASES.																					
Phagedœna	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas	13	2	1	-	2	5	4	-	1	-	5	-	-	-	1	1	-	-	-	1	
Pyæmia, Septicæmia	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	
Puerperal Fever	12	-	-	6	-	6	-	-	1	-	1	-	-	1	-	1	-	-	3	-	

DEATHS FROM ALL CAUSES at Four Periods of Life.

151

Registered during the Month of OCTOBER 1890.

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of OCTOBER 1890.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60 etc.	Total.
PARASITIC DISEASES.																					
Thrush - - - - -	2	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Dis. from Veg. Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Par. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																					
Starvation, Want of Breast Milk	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Scurvy - - - - -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism	3	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
{ Delirium Tremens -	3	-	-	2	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																					
Rheumatic Fever, Rhen-	7	-	4	-	-	4	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
matism of Heart - - -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets - - - - -	2	1	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Cancer - - - - -	86	-	-	28	11	39	-	15	7	22	-	-	5	1	6	-	5	1	6	4	4
Tabs Mesenterica - - -	29	14	2	2	-	18	3	-	-	3	-	-	-	-	3	1	-	-	-	-	-
Tubercular Meningitis (Acute	30	10	1	2	-	13	3	1	-	4	2	-	-	-	2	1	2	-	-	3	3
Hydrocephalus) - - -	207	10	13	70	1	94	1	5	23	32	1	8	20	-	29	-	7	8	2	17	17
Phthisis - - - - -	22	2	4	1	-	7	2	1	5	8	2	1	-	-	3	-	-	-	-	-	-
Other forms of Tuber, Scrofula	2	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Purp., Hæmorrhagic Diathesis	10	1	-	1	1	3	-	1	-	1	-	-	1	1	1	1	-	1	-	2	2
Anæmia, Chl., Leucocythæmia	2	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Diabetes Mellitus - - -	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Constitutional Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																					
Premature Birth - - - -	56	24	-	-	-	24	9	-	-	9	9	-	-	-	9	4	-	-	-	4	4
Atelectasis - - - - -	3	2	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1
Cyanosis - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida - - - - -	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Imperforate Anus - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip -	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects	2	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old Age - - - - -	97	-	-	-	38	38	-	-	23	28	-	-	8	8	-	-	-	-	8	8	8
DISEASES OF NERVOUS SYSTEM.																					
Inflammation of Brain or its	53	13	5	2	-	20	9	3	1	-	13	7	1	-	8	3	1	-	-	4	4
Membranes - - - - -	66	-	1	16	11	28	-	-	3	6	9	-	4	4	8	-	-	2	7	9	9
Apoplexy - - - - -	7	-	-	-	2	2	-	-	1	1	2	-	-	-	-	-	-	-	1	1	1
Softening of Brain - - -	48	1	-	6	10	17	1	-	2	4	7	-	4	2	6	-	-	-	5	5	5
Hemiplegia, Brain Paralysis -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paralysis Agitans - - -	2	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Insanity, General Par. of Insane	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea - - - - -	9	-	1	1	1	3	-	-	1	1	2	-	1	-	1	-	-	-	1	1	1
Epilepsy - - - - -	32	11	-	-	-	11	6	-	-	6	4	-	2	-	6	5	-	-	-	-	-
Convulsions - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Laryngismus Stridulus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Idiopathic Tetanus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Dis. of Spinal Cord	5	-	-	1	1	2	-	-	2	-	2	-	1	-	1	-	-	-	-	-	-
Other Diseases of Ner. System	30	8	-	5	1	14	1	1	1	2	5	-	1	2	3	-	-	1	1	5	5
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Otorrhœa - - - -	4	1	-	1	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Epistaxis and Dis. of Nose -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

153

153

CAUSES OF DEATH.	GREENOCK.					LEITH.					PAISLEY.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Vegetable Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
{ Delirium Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism of	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Heart	-	1	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	-	-	-	2	2	-	3	2	5	-	-	2	3	5	-	-	-	1	-	1
Tabes Mesenterica	2	-	1	-	3	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Tubercular Meningitis (Acute	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrocephalus)	1	-	-	-	1	5	1	-	6	1	-	-	-	12	-	-	-	-	-	-
Phthisis	-	2	5	-	7	1	5	-	6	1	2	9	-	12	-	3	7	-	10	1
Other forms of Tuberculosis, Scrofula	-	-	-	-	-	3	-	-	3	-	-	-	-	-	-	-	1	-	-	1
Purpura, Hæmorrhagic Diathesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chlorosis, Leucocythæmia	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	1	-	-	1
Diabetes Mellitus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Constitutional Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																				
Premature Birth	4	-	-	-	4	5	-	-	5	1	-	-	-	1	-	-	-	-	-	-
Atelectasis	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Imperforate Anus	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Cleft Palate, Harelip	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Other Congenital Defects	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old Age	-	-	-	8	8	-	-	4	4	-	-	-	6	6	-	-	-	2	-	2
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Mem-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
branes	2	1	-	-	3	-	-	-	-	2	-	-	-	2	3	-	-	-	-	3
Apoplexy	-	-	1	2	3	-	1	2	3	-	-	1	2	3	-	-	1	2	3	1
Softening of Brain	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Hemiplegia, Brain Paralysis	-	-	-	1	1	-	-	1	4	5	-	-	1	6	7	-	-	-	-	-
Paralysis Agitans	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity, General Paralysis of Insane	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	1
Convulsions	-	-	-	-	-	3	-	-	3	1	-	-	-	1	-	-	-	-	-	-
Laryngismus Stridulus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Idiopathic Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Diseases of Spinal Cord	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Nervous System	1	1	-	-	2	1	-	2	-	3	1	-	-	1	-	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Otorrhœa	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis and Dis. of Nose	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of OCTOBER 1890.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																					
Endocarditis, Valvular Dis. -	116	-	5	18	17	40	1	1	13	10	25	-	-	7	6	13	-	-	6	6	12
Pericarditis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart -	4	-	-	-	-	-	-	-	1	2	3	-	-	-	-	-	-	-	-	-	-
Angina Pectoris -	3	-	-	-	1	1	-	-	1	1	1	-	-	-	-	-	-	-	-	1	-
Syncope -	8	2	-	1	-	3	-	-	2	2	4	-	-	1	-	1	-	-	-	-	-
Aneurism -	7	-	-	2	1	3	-	-	3	1	4	-	-	-	-	-	-	-	-	-	-
Senile Gangrene -	3	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis -	4	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Phlebitis -	1	-	-	-	-	-	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Varicose Veins -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Cir. System	3	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis -	10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	4	-	-	-	4
Croup -	17	7	-	-	-	7	3	1	-	-	4	2	-	-	-	2	2	-	-	-	2
Other Dis. of Larynx & Trachea	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Emphysema, Asthma -	3	-	-	2	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Bronchitis -	222	60	-	23	16	99	23	2	5	9	39	16	-	5	5	26	13	1	2	7	23
Pneumonia -	136	54	5	16	2	77	10	2	1	2	15	10	-	3	2	15	4	-	3	2	9
Pleurisy -	12	2	1	2	-	5	1	-	5	-	6	-	-	-	-	-	-	-	-	-	-
Other Diseases of Resp. System	46	20	3	3	6	32	2	-	1	1	4	2	-	-	-	2	-	-	1	1	2
DISEASES OF DIGESTIVE SYSTEM.																					
Stomatitis -	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dentition -	21	9	-	-	-	9	4	-	-	-	4	2	-	-	-	2	2	-	-	-	2
Sore-throat, Quinsy -	4	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia -	6	3	-	-	-	3	-	-	-	-	-	2	-	-	-	2	1	-	-	-	1
Hæmatemesis -	5	-	-	-	-	-	1	-	2	1	4	-	-	-	-	-	-	1	-	-	1
Melæna -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach -	25	8	-	3	4	15	2	-	3	5	-	-	2	-	-	2	-	-	-	-	-
Enteritis -	41	16	-	3	2	21	7	-	1	-	8	3	-	1	-	4	1	-	-	-	1
Ulceration of Intestine -	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	1
Ileus, Obstruction of Intestine	14	2	1	1	1	5	-	-	1	3	4	1	1	1	-	3	-	-	-	-	-
Stricture or Strang. of Intestine	3	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Intussusception of Intestine -	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Hernia -	8	-	-	3	-	3	-	1	1	-	2	-	-	-	-	1	1	-	1	-	2
Fistula -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis -	14	1	1	2	2	6	-	1	2	-	3	-	-	1	-	1	1	-	1	-	2
Ascites -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones -	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver -	2	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Other Diseases of Liver -	26	1	-	5	4	10	-	-	1	3	4	-	1	2	1	4	2	-	1	1	4
Other Dis. of Digestive System	10	2	-	-	1	3	2	-	2	-	4	-	-	2	-	2	-	-	-	-	-
DIS. OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																					
Diseases of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Spleen -	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchocele -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Addison's Disease -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis -	11	1	1	1	-	3	-	1	-	-	1	-	1	-	1	2	-	-	1	1	2
Bright's Disease -	23	1	1	4	1	7	-	1	6	1	8	-	2	1	-	3	-	-	1	1	2
Uræmia -	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Suppression of Urine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmaturia -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	7	-	-	-	2	2	-	-	1	1	2	-	-	2	-	2	-	-	-	1	1
Other Dis. of Urinary System	12	-	-	3	-	3	1	2	-	2	5	-	-	1	-	1	-	-	1	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

155

Registered during the Month of OCTOBER 1890.

CAUSES OF DEATH.	GREENOCK.					LEITH.					PAISLEY.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																				
Endocarditis, Valvular Disease	-	-	2	3	5	-	-	3	4	7	-	-	5	5	10	-	-	2	2	4
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Hypertrophy of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syncope	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Aneurism	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Senile Gangrene	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
Phlebitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis	1	-	-	-	1	2	-	-	-	2	-	-	-	-	-	-	-	-	1	1
Croup	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-
Other Diseases of Larynx & Trachea	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma	-	-	-	-	-	-	-	3	3	21	1	-	1	-	2	1	-	-	-	1
Bronchitis	8	-	3	11	15	-	-	1	3	6	-	-	1	-	1	3	-	-	-	3
Pneumonia	8	2	-	10	5	-	-	1	-	1	-	-	1	1	3	-	-	-	-	-
Pleurisy	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-
Other Diseases of Respiratory System	-	1	-	1	1	-	-	1	1	2	-	1	1	1	3	-	-	-	-	-
DISEASES OF DIGESTIVE SYSTEM.																				
Stomatitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dentition	-	-	-	-	-	1	-	-	-	1	3	-	-	-	3	-	-	-	-	-
Sore-throat, Quinsy	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmatemesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melæna	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	1	1	1	-	1
Enteritis	2	-	-	-	2	2	-	-	1	3	-	-	-	-	-	-	-	-	-	2
Ulceration of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-
Stricture or Strangulation of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1
Hernia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Liver	-	1	-	1	2	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																				
Diseases of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Spleen	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchocele	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Addison's Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis	-	1	-	-	1	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Bright's Disease	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uremia	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
Suppression of Urine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmaturia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Bladder and of Prostate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Urinary System	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of OCTOBER 1890.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF ORGANS OF GENERATION.																					
Ovarian Disease - - -	2	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina - - -	2	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - -	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Testes, Penis, Scrotum, &c. - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																					
Abortion, Miscarriage - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth - - -	3	-	-	1	-	1	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																					
Caries, Necrosis - - -	9	-	1	-	-	1	1	1	1	-	3	-	-	-	-	-	1	1	-	-	2
Arthritis, Ostitis, Periostitis - - -	2	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locomotion - -	4	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
DISEASES OF INTEGUMENTARY SYSTEM.																					
Carbuncle - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Pemphigus - - -	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integ. System - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																					
Fractures, Contusions - - -	36	3	3	9	4	19	-	1	5	1	7	1	-	3	-	4	-	-	1	-	1
Gunshot Wounds - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Cut, Stab - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burn, Scald - - -	7	1	1	2	-	4	1	-	-	-	1	-	-	-	-	-	1	-	1	-	2
Poison - - -	4	-	-	1	-	1	-	-	2	-	2	-	-	-	-	-	1	-	-	-	1
Drowning - - -	17	-	2	7	1	10	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-
Suffocation - - -	12	2	-	-	-	2	3	-	1	-	4	3	-	-	-	3	-	-	-	-	-
Otherwise - - -	4	2	-	-	-	2	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-
HOMICIDE.																					
Murder, Manslaughter - - -	2	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
SUICIDE.																					
Gunshot Wounds - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cut, Stab - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poison - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hanging - - -	3	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1
Otherwise - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EXECUTION.																					
Hanging - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																					
Dropsy - - -	4	1	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Debility, Atrophy, Inanition - - -	90	37	-	-	-	37	18	-	-	-	18	13	-	-	-	13	4	-	-	-	4
Mortification - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - -	3	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - -	3	1	-	1	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Hæmorrhage - - -	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained) - - -	2	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Ill-defined and not specified Causes - - -	14	4	1	2	1	8	1	-	-	-	1	-	-	-	-	-	1	1	-	-	2

157

157

CAUSES OF DEATH.	GREENOCK.					LEITH.					PAISLEY.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF ORGANS OF GENERATION.																				
Ovarian Disease -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Testes, Penis, Scrotum, &c.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																				
Abortion, Miscarriage -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Puerperal Convulsions -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Placenta Prævia, Flooding -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																				
Caries, Necrosis -	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	1	-	-	1
Arthritis, Ostitis, Periostitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locomotion	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-
DISEASES OF INTEGUMENTARY SYSTEM.																				
Carbuncle -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integumentary System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																				
Fractures, Contusions -	-	-	1	-	1	-	-	-	-	-	-	1	1	1	3	-	-	1	-	1
Gunshot Wounds -	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
Cut, Stab -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burn, Scald -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poison -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning -	-	-	2	-	2	-	2	-	-	2	-	-	-	-	-	-	1	-	-	1
Suffocation -	-	-	-	-	-	1	-	-	-	1	-	-	-	1	1	-	-	-	1	1
Otherwise -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HOMICIDE.																				
Murder, Manslaughter -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUICIDE.																				
Gunshot Wounds -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cut, Stab -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poison -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Drowning -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hanging -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Otherwise -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EXECUTION.																				
Hanging -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																				
Dropsy -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Debility, Atrophy, Inanition -	9	-	-	-	9	4	-	-	-	4	1	-	2	-	3	2	-	-	-	2
Mortification -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other ill-defined and not specified Causes -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in selected Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—OCTOBER 1890.

DISTRICTS.	Estimated Population at Middle of 1890.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Fever—Typhus & Typhoid.	Diphtheria.	Croup and Laryngitis.	Whooping-Cough.	Cholera.	Diarrhoea and Dysentery.	Bronchitis, Pneumonia and Pleurisy.	Consumption.
Arbroath,	23,831	54	9	43	0	0	0	0	0	1	2	0	0	9	6
Ayr,	25,599	48	7	29	0	0	1	0	0	0	0	0	1	7	2
Banff, with Macduff,	9,298	20	7	12	0	0	0	0	0	0	1	0	0	1	0
Blairgowrie,	5,034	10	1	5	0	0	0	0	0	1	0	0	0	0	1
Campbeltown,	10,985	30	3	17	0	0	0	0	0	0	0	0	1	2	2
Crieff,	5,099	11	0	6	0	0	0	0	0	0	0	0	1	1	1
Dumbarton,	16,405	46	9	40	0	8	0	2	0	0	2	0	3	5	4
Dumfries, with Troqueer,	24,525	59	9	42	0	0	2	1	0	1	1	0	2	9	1
Dunfermline,	29,569	51	11	36	0	2	0	2	0	0	1	0	0	6	7
Elgin,	10,023	17	1	15	0	1	0	0	0	1	0	0	0	1	3
Falkirk (Burgh),	17,735	44	3	48	0	9	0	0	0	2	0	0	1	6	0
Forfar,	16,464	24	0	20	0	0	0	1	0	1	0	0	0	1	3
Galashiels,	15,008	16	9	12	0	1	0	0	0	0	0	0	0	2	0
Haddington,	5,591	7	3	4	0	0	0	0	0	0	0	0	0	1	0
Hawick, with Wilton,	23,698	56	6	24	0	1	0	0	0	0	0	0	1	0	2
Inverness,	25,141	42	13	47	0	0	0	1	2	3	0	0	2	4	7
Kilmarnock,	27,640	72	12	47	0	10	0	1	1	2	0	0	4	7	4
Kirkcaldy and Abbotshall,	18,353	35	6	28	0	0	0	0	0	0	2	0	3	0	1
Kirkcudbright,	3,607	3	0	5	0	0	0	0	0	0	0	0	0	0	1
Montrose,	16,799	27	1	21	0	0	0	1	0	0	1	0	0	2	1
New Monkland, with Landward,	33,498	122	20	52	0	1	0	1	0	2	3	0	4	7	6
Peterhead, with Boddam,	17,584	51	19	40	0	0	0	0	2	3	4	0	2	7	2
Rothsay,	8,860	12	5	21	0	0	0	0	2	0	0	0	1	1	0
Shettleston,	11,179	36	5	19	0	0	1	0	3	1	0	0	2	3	3
Stirling,	15,729	38	7	23	0	0	0	0	4	0	0	0	1	2	4
Stranraer,	6,549	8	2	8	0	0	0	0	0	0	0	0	0	3	0
Wick,	12,403	37	2	22	0	1	1	0	0	0	0	0	2	3	2
Cathcart,	12,211	43	4	15	0	0	0	1	0	0	1	0	1	1	1
Eastwood,	13,915	49	5	17	0	0	0	0	0	0	0	0	0	0	2
Maryhill,	13,385	88	12	49	0	0	2	0	3	0	0	0	3	9	7
Dennistoun (Landward)	6,009	22	3	37	0	2	0	0	0	0	0	0	1	5	4
St Rollox (Landward),	945	6	0	1	0	0	0	0	0	0	0	0	0	0	0
Hutchesontown (Landwd.)	5,951	26	5	3	0	0	0	0	0	0	0	0	0	1	1
Gorbals (Landward),	5,011	15	3	9	0	0	0	0	0	0	0	0	0	2	1
Tradeston (Landward),	5,451	15	2	6	0	0	0	0	0	1	0	0	0	1	0
Kinning Park (Landward)	15,752	52	18	23	0	0	0	1	0	0	1	0	1	6	1
Plantation,	18,405	71	12	29	0	0	0	2	1	0	3	0	2	5	6
Govan,	33,510	124	16	74	0	0	1	6	0	2	4	0	7	11	2
Partick,	39,028	131	22	71	0	1	0	1	3	0	3	0	3	12	4

W—Landward and Suburban.
Census Population.

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors only, give for their mean position, *i.e.*, Lat. $56^{\circ}12$ N., and Long. $3^{\circ}30$ W., and height 139 feet above the sea-level,

For the month of OCTOBER 1890.

Mean Barometric pressure, 29.946 inches ; greater than the average of the same month for 1856-89 by 0.123 inch.

Barometric monthly range, 1.225 inch ; less by 0.263 inch.

Mean temperature, $49^{\circ}2$; greater by $1^{\circ}9$.

Mean daily range of temperature, $11^{\circ}3$; less by $0^{\circ}3$.

Mean humidity, 83 ; less by 3.

Rain, number of days, 18 ; greater by 2.

Rain, depth in inches, 3.14 ; less by 0.54 inch.

Wind, pressure on square foot, 1.37 lb.; less by 0.30 lb.

Wind, direction of, E. to W. as 2 to 19, and N. to S. as 5 to 3 ; the average being E. to W. as 6 to 12, and N. to S. as 4 to 6.

October 1890 has thus been a relatively warm and rather dry month, with high barometric pressure, limited in range. Indeed the barometric range for this month has not been so small since 1880, when it was 1.183 inch.

The mean temperature, $49^{\circ}2$, in continuation of the warm weather of the preceding month, has been markedly above the average, while the range has been less than normal. To find a warmer October it is necessary to go back twelve years, when $50^{\circ}1$ was the average shade temperature for the month. In 1876, two years previous, it was $50^{\circ}6$, and $51^{\circ}0$ in 1857.

The absolute range of temperature was, however, very considerable, as $69^{\circ}2$ was registered on the 10th at Aberdeen, and as low as $24^{\circ}1$ at Glasgow on the night of the 27th.

The mean rainfall, although 0.54 inch below the mean, was spread over more days and also more equally distributed amongst the stations than usual ; thus at Dundee, where the rainfall was least, 2.04 inches of rain were recorded on the 16 days of falling. At Edinburgh, 0.63 inch of rain fell on the 25th, and 0.72 inch on the 31st, while at Leith the return for the latter day amounted to 1.23 inch.

The winds, although comparatively light on the average, were very variable in strength, westerly winds being largely in excess, modified into S.W. or N.W. by local conditions.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, GREENOCK, LEITH, and PERTH,

During the Month of OCTOBER 1890.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.	DEDUCTIONS from Glaisher's Tables 2nd Edit.					RAIN.		WINDS.										Mean Pres- sure on Sq. ft.	lbs.	
		Mean at Sea-level and 32°.	Range.	inch.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.		Dry Bulb, or Temp. of Air	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	inch.	grs.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.											
																				N	NE	E	SE	S	SW	W	NW	Caln or Variable.			
GLASGOW. J. B. RUSSELL, Esq., M.D., Medical Officer of Health.	54	29-918	29-977	1-224	61-7	24-1	49-5	37-3	12-6	29-6	49-4	47-0	44-4	293	3-36	94	16	2-80	0	0	2	0	1	0	14	5	9	0-16			
EDINBURGH, JAMES BUCHANAN, Esq., and R. C. MOSSMAN, Esq.	282	29-640	29-950	1-219	64-9	29-3	49-4	35-6	11-3	21-9	48-4	46-0	43-4	281	3-22	83	16	3-05	4	0	0	0	0	1	18	3	5	0-32			
DUNDEE, W. R. McKELVIE, Esq., Cura- tor of Cemeteries.	164	29-740	29-920	1-200	63-3	29-3	48-4	34-0	10-7	19-6	47-6	45-5	43-2	279	3-18	86	16	2-04	2	1	0	3	1	3	16	5	0	2-07			
ABERDEEN JAMES DALE, Esq., Gordon's Hospital.	66	29-764	29-868	1-322	60-2	31-9	49-0	37-3	11-6	27-9	48-4	46-0	43-4	281	3-22	83	20	3-84	6	1	0	0	3	3	8	10	0	1-04			
PAISLEY, DONALD MACLEAN, Esq., The Coats Observatory.	107	29-855	29-973	1-205	60-9	30-3	49-9	30-6	10-8	23-2	49-2	46-8	44-2	291	3-32	83	19	3-29	2	0	0	0	0	6	15	5	3	1-64			
GREENOCK, JAMES WILSON, Esq., Green- ock Water Works.	233	29-746	30-002	1-160	58-9	31-0	49-0	27-9	10-3	16-7	50-0	47-1	44-0	288	3-32	81	20	4-61	0	0	1	0	0	2	17	8	3	1-00			
LEITH, JAMES BOLAM, Esq., Navi- gation School, and GEORGE REDPATH, Esq.	70	29-875	29-952	1-273	64-8	30-7	49-9	34-1	9-5	21-4	49-6	46-3	43-8	286	3-23	81	17	3-16	2	0	1	0	1	2	22	3	0	3-38			
PERTH, Mr. A. GAEDDEKE, Gardener to James F. Pullar, Esq.	140	29-773	29-927	1-140	65-5	28-0	48-7	37-5	14-0	25-5	48-2	46-1	43-8	286	3-23	85	17	2-34	1	3	6	0	1	19	1	0	0	...			
Means	139	...	29-946	1-255 ^{+(69.2)}	64-1 ^{+(69.2)}	29-3	49-2	34-3	11-3	23-2	48-3	46-4	43-3	286	3-27	83	18	3-14	2	1	1	0	1	5	14	5	2	1-37			
North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Paisley, 55° 50'; Greenock, 55° 57'; Leith, 56° 58'; Perth, 56° 23'; Mean, 56° 12'. West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Paisley, 4° 27'; Greenock, 4° 45'; Leith, 3° 8'; Perth, 3° 28'; Mean, 3° 30'.																															

North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Paisley, 55° 50'; Greenock, 55° 57'; Leith, 55° 58'; Perth, 56° 28'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Paisley, 4° 27'; Greenock, 4° 45'; Leith, 3° 8'; Perth, 3° 28'; Mean, 3° 30'.

* Absolute Highest.

† Absolute Lowest.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

NOVEMBER 1890.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by ADAM and CHARLES BLACK, 6 North Bridge, Edinburgh.

REPORT.

DURING the month of November 1890, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Greenock, Leith, Paisley, and Perth, the Births of 3018 children, of whom 1540 were males and 1478 females. Of these, 2796 were legitimate and 222 illegitimate, being in the proportion of one illegitimate in every 13·6 Births; or the illegitimate Births constituted 7·4 per cent. of the whole. In Greenock, 1·6 per cent. of the Births were illegitimate; in Paisley, 4·7; in Glasgow, 6·6; in Leith, 6·9; in Edinburgh, 8·0; in Dundee, 8·8; in Perth, 10·6; and in Aberdeen, 11·7 per cent. ✓

907 Marriages were registered in these Towns during November, being 61 below the average for the month during the last ten years, increase of population being allowed for.

The Deaths of 2209 persons were registered in these Towns during the month, of whom 1082 were males and 1127 females. Increase of population being allowed for, this number is 249 below the November average for the last ten years.

A comparison of the Deaths registered shows that during November the mortality was at the annual rate of 16·1 Deaths per thousand persons in Edinburgh, 17·6 in Dundee, 19·0 in Aberdeen, 19·7 in Leith and in Perth, 20·9 in Paisley, 21·3 in Greenock, and 22·7 in Glasgow.

Of the 989 Deaths registered in Glasgow, 207 were of children under one year of age, and 178 of persons over 60 years; of the 358 registered in Edinburgh, 65 were of children under one year, and 86 of persons over 60 years; of the 240 in Dundee, 66 were under one, and 63 over 60; of the 193 in Aberdeen, 42 were under one, and 55 over 60; of the 139 in Greenock, 33 were under one, and 14 over 60; of the 127 in Leith, 32 were under one, and 26 over 60; of the 109 in Paisley, 17 were under one, and 23 over 60; and of the 54 in Perth, 5 were under one, and 18 over 60 years.

Of the whole 2209 Deaths, 871, or 39·4 per cent., were of children under five years or age. In Perth 26·0 per cent. of the persons who died were under five years of age; in Edinburgh, 27·4; in Aberdeen, 33·1; in Paisley, 36·7; in Dundee, 40·8; in Leith, 40·9; in Glasgow, 43·2; and in Greenock, 56·1 per cent.

Miasmatic Diseases caused 252 Deaths, or 11·4 per cent. of the whole mortality. This rate was exceeded in Glasgow, where Measles and Hooping-Cough were the principal causes, in Paisley from Diphtheria, in Perth from Measles, Hooping-Cough, and Diphtheria, and in Greenock from Measles.

Fever caused 36 Deaths, of which 6 were tabulated as Typhus, 29 as Enteric, and 1 as Simple Continued Fever. Of the 6 Deaths from Typhus, one each occurred in Glasgow, Edinburgh, Dundee, and Aberdeen, and two in Leith.

Hooping-Cough caused 67 Deaths, or 3·0 per cent. of the mortality; Measles 66, or 3·0 per cent. (24, or 15·2 per cent., having occurred in Greenock).

Diphtheria caused 52 Deaths, or 2·4 per cent. of the whole. In Paisley seven of the Deaths were from this cause, being at the rate of 6·4 per cent. of the Deaths there.

Scarlatina caused 30 Deaths, and Puerperal Fever 9.

50 Deaths were attributed to Apoplexy, 39 to Paralysis, 173 to Diseases of the Heart, and 51 to Premature Birth Debility.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 544, or 24·6 per cent. of the whole. Those from Consumption alone numbered 189, or 8·6 per cent. 20 Deaths were attributed to Croup.

77 Deaths resulted from Violent Causes, one of which was Suicidal. 9 Deaths were caused by Chronic Alcoholism, and 4 by Delirium Tremens.

One male and 3 females had passed the 90th year of life, the eldest being the daughter of a farmer, and was aged 94 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES.

NOVEMBER 1890.

TOWNS.	POPULATION.*			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1871.	Census 1881.	Estimated to middle of 1890.	Males.	Females.	Total.	Legitimate.	Illegitimate.		Males.	Females.	Total.
GLASGOW,	491,846	511,415	530,208	689	685	1374	1283	91	445	496	493	989
EDINBURGH,	200,277	234,402	271,135	263	247	510	469	41	188	159	199	358
DUNDEE,	120,724	142,455	166,027	177	152	329	390	29	74	110	180	240
ABERDEEN,	88,181	105,076	123,600	161	120	281	248	33	78	98	100	193
GREENOCK,	59,794	69,238	79,312	55	74	129	127	2	26	77	62	139
LEITH,	46,172	60,843	78,538	76	84	160	149	11	33	63	64	127
PAISLEY,	48,257	55,638	63,469	88	81	169	161	8	43	62	47	109
PERTH,	26,382	29,756	33,274	31	35	66	59	7	20	22	32	54
TOTAL,	1,081,633	1,208,823	1,345,563	1540	1478	3018	2796	222	907	1082	1127	2209

NOVEMBER 1889,	Mean Temp. 43°·9	1726	1629	3255	3075	280	904	1056	1160	2213
NOVEMBER 1888,	Mean Temp. 43°·6	1742	1696	3438	3177	261	881	1028	1015	2043
NOVEMBER 1887,	Mean Temp. 40°·1	1754	1732	3486	3200	236	849	1153	1224	2377
NOVEMBER 1886,	Mean Temp. 44°·0	1834	1649	3483	3187	296	945	1190	1191	2381
NOVEMBER 1885,	Mean Temp. 41°·0	1765	1666	3431	3132	299	897	1142	1139	2281
NOVEMBER 1884,	Mean Temp. 41°·4	1760	1656	3416	3163	253	842	1246	1226	2472
NOVEMBER 1883,	Mean Temp. 41°·4	1795	1640	3435	3165	270	950	1198	1148	2346
NOVEMBER 1882,	Mean Temp. 39°·9	1727	1767	3494	3180	314	934	1173	1247	2420
NOVEMBER 1881,	Mean Temp. 44°·9	1706	1617	3323	3072	251	984	1044	1083	2127
NOVEMBER 1880,	Mean Temp. 39°·5	1710	1668	3378	3088	290	964	1294	1291	2585

DEATHS from Small-pox, Measles, Scarlatina, Diphtheria, Hooping-Cough, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of November 1890.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Hooping-Cough.	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Hooping-Cough.	Fevers.	Diarrhoea.
GLASGOW—								DUNDEE—							
1. Bridgeton,	0	1	10	7	5	9	1	1. St Peter,	0	0	0	2	0	0	0
2. Camlachie,	0	0	0	4	1	1	3	2. St Mary,	0	0	0	1	2	0	0
3. Dennistoun,	0	6	0	4	2	3	0	3. St Clement,	0	0	0	1	1	4	3
4. Calton,	0	8	0	0	3	1	1	4. St Andrew,	0	0	0	2	1	0	1
5. Blackfriars,	0	1	0	0	1	0	2	5. Lochee,	0	0	0	0	1	0	1
6. St Rollox,	0	11	1	0	2	0	0	ABERDEEN—							
7. Blythswood,	0	0	0	0	0	1	0	1. St Nicholas,	0	0	3	0	2	1	1
8. Milton,	0	1	1	1	3	1	2	2. Aberdeen,	0	0	0	1	0	1	0
9. Kelvin,	0	0	1	1	11	1	2	3. Woodside,	0	0	0	0	0	0	1
10. Anderson,	0	0	1	1	1	1	2	4. Old Aberdeen,	0	0	0	0	0	0	0
11. Hutchesontown,	0	5	0	2	7	0	2	GREENOCK—							
12. Gorbals,	0	0	0	0	1	0	0	1. East,	0	10	0	0	0	0	0
13. Tradeston,	0	2	0	0	1	0	0	2. Middle,	0	7	0	0	1	0	1
14. Kinning Park,	0	2	0	0	0	0	0	3. West,	0	7	2	1	4	0	0
EDINBURGH—								LEITH—							
1. St George,	0	0	0	5	1	1	2	1. North,	0	0	0	2	4	0	2
2. St Andrew,	0	0	0	1	1	0	1	2. South,	0	0	1	2	1	4	2
3. Canongate,	0	1	4	1	1	4	1	PAISLEY,	0	0	3	7	3	3	2
4. St Giles,	0	0	1	0	0	0	2	PERTH,	0	4	1	3	3	0	2
5. Newington,	0	0	1	3	3	0	0								

* NOTE.—The Population here given is that of the various Registration Districts, which in some cases differ slightly from that of the Parliamentary Burghs in consequence of some of the Districts including small fragments of the extra burghal population.

Registered during the Month of NOVEMBER 1890.

165

CAUSES OF DEATH.	GREENOCK.					LEITH.					PAISLEY.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - - -	78	16	31	14	139	52	17	32	26	127	40	18	28	23	109	14	9	13	18	54
I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES -	30	2	2	-	34	11	3	4	1	19	10	7	1	-	18	8	5	-	-	13
II. PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC " -	-	-	-	-	-	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-
IV. CONSTITUTIONAL,, -	2	4	10	-	16	5	8	11	2	26	1	3	6	3	13	-	2	2	1	5
V. DEVELOPMENTAL,, -	4	-	-	1	5	4	-	-	4	8	1	-	-	5	6	-	-	-	8	8
VI. LOCAL " -	40	9	16	12	77	29	4	12	19	64	23	8	18	14	63	6	2	7	8	23
VII. VIOLENCE - - -	-	1	2	1	4	-	2	3	-	5	2	-	1	1	4	-	-	4	1	5
III. ILL-DEFINED AND NOT SPECIFIED CAUSES -	2	-	1	-	3	3	-	-	-	3	3	-	1	-	4	-	-	-	-	-
I.																				
MIASMATIC DISEASES - -	29	2	1	-	32	8	3	3	-	14	8	7	1	-	16	7	4	-	-	11
DIARRHOEAL " - -	-	-	1	-	1	3	-	-	1	4	2	-	-	-	2	1	1	-	-	2
MALARIAL " - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS " - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL " - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEPTIC " - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
II.																				
PARASITIC DISEASES - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																				
DIETETIC DISEASES - - -	-	-	-	-	-	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-
IV.																				
CONSTITUTIONAL DISEASES--	2	4	10	-	16	5	8	11	2	26	1	3	6	3	13	-	2	2	1	5
V.																				
DEVELOPMENTAL DISEASES--	4	-	-	1	5	4	-	-	4	8	1	-	-	5	6	-	-	-	8	8
VI.																				
DISEASES OF NERVOUS SYSTEM -	5	1	2	3	11	6	1	-	6	13	3	-	4	3	10	-	-	-	3	3
" ORGANS OF SPECIAL SENSE -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
" RESPIRATORY SYSTEM -	3	4	1	8	16	3	5	8	5	21	2	7	4	13	6	1	1	4	6	6
" DIGESTIVE SYSTEM -	28	5	7	5	45	20	2	4	4	30	14	5	2	6	27	6	3	3	1	11
" LYMPHATIC SYSTEM -	6	-	1	1	8	3	-	1	2	6	5	1	4	1	11	-	-	-	-	3
" AND DUCTLESS GLANDS -	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
" URINARY SYSTEM -	-	-	-	2	2	-	1	4	1	6	1	-	-	-	1	-	-	-	-	-
" REPRODUCTIVE SYSTEM:—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) DISEASES OF ORGANS OF GENERATION -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) DISEASES OF PARTURITION -	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
" ORGANS OF LOCOMOTION -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0. " INTEGUMENTARY SYSTEM - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of NOVEMBER 1890.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ARBERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	
VII.																					
1. ACCIDENT OR NEGLIGENCE	74	3	3	23	4	33	5	1	4	3	13	3	-	-	2	5	2	2	2	-	
2. HOMICIDE	2	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3. SUICIDE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VIII.																					
ILL-DEFINED AND NOT SPECIFIED CAUSES	91	39	3	8	1	51	10	-	1	2	13	13	-	1	-	14	3	-	-	-	
Miasmatic Diseases.																					
Small-pox { Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
No Statement	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chickenpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	66	36	1	-	-	37	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
Epidemic Rose Rash	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever	30	8	6	-	-	14	3	2	1	-	6	-	-	-	-	1	2	-	-	-	
Typhus	6	-	-	1	-	1	-	-	1	-	1	-	1	-	-	1	1	-	-	-	
Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-Cough	67	36	2	-	-	38	6	-	-	-	6	4	1	-	-	5	2	-	-	-	
Mumps	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria	52	13	6	1	-	20	5	5	-	-	10	3	3	-	-	6	-	1	-	-	
Cerebro-spinal Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Simple and Ill-defined Fever	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Enteric Fever	29	4	3	9	-	16	-	2	2	-	4	1	1	1	3	-	1	-	-	-	
Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DIARRHOEAL DISEASES.																					
Simple Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea, Dysentery	39	13	-	2	2	17	4	-	1	1	6	2	-	-	3	5	-	-	-	2	
MALARIAL DISEASES.																					
Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ZOOGENOUS DISEASES.																					
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Splenic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cowpox and other Effects of Vaccination	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VENEREAL DISEASES.																					
Syphilis	12	6	-	1	-	7	1	1	-	-	2	-	-	-	-	-	2	-	-	-	
Gonorrhoea, Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SEPTIC DISEASES.																					
Phagedæna	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas	8	-	-	1	1	2	2	-	1	-	3	1	-	-	-	1	-	-	-	2	
Pyæmia, Septicæmia	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Fever	9	-	-	6	-	6	-	1	-	1	-	-	1	-	1	1	-	-	-	-	

DEATHS FROM ALL CAUSES at Four Periods of Life.

167

Registered during the Month of NOVEMBER 1890.

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

169

Registered during the Month of NOVEMBER 1890.

CAUSES OF DEATH.	GREENOCK.					LEITH.					PAISLEY.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Vegetable Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
{ Delirium Tremens	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism of Heart	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Rheumatism	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets	-	-	-	-	-	-	-	4	1	5	-	-	-	2	2	-	-	1	1	-
Cancer	-	-	-	-	-	-	2	-	-	3	1	1	-	-	2	-	-	-	-	-
Tabes Mesenterica	-	-	1	-	1	2	1	-	-	3	1	1	-	-	2	-	-	-	-	-
Tubercular Meningitis (Acute Hydrocephalus)	-	-	-	-	-	1	3	2	-	5	-	-	-	-	6	-	-	1	-	1
Phthisis	1	3	9	12	2	-	1	6	1	9	-	1	-	6	1	1	-	-	-	1
Other forms of Tuberculosis, Scrofula	1	1	-	2	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	1
Purpura, Hæmorrhagic Diathesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chlorosis, Leucocythæmia	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	1	-	1	1
Diabetes Mellitus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Constitutional Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																				
Premature Birth	3	-	-	-	3	4	-	-	-	4	1	-	-	-	1	-	-	-	-	-
Atelectasis	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Imperforate Anus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old Age	-	-	1	1	-	-	-	4	4	-	-	-	5	5	-	-	-	8	8	-
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Membranes	3	1	-	1	5	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Apoplexy	-	-	-	1	1	1	-	-	2	3	-	-	-	1	1	-	-	-	1	1
Softening of Brain	-	-	1	-	1	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
Hemiplegia, Brain Paralysis	-	-	-	-	-	-	-	-	3	3	-	-	1	1	2	-	-	1	1	-
Paralysis Agitans	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity, General Paralysis of Insane	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Chorea	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Epilepsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions	2	-	-	-	2	2	-	-	-	2	2	-	-	-	2	-	-	-	-	-
Laryngismus Stridulus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Idiopathic Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Diseases of Spinal Cord	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-
Other Diseases of Nervous System	-	-	1	1	2	2	-	-	-	2	1	-	1	-	2	-	-	-	1	1
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Otorrhœa	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis and Dis. of Nose	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of NOVEMBER 1890.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																					
Endocarditis, Valvular Dis. -	148	-	1	43	13	57	-	2	14	9	25	-	-	6	9	15	-	2	7	11	20
Pericarditis -	7	-	-	-	-	-	-	-	1	1	2	-	-	-	2	2	-	1	-	-	1
Hypertrophy of Heart -	2	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	
Angina Pectoris -	2	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
Syncope -	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
Aneurism -	4	-	-	1	-	1	-	-	2	-	2	-	-	-	-	-	-	-	1	-	
Senile Gangrene -	4	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	3	3	
Embolism, Thrombosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phlebitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Varicose Veins -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Cir. System	3	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1	
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis -	7	1	-	-	-	1	1	-	-	-	1	1	-	-	-	1	1	-	-	-	1
Croup -	20	5	-	-	-	5	4	-	-	-	4	2	-	-	-	2	2	-	-	-	2
Other Dis. of Larynx & Trachea	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma -	4	1	-	-	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Bronchitis -	287	58	3	23	37	121	16	1	11	14	42	29	-	5	11	45	10	-	-	9	19
Pneumonia -	165	47	5	15	12	79	9	1	7	5	22	10	2	6	8	21	3	1	3	2	9
Pleurisy -	15	2	-	3	-	5	-	-	4	1	5	-	1	1	-	2	-	-	-	-	-
Other Diseases of Resp. System	44	20	-	8	6	34	-	-	2	-	2	-	-	-	-	-	2	-	1	-	3
DISEASES OF DIGESTIVE SYSTEM.																					
Stomatitis -	2	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dentition -	14	3	-	-	-	3	2	-	-	-	2	1	-	-	-	1	2	-	-	-	2
Sore-throat, Quinsy -	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia -	5	2	-	1	-	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Hæmatemesis -	3	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Melæna -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach -	18	4	-	6	-	10	-	-	1	1	2	1	-	1	1	3	-	-	2	-	2
Enteritis -	26	5	1	2	1	9	4	-	-	-	4	2	1	-	2	5	3	-	-	-	3
Ulceration of Intestine -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	7	-	-	3	-	3	1	-	1	-	2	-	-	-	1	1	1	-	-	-	1
Stricture or Strang. of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Hernia -	7	-	1	1	1	3	-	-	1	-	1	-	-	-	-	-	1	-	-	-	1
Fistula -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis -	20	1	2	3	1	7	-	1	2	1	4	-	1	-	-	1	1	1	1	-	3
Ascites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver -	5	-	-	1	-	1	-	-	2	-	2	-	-	-	-	-	-	-	1	-	1
Other Diseases of Liver -	24	4	-	3	1	8	1	-	5	2	8	-	1	2	3	2	-	-	-	-	2
Other Dis. of Digestive System	13	6	-	1	1	8	-	-	1	1	1	1	-	-	1	-	-	-	1	-	1
DIS. OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																					
Diseases of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Spleen -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchocele -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Addison's Disease -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis -	12	-	2	3	1	6	-	-	-	-	-	-	-	-	-	-	3	-	-	-	3
Bright's Disease -	18	1	-	3	2	6	-	-	6	1	7	-	-	2	-	2	-	-	-	-	-
Uræmia -	5	1	-	-	-	1	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-
Suppression of Urine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmaturia -	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	10	-	1	1	1	3	-	-	-	1	1	-	1	1	2	-	-	-	2	-	2
Other Dis. of Urinary System	20	-	-	11	1	12	-	-	4	-	4	-	1	1	1	3	-	-	-	1	1

DEATHS FROM ALL CAUSES at Four Periods of Life.

171

Registered during the Month of NOVEMBER 1890.

CAUSES OF DEATH.	GREENOCK.					LEITH.					PAISLEY.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																				
Endocarditis, Valvular Disease	-	3	3	1	7	-	-	3	4	7	-	2	7	3	12	-	1	1	3	5
Pericarditis	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Syncope	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Aneurism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Senile Gangrene	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis	-	1	-	-	1	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1
Croup	-	1	1	-	2	1	-	-	-	1	4	-	-	-	4	-	-	-	-	-
Other Diseases of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Bronchitis	14	1	3	5	23	13	-	2	4	19	6	2	1	4	13	3	-	1	1	5
Pneumonia	10	3	4	-	17	5	2	1	-	8	2	2	-	1	5	2	1	1	-	4
Pleurisy	-	-	-	-	-	-	-	1	-	1	1	1	-	-	2	-	-	-	-	-
Other Diseases of Respiratory System	2	-	-	-	2	1	-	-	-	1	1	-	-	-	1	-	-	1	-	1
DISEASES OF DIGESTIVE SYSTEM.																				
Stomatitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dentition	1	-	-	-	1	-	-	-	-	-	5	-	-	-	5	-	-	-	-	-
Sore-throat, Quinsy	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Dyspepsia	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Hæmatemesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melæna	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Enteritis	4	-	-	-	4	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Ulceration of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Ileus, Obstruction of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stricture or Strangulation of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis	1	-	1	-	2	-	-	1	-	1	-	1	1	-	2	-	-	-	-	-
Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Other Diseases of Liver	-	-	1	-	1	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1
Other Diseases of Digestive System	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																				
Diseases of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Spleen	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchocele	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Addison's Disease	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis	-	-	-	-	-	-	1	1	-	2	1	-	-	-	1	-	-	-	-	-
Bright's Disease	-	-	-	-	-	-	2	1	-	3	-	-	-	-	-	-	-	-	-	-
Uræmia	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Suppression of Urine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmaturia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Bladder and of Prostate	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Urinary System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

172 **DEATHS FROM ALL CAUSES at Four Periods of Life.**
Registered during the Month of NOVEMBER 1890.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF ORGANS OF GENERATION.																					
Ovarian Disease - - -	5	-	-	3	-	3	-	-	1	-	1	-	-	-	-	-	-	-	-	1	1
Diseases of Uterus and Vagina - -	4	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation - -	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - -	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Testes, Penis, Scrotum, &c.	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																					
Abortion, Miscarriage - - -	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding - -	2	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth - -	7	-	-	2	-	2	-	-	1	-	1	-	-	3	-	3	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																					
Caries, Necrosis - - -	6	1	5	-	-	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Arthritis, Ostitis, Periostitis - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Other Dis. of Organs of Locom.	7	-	1	1	1	3	-	1	1	-	2	-	1	-	-	1	-	-	1	-	1
DISEASES OF INTEGUMENTARY SYSTEM.																					
Carbuncle - - -	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1
Phlegmon, Cellulitis - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - -	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Eczema - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integ. System - -	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	1
ACCIDENT OR NEGLIGENCE.																					
Fractures, Contusions - - -	37	1	-	13	3	17	1	1	4	3	9	-	-	-	2	2	1	2	-	-	3
Gunshot Wounds - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cut, Stab - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burn, Scald - - -	11	1	3	-	1	5	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Poison - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Drowning - - -	13	-	-	8	-	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Suffocation - - -	8	-	-	1	-	1	2	-	-	-	2	3	-	-	-	3	1	-	-	-	1
Otherwise - - -	4	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HOMICIDE.																					
Murder, Manslaughter - - -	2	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUICIDE.																					
Gunshot Wounds - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cut, Stab - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poison - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hanging - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Otherwise - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EXECUTION.																					
Hanging - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																					
Dropsy - - -	4	-	1	1	-	2	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition - -	67	32	-	2	-	34	9	-	-	-	9	13	-	1	-	14	1	-	-	-	1
Mortification - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - -	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Hæmorrhage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained) - -	3	2	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Ill-defined and not specified Causes - - -	14	5	1	3	1	10	1	-	1	-	2	-	-	-	-	-	1	-	-	-	1

DEATHS FROM ALL CAUSES at Four Periods of Life.

173

Registered during the Month of NOVEMBER 1890.

[illegible]

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—NOVEMBER 1890.

DISTRICTS.		Estimated Population at Middle of 1890.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Fever-Typhus & Typhoid.	Diphtheria.	Croup and Laryngitis.	Whooping-Cough.	Cholera.	Diarrhoea and Dysentery.	Bronchitis, Pneumonia and Pleurisy.	Consumption.
Arbroath,	23,831	49	8	44	0	0	0	0	0	1	4	0	2	12	0	
Ayr,	25,599	64	23	49	0	0	0	0	1	0	0	0	1	9	6	
Banff, with Macduff,	9,298	11	8	6	0	0	0	0	0	0	0	0	1	9	1	
Blairgowrie,	5,034	5	1	3	0	0	0	0	1	0	0	0	0	0	0	
Campbeltown,	10,985	13	3	17	0	2	0	0	0	0	0	0	1	2	2	
Crieff,	5,099	5	4	14	0	0	0	0	0	0	0	0	0	2	3	
Dumbarton,	16,405	49	8	45	0	10	0	2	0	1	1	0	3	9	6	
Dumfries, with Troqueer, . . .	24,525	51	10	52	0	0	1	0	0	0	7	0	1	12	4	
Dunfermline,	29,569	67	13	38	0	2	0	0	2	1	1	0	1	10	5	
Elgin,	10,023	20	6	17	0	2	0	0	0	0	1	0	0	2	2	
Falkirk (Burgh),	17,735	44	8	53	0	7	1	1	1	2	1	0	1	13	0	
Forfar,	16,464	35	7	13	0	0	0	0	0	1	0	0	0	2	1	
Galashiels,	15,008	15	7	21	0	4	0	1	1	0	0	0	1	1	3	
Haddington,	5,591	5	1	13	0	0	0	0	0	0	0	0	0	0	1	
Hawick, with Wilton,	23,698	43	7	30	0	0	0	0	1	2	0	0	2	4	3	
Inverness,	25,141	39	20	30	0	0	2	0	1	1	0	0	0	7	1	
Kilmarnock,	27,640	56	16	69	0	20	0	1	1	2	0	0	1	21	3	
Kirkcaldy and Abbotshall, . .	18,353	32	11	22	0	0	0	0	0	0	1	0	0	8	6	
Kirkcudbright,	3,607	6	1	4	0	0	0	0	0	0	0	0	0	0	1	
Montrose,	16,799	23	3	27	0	0	0	0	0	0	2	0	0	4	1	
New Monkland, with Landward, .	33,498	99	23	44	0	9	0	1	0	0	1	0	2	7	4	
Peterhead, with Boddam, . . .	17,384	37	7	23	0	0	0	1	0	2	1	0	0	11	0	
Rothsay,	8,850	11	11	7	0	0	0	0	0	0	0	0	0	2	1	
Shettleston,	11,179	36	10	20	0	1	0	0	1	0	1	0	0	6	0	
Stirling,	15,729	37	16	21	0	0	0	0	0	0	0	0	0	2	3	
Stranraer,	6,849	13	0	5	0	0	0	0	0	0	0	0	1	1	0	
Wick,	12,403	18	3	10	0	0	0	0	0	0	0	0	2	2	1	
Cathcart,	12,211	22	9	21	0	0	1	0	0	0	0	0	1	2	1	
Eastwood,	13,915	35	8	15	0	0	1	0	0	0	0	0	1	4	1	
Maryhill,	18,385	72	16	34	0	0	1	0	1	1	1	0	1	8	4	
Dennistoun (Landward)	6,009	26	3	33	0	3	0	1	0	0	0	0	0	6	2	
St Rollox (Landward),	945	3	0	3	0	0	0	0	0	0	0	0	0	2	0	
Hutchesontown (Landwd.)	5,951	19	1	6	0	0	0	0	1	0	0	0	1	1	0	
Gorbals (Landward),	5,011	22	4	5	0	0	0	0	0	0	0	0	0	3	0	
Tradeston (Landward),	5,451	12	4	7	0	0	0	0	1	0	1	0	0	1	0	
Kinning Park (Landward) . . .	15,752	40	17	22	0	2	0	0	0	0	1	0	0	5	1	
Plantation,	18,405	73	15	33	0	0	0	0	0	0	1	0	5	4	3	
Govan,	33,510	95	19	86	0	0	2	6	2	3	2	0	0	26	8	
Partick,	39,028	97	34	60	0	1	0	0	0	0	0	0	3	11	5	

Glasgow—Landward and Suburban.
Census Population.

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors only, give for their mean position, *i.e.*, Lat. $56^{\circ}12$ N., and Long. $3^{\circ}30$ W., and height 139 feet above the sea-level,

For the month of NOVEMBER 1890.

Mean Barometric pressure, 29·747 inches; less than the average of the same month for 1856–89 by 0·086 inch.

Barometric monthly range, 1·523 inch; less by 0·013 inch.

Mean temperature, $41^{\circ}5$; greater by $0^{\circ}3$.

Mean daily range of temperature, $11^{\circ}2$; greater by $1^{\circ}4$.

Mean humidity, 87; greater by 1.

Rain, number of days, 23; greater by 7.

Rain, depth in inches, 6·30; greater by 2·89 inches.

Wind, pressure on square foot, 1·05 lb.; less by 0·68 lb.

Wind, direction of, E. to W. as 8 to 11, and N. to S. as 3 to 5; the average being E. to W. as 6 to 11, and N. to S. as 5 to 5.

November has therefore been above all a wet month with a rather large range of temperature, and a slight preponderance of light south-east winds.

The barometric pressure, although but 0·086 inch below the average, was marked by several sudden depressions, notably on the 4th, 7th to 11th, and again on the 23rd.

The mean temperature ranged from $39^{\circ}4$ at Perth to $42^{\circ}6$ at Paisley and Leith, the lowest registered temperature of $12^{\circ}0$ occurring on the night of the 27th at Perth (where the thermometer fell to $18^{\circ}5$ on the preceding night), and the highest, $58^{\circ}6$, at Leith on the 19th. A minimum of $19^{\circ}3$ occurred at Edinburgh on the night of the 27th, the preceding and following nights being nearly as cold. The corresponding temperatures at the western stations were much milder, the minimum at Greenock being as high as $26^{\circ}8$ on the night of November the 27th.

The rainfall may truly be called excessive, particularly at Greenock where more than an inch of rain fell on each of five days, the wettest of these being the 14th, on which 1·59 inch was registered, the month's rain being 11·59 inches. Even at Leith, the driest station, there were 25 'rainy' days on which the precipitation was more than 0·01 inch, the maximum being 0·84 inch on the 9th, and the total 4·71 inches. The mean humidity, although sufficiently great, is but one per cent. more than the average for the month.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, GREENOCK, LEITH, and PERTH,
During the Month of NOVEMBER 1890.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.								HYGRO- METER.		DEDUCTIONS from Glaisher's Tables 2nd Edit.						RAIN.		WINDS.										Mean Pres- sure on Sq. ft.
		Mean at Sea-level and 32°.	Range.	inch.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Vapour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.														
																			N	NE	E	SE	S	SW	W	NW	Calm or Variable.	N	NE	E	SE	S	
GLASGOW, J. B. FUSSELL, Esq., M.D., Medl. Officer of Health.	54	29.696	29.755	1.618	57.5	20.6	42.0	36.9	12.3	23.4	42.4	40.8	38.9	.237	2.72	88	22	5.30	0	0	6	3	1	2	5	3	10	0.10					
EDINBURGH, JAMES BUCHANAN, Esq., and R. C. MOSSMAN, Esq.	282	29.426	29.736	1.502	57.3	25.1	41.6	32.2	11.1	19.3	41.4	39.7	37.6	.226	2.50	87	23	4.84	2	0	2	1	0	3	12	2	8	0.77					
DUNDEE, W. R. M'KELVIE, Esq., Cura- tor of Cemeteries.	164	29.566	29.746	1.470	54.6	23.8	40.0	30.8	10.6	17.9	39.9	38.6	36.9	.220	2.60	90	24	4.60	1	3	2	6	1	3	10	4	0	0.85					
ABERDEEN, JAMES DALE, Esq., Gordon's Hospital.	66	29.648	29.722	1.554	57.2	22.6	41.4	34.6	10.1	16.5	42.2	40.2	37.7	.227	2.62	85	25	5.57	2	0	2	2	4	7	5	8	0	1.08					
PAISLEY, DONALD MACLEAN, Esq., The Coats Observatory.	107	29.635	29.752	1.615	55.9	25.2	42.6	30.7	10.3	18.0	42.3	40.8	39.0	.238	2.73	88	22	8.14	0	2	6	0	2	7	5	3	5	1.17					
GREENOCK, JAMES WILSON, Esq., Green- ock Water Works.	233	29.531	29.787	1.386	56.7	26.8	42.2	29.9	10.7	16.9	43.2	41.2	38.8	.236	2.72	84	23	11.59	1	0	11	2	0	2	7	5	2	1.00					
LEITH, JAMES BOLAM, Esq., Navi- gation School, and GEORGE REDFATH, Esq.	70	29.674	29.751	1.537	58.6	27.0	42.6	31.6	10.5	18.3	42.3	40.7	38.8	.236	2.71	88	25	4.71	0	0	3	2	3	2	17	1	2	2.40					
PERTH, Mr A. GAEBECKE, Gardener to James F. Pullar, Esq.	140	29.576	29.780	1.500	56.5	12.0	39.4	44.5	14.4	24.0	39.8	38.4	36.6	.217	2.54	89	24	5.62	2	4	15	3	1	5	0	0	0	...					
Means	139	...	29.747	1.523	56.6	42.9	41.5	33.9	11.2	19.4	41.7	40.0	38.0	.230	2.64	87	23	6.30	1	1	6	2	2	4	8	3	3	1.05					
North Latitude.—Glasgow, 56° 53'; Edinburgh, 56° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Paisley, 56° 50'; Greenock, 56° 57'; Leith, 56° 58'; Perth, 56° 23'; Mean, 56° 12'. West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Paisley, 4° 27'; Greenock, 4° 46'; Leith, 3° 8'; Perth, 3° 30'.																																	

North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Paisley, 55° 50'; Greenock, 55° 57'; Leith, 55° 58'; Perth, 56° 23'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Paisley, 4° 27'; Greenock, 4° 46'; Leith, 3° 8'; Perth, 3° 26'; Mean, 3° 30'.

* Absolute Highest.

† Absolute Lowest.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

DECEMBER 1890.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 21 Drury Street, Glasgow.

REPORT.

DURING the month of December 1890, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Greenock, Leith, Paisley, and Perth, the Births of 3750 children, of whom 1947 were males and 1803 females. Of these, 3469 were legitimate and 281 illegitimate, being in the proportion of one illegitimate in every 13·3 Births; or the illegitimate Births constituted 7·5 per cent. of the whole. In Greenock, 4·0 per cent. of the Births were illegitimate; in Leith and in Perth, 5·4; in Paisley, 5·7; in Glasgow and in Edinburgh, 7·3; in Dundee, 9·2; and in Aberdeen, 11·2 per cent.

1178 Marriages were registered in these Towns during December. Allowing for increase of the population, this number is 108 above the average for the month during the last ten years.

The Deaths of 2720 persons were registered in these Towns during the month, of whom 1278 were males and 1442 females. This is 36 below the average number for December during the previous ten years, allowing for increase of the population.

A comparison of the Deaths registered shows that during December the mortality was at the annual rate of 16·5 Deaths per thousand persons in Leith, 20·5 in Aberdeen, 20·8 in Dundee, 21·5 in Greenock, 21·9 in Edinburgh, 27·1 in Glasgow, 27·6 in Perth, and 28·6 in Paisley.

Of the 1219 Deaths registered in Glasgow, 234 were of children under one year of age, and 261 of persons over 60 years; of the 505 registered in Edinburgh, 85 were of children under one year, and 151 of persons over 60 years; of the 293 in Dundee, 77 were under one, and 81 over 60; of the 215 in Aberdeen, 55 were under one, and 58 over 60; of the 145 in Greenock, 33 were under one, and 28 over 60; of the 110 in Leith, 23 were under one, and 23 over 60; of the 154 in Paisley, 21 were under one, and 55 over 60; and of the 79 in Perth, 13 were under one, and 28 over 60 years.

Of the whole 2720 Deaths, 948, or 34·9 per cent., were of children under five years of age. In Edinburgh 26·1 per cent. of the persons who died were under five years of age; in Paisley, 29·2; in Perth, 30·4; in Dundee, 35·5; in Leith, 36·4; in Glasgow, 37·5; and in Greenock, 44·1 per cent.

Miasmatic Diseases caused 229 Deaths, or 8·4 per cent. of the whole mortality. In consequence of the prevalence of Measles in Greenock, this rate was more than doubled in that Town.

Fever caused 32 Deaths, all of them being returned as Enteric.

Hooping-Cough caused 75 Deaths, or 2·8 per cent. of the mortality.

Measles caused 58 Deaths, of which 22 occurred in Greenock, being at the rate of 15·2 per cent. of the Deaths there. In Perth four Deaths resulted from Measles, constituting 5·1 per cent. of the Deaths in that town.

Diphtheria caused 36 Deaths, Scarlatina 26, and Puerperal Fever 11.

86 Deaths were attributed to Apoplexy, 72 to Paralysis, 229 to Diseases of the Heart, and 59 to Premature Birth Debility.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 747, or 27·5 per cent. of the whole. Those from Consumption alone numbered 254, or 9·3 per cent. 19 Deaths were ascribed to Croup.

75 Deaths resulted from Violent Causes, and eight from Chronic Alcoholism.

One male and four females were aged 90 years and upwards, the eldest being the widow of a spirit merchant, and was aged 101 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES.

DECEMBER 1890.

TOWNS.	POPULATION.*			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1871.	Census 1881.	Estimated to middle of 1890.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW, . . .	491,846	511,415	530,208	860	795	1655	1535	120	505	575	644	1219
EDINBURGH, . .	200,277	234,402	271,195	334	295	629	583	46	247	217	288	505
DUNDEE, . . .	120,724	142,455	166,027	211	215	426	387	39	114	133	160	293
ABERDEEN, . .	88,181	105,076	123,600	202	173	375	333	42	127	100	115	215
GREENOCK, . .	59,794	69,238	79,312	88	89	177	170	7	49	75	70	145
LEITH, . . .	46,172	60,843	78,538	115	106	221	209	12	56	55	55	110
PAISLEY, . . .	48,257	55,633	63,469	97	96	193	182	11	45	51	73	154
PERTH, . . .	26,382	29,756	33,274	40	34	74	70	4	35	42	37	79
TOTAL, . . .	1,081,633	1,208,823	1,345,563	1947	1803	3750	3469	281	1178	1278	1442	2720

DECEMBER 1889, . . .	Mean Temp. 39°·5	1769	1825	3594	3300	294	1201	1396	1437	2333
DECEMBER 1888, . . .	Mean Temp. 41°·3	1746	1659	3405	3113	292	1179	1091	1149	2240
DECEMBER 1887, . . .	Mean Temp. 36°·6	1825	1654	3479	3201	278	980	1267	1290	2557
DECEMBER 1886, . . .	Mean Temp. 33°·6	1811	1746	3557	3264	293	891	1308	1337	2645
DECEMBER 1885, . . .	Mean Temp. 39°·2	1892	1878	3770	3442	328	905	1219	1338	2557
DECEMBER 1884, . . .	Mean Temp. 37°·5	1984	1804	3788	3476	312	1000	1609	1639	3248
DECEMBER 1883, . . .	Mean Temp. 40°·6	1835	1702	3537	3234	303	1153	1135	1138	2273
DECEMBER 1882, . . .	Mean Temp. 34°·6	1795	1649	3444	3148	296	983	1469	1532	3001
DECEMBER 1881, . . .	Mean Temp. 39°·1	1823	1685	3508	3221	287	985	1180	1135	2315
DECEMBER 1880, . . .	Mean Temp. 37°·9	1761	1658	3419	3157	262	837	1206	1183	2389

DEATHS from Small-pox, Measles, Scarlatina, Diphtheria, Hooping-Cough, Fevers, and Diarrhea, registered in each District of the several Towns during the Month of December 1890.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Hooping- Cough.	Fevers.	Diarrhea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Hooping- Cough.	Fevers.	Diarrhea.
GLASGOW—								DUNDEE—							
1. Bridgeton, . .	0	5	11	5	4	5	0	1. St Peter, . .	0	0	0	0	0	1	1
2. Camlachie, . .	0	3	0	4	4	0	1	2. St Mary, . .	0	0	0	0	2	0	0
3. Dennistoun, . .	0	2	0	1	1	1	1	3. St Clement, . .	0	0	1	0	0	1	1
4. Calton, . . .	0	6	1	0	11	0	2	4. St Andrew, . .	0	0	1	1	2	0	2
5. Blackfriars, . .	0	0	0	0	3	0	0	5. Lochee, . . .	0	0	0	0	0	0	1
6. St Rollox, . . .	0	9	0	1	3	0	2	ABERDEEN—							
7. Blythswood, . .	0	0	0	1	0	0	0	1. St Nicholas, . .	0	3	1	3	1	1	2
8. Milton, . . .	0	0	0	1	6	0	1	2. Aberdeen, . .	0	0	1	1	0	1	1
9. Kelvin, . . .	0	0	1	2	2	0	1	3. Woodside, . .	0	0	0	0	0	0	0
10. Anderston, . .	0	0	1	0	2	0	3	4. Old Aberdeen, .	0	0	0	0	0	0	0
11. Hutchesontown, .	0	1	1	1	5	1	0	GREENOCK—							
12. Gorbals, . . .	0	1	0	0	3	1	2	1. East, . . .	0	12	0	0	0	0	0
13. Tradeston, . .	0	0	1	0	1	0	1	2. Middle, . . .	0	5	0	0	0	0	0
14. Kinning Park, .	0	0	0	0	0	0	0	3. West, . . .	0	5	0	0	0	4	0
EDINBURGH—								LEITH—							
1. St George, . .	0	0	2	0	0	5	0	1. North, . . .	0	0	0	2	1	0	0
2. St Andrew, . .	0	0	0	0	4	0	0	2. South, . . .	0	0	0	3	2	0	1
3. Canongate, . .	0	2	1	2	5	4	1	PAISLEY, . . .	0	0	3	5	2	2	1
4. St Giles, . . .	0	0	0	1	0	3	2	PERTH, . . .	0	4	0	0	2	0	1
5. Newington, . .	0	0	0	2	3	1	1								

* NOTE.—The Population here given is that of the various Registration Districts, which in some cases differ slightly from that of the Parliamentary Burghs in consequence of some of the Districts including small fragments of the extra burghal population.

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of DECEMBER 1890.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - -	2720	457	108	395	261	1219	132	40	182	151	505	104	23	85	81	293	32	13	62	58	215
I. SPECIFIC FEBRILE OR ZYMOTIC DIS.	297	106	22	15	1	144	30	6	15	2	53	11	2	1	2	16	10	4	7	-	21
II. PARASITIC DISEASE	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
III. DIETETIC „	12	2	-	4	-	6	-	-	3	-	3	1	-	-	-	1	1	-	-	-	1
IV. CONSTITUTIONAL „	446	34	29	109	11	183	10	17	50	14	91	6	9	31	8	54	8	3	25	1	37
V. DEVELOPMENTAL „	185	25	-	-	43	68	11	-	-	19	30	12	-	-	14	26	10	-	-	13	23
VI. LOCAL „	1610	245	52	236	192	725	69	14	109	113	305	62	11	50	54	177	47	5	26	43	121
VII. VIOLENCE - -	75	9	4	16	9	38	5	2	5	1	13	6	1	3	2	12	1	-	3	1	5
VIII. ILL-DEFINED & NOT SPECIFIED CAUSES	94	36	1	13	5	55	6	1	-	2	9	6	-	-	1	7	5	1	1	-	7
I.																					
1. MIASMATIC DISEASES -	229	90	22	6	-	118	20	5	11	1	37	7	2	-	-	9	6	3	3	-	12
2. DIARRHEAL „ -	29	12	-	1	1	14	3	-	-	1	4	4	-	-	1	5	3	-	-	-	3
3. MALARIAL „ -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
4. ZOOGENOUS „ -	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
5. VENEREAL „ -	11	3	-	-	-	3	5	-	1	-	6	-	-	-	-	-	-	-	-	-	-
6. SEPTIC „ -	26	1	-	8	-	9	1	1	3	-	5	-	-	1	1	2	1	-	4	-	5
II.																					
PARASITIC DISEASES -	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
III.																					
DIETETIC DISEASES - -	12	2	-	4	-	6	-	-	3	-	3	1	-	-	-	1	1	-	-	-	1
IV.																					
CONSTITUTIONAL DISEASES	446	34	29	109	11	183	10	17	50	14	91	6	9	31	8	54	8	3	25	1	37
V.																					
DEVELOPMENTAL DISEASES	185	25	-	-	43	68	11	-	-	19	30	12	-	-	14	26	10	-	-	13	23
VI.																					
1. DIS. OF NERVOUS SYSTEM -	339	45	12	45	47	149	14	2	24	22	62	9	2	10	19	40	12	1	3	11	27
2. „ ORGANS OF SPECIAL SENSE - -	3	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
3. „ CIRCULATORY SYSTEM	229	4	3	44	32	83	1	4	23	32	60	1	1	14	9	25	1	1	3	8	13
4. „ RESPIRATORY SYSTEM	747	161	17	98	78	354	50	6	29	38	123	38	6	19	18	81	26	-	13	21	60
5. „ DIGESTIVE SYSTEM -	169	30	4	23	18	75	4	1	15	11	31	14	-	4	4	22	6	-	3	3	12
6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS -	8	-	1	2	1	4	-	-	2	1	3	-	-	1	-	1	-	-	-	-	-
7. „ URINARY SYSTEM -	73	3	7	14	15	39	-	-	11	5	16	-	1	-	3	4	-	3	3	-	6
8. „ REPRODUCTIVE SYSTEM:—																					
(a) DISEASES OF ORGANS OF GENERATION -	7	-	1	2	-	3	-	-	3	-	3	-	-	-	-	-	-	-	1	-	1
(b) DISEASES OF PARTURITION -	9	-	-	6	-	6	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-
9. „ ORGANS OF LOCOMOTION - -	17	-	7	1	1	9	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-
10. „ INTEGUMENTARY SYSTEM - -	9	1	-	-	-	1	-	-	-	4	4	-	-	1	1	2	1	-	-	-	1

DEATHS FROM ALL CAUSES at Four Periods of Life.
Registered during the Month of DECEMBER 1890.

181

CAUSES OF DEATH.	GREENOCK.					LEITH.					PAISLEY.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - - -	64	17	36	28	145	40	11	36	23	110	45	11	43	55	154	24	3	24	28	79
I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES -	22	2	4	1	29	9	-	2	-	11	7	5	3	1	16	6	-	-	1	7
II. PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC " -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
IV. CONSTITUTIONAL,, -	1	8	13	4	26	4	6	9	3	22	1	2	14	2	19	2	2	10	-	14
V. DEVELOPMENTAL,, -	6	-	-	4	10	5	-	-	3	8	2	-	-	11	13	2	-	-	5	7
VI. LOCAL " -	32	7	18	19	76	18	4	20	17	59	28	4	25	40	97	14	1	13	22	50
VII. VIOLENCE - - -	-	-	1	-	1	1	1	4	-	6	-	-	-	-	-	-	-	-	-	-
VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES -	3	-	-	-	3	3	-	-	-	3	7	-	1	1	9	-	-	1	-	1
I.																				
1. MIASMATIC DISEASES -	21	2	3	-	26	8	-	1	-	9	6	5	1	-	12	6	-	-	-	6
2. DIARRHOEAL " -	-	-	-	-	-	1	-	-	-	1	-	-	-	1	1	-	-	-	1	1
3. MALARIAL " -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. ZOOGENOUS " -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. VENEREAL " -	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
6. SEPTIC " -	-	-	1	1	2	-	-	1	-	1	-	-	2	-	2	-	-	-	-	-
II.																				
PARASITIC DISEASES - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																				
DIETETIC DISEASES - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
IV.																				
CONSTITUTIONAL DISEASES- -	1	8	13	4	26	4	6	9	3	22	1	2	14	2	19	2	2	10	-	14
V.																				
DEVELOPMENTAL DISEASES- -	6	-	-	4	10	5	-	-	3	8	2	-	-	11	13	2	-	-	5	7
VI.																				
1. DISEASES OF NERVOUS SYSTEM -	4	2	3	4	13	5	-	2	4	11	8	-	3	13	24	2	-	4	7	13
2. " ORGANS OF SPECIAL SENSE -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. " CIRCULATORY SYSTEM -	1	-	-	6	7	-	1	6	8	15	-	1	5	9	15	-	-	3	8	11
4. " RESPIRATORY SYSTEM -	24	3	12	8	47	11	2	8	4	25	16	1	10	12	39	10	-	2	6	18
5. " DIGESTIVE SYSTEM -	3	1	2	1	7	2	-	4	1	7	3	-	5	1	9	2	1	2	1	6
6. " LYMPHATIC SYSTEM AND DUCTLESS GLANDS -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7. " URINARY SYSTEM -	-	-	1	-	1	-	-	-	-	-	-	-	1	5	6	-	-	1	-	1
8. " REPRODUCTIVE SYSTEM :-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) DISEASES OF ORGANS OF GENERATION -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) DISEASES OF PARTURITION -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9. " ORGANS OF LOCOMOTION -	-	1	-	-	1	-	1	-	-	1	1	2	-	-	3	-	-	1	-	1
10. " INTEGUMENTARY SYSTEM -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

183

Registered during the Month of DECEMBER 1890.

CAUSES OF DEATH.	GREENOCK.					LEITH.					PAISLEY.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total	0-5	5-20	20-60	60, etc.	Total	0-5	5-20	20-60	60, etc.	Total	0-5	5-20	20-60	60, etc.	Total
VII.																				
1. ACCIDENT OR NEGLIGENCE	-	-	1	-	1	1	1	4	-	6	-	-	-	-	-	-	-	-	-	-
2. HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. SUICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. EXECUTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII.																				
ILL-DEFINED AND NOT SPECIFIED CAUSES	3	-	-	-	3	3	-	-	-	3	7	-	1	1	9	-	-	1	-	1
MIASMATIC DISEASES.																				
Small-pox { Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	21	1	-	-	22	-	-	-	-	-	-	-	-	-	-	4	-	-	-	4
Epidemic Rose Rash	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	-	-	-	-	-	-	-	-	-	-	8	-	-	-	3	-	-	-	-	-
Typhus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hooping-cough	-	-	-	-	-	3	-	-	-	3	2	-	-	-	2	2	-	-	-	2
Mumps	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	5	-	-	-	5	1	3	1	-	5	-	-	-	-	-
Cerebro-spinal Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	-	-	1	3	4	-	-	1	-	1	-	2	-	-	2	-	-	-	-	-
Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHOEAL DISEASES.																				
Simple Cholera	-	-	-	-	-	1	-	-	-	1	-	-	-	1	1	-	-	-	1	1
Diarrhoea, Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MALARIAL DISEASES.																				
Remittent Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																				
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																				
Syphilis	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Gonorrhoea, Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEPTIC DISEASES.																				
Phagedæna	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Pyæmia, Septicæmia	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Fever	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

185

Registered during the Month of DECEMBER 1890.

CAUSES OF DEATH.	GREENOCK.					LEITH.					PAISLEY.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Thrush - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Vegetable Parasites - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Parasites - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism - - - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
{ Delirium Tremens - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Rheumatism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer - - - - -	-	-	1	1	2	-	4	2	6	3	1	-	1	2	3	-	-	-	-	-
Tabs Mesenterica - - - - -	-	1	-	-	1	3	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Tubercular Meningitis (Acute Hydrocephalus) - - - - -	1	1	-	-	2	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-
Phthisis - - - - -	-	4	11	3	18	-	3	5	1	9	-	1	11	-	12	1	2	10	-	13
Other forms of Tuberculosis, Scrofula - - - - -	-	2	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Purpura, Hemorrhagic Diathesis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chlorosis, Leucocythæmia - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Diabetes Mellitus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Constitutional Diseases - - - - -	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																				
Premature Birth - - - - -	2	-	-	-	2	5	-	-	5	1	-	-	-	1	2	-	-	-	-	2
Atelectasis - - - - -	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cyanosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida - - - - -	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Imperforate Anus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects - - - - -	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Old Age - - - - -	-	-	4	-	4	-	-	3	3	-	-	-	11	11	-	-	-	5	-	5
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Membranes - - - - -	2	1	-	-	3	1	-	1	-	2	6	-	-	6	-	-	-	1	1	-
Apoplexy - - - - -	-	-	2	1	3	-	-	1	2	3	-	-	-	3	3	-	-	1	3	4
Softening of Brain - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemiplegia, Brain Paralysis - - - - -	-	-	-	3	3	-	-	-	1	1	-	-	9	9	-	-	1	2	3	-
Paralysis Agitans - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Insanity, General Paralysis of Insane - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	-	-	-	-	-	1	-	-	-	1	-	-	-	1	1	-	-	-	-	-
Convulsions - - - - -	1	-	-	-	1	3	-	-	3	2	-	-	-	2	1	-	-	-	-	1
Laryngismus Stridulus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Idiopathic Tetanus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Diseases of Spinal Cord - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-
Other Diseases of Nervous System - - - - -	1	1	1	-	3	-	-	-	1	1	-	-	-	-	1	-	-	-	-	1
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Otorrhœa - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis and Dis. of Nose - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

187

Registered during the Month of DECEMBER 1890.

CAUSES OF DEATH.	GREENOCK.					LEITH.					PAISLEY.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																				
Endocarditis, Valvular Disease	-	1	-	5	6	-	1	5	6	12	-	1	5	8	14	-	-	2	5	7
Pericarditis	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	1	1
Hypertrophy of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Angina Pectoris	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Syncope	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	2
Aneurism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Senile Gangrene	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1
Phlebitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Circulatory System	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup	-	3	-	-	3	1	-	-	-	1	2	-	-	-	2	-	-	-	-	-
Other Diseases of Larynx & Trachea	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Bronchitis	-	-	1	3	7	5	-	1	3	9	12	-	7	11	30	6	-	2	5	13
Pneumonia	-	7	1	5	13	5	1	7	-	13	2	-	3	1	6	4	-	-	1	5
Pleurisy	-	-	-	1	1	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-
Other Diseases of Respiratory System	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF DIGESTIVE SYSTEM.																				
Stomatitis	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dentition	-	-	-	-	-	-	-	-	-	-	3	-	-	-	3	1	-	-	-	1
Sore-throat, Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmatemesis	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Melæna	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach	-	-	1	-	1	-	-	1	-	1	-	-	-	-	1	-	-	-	-	1
Enteritis	-	2	-	-	2	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-
Ulceration of Intestine	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1
Stricture or Strangulation of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Intussusception of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis	-	1	-	-	1	-	-	-	-	-	-	-	1	1	2	-	1	-	-	1
Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Other Diseases of Liver	-	-	-	1	1	-	-	1	-	1	-	-	1	-	1	-	-	-	1	1
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-
DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																				
Diseases of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Spleen	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchocele	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Addison's Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bright's Disease	-	-	1	-	1	-	-	-	-	-	-	-	1	2	3	-	-	-	-	-
Uræmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suppression of Urine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmaturia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Bladder and of Prostate	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
Other Diseases of Urinary System	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of DECEMBER 1890.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF ORGANS OF GENERATION.																					
Ovarian Disease - - -	3	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-
Diseases of Uterus and Vagina - -	3	-	-	1	-	1	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation - - -	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Testes, Penis, Scrotum, &c.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																					
Abortion, Miscarriage - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding - - -	2	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth - -	6	-	-	5	-	5	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																					
Caries, Necrosis - - -	12	-	5	1	-	6	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Arthritis, Ostitis, Periostitis - -	2	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locom.	3	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF INTEGUMENTARY SYSTEM.																					
Carbuncle - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Phlegmon, Cellulitis - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - -	2	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - -	2	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Eczema - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Pemphigus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integ. System - - -	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	1
ACCIDENT OR NEGLIGENCE.																					
Fractures, Contusions - - -	32	1	1	12	7	21	-	-	3	1	4	-	-	-	1	1	-	-	2	1	3
Gunshot Wounds - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cut, Stab - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burn, Scald - - -	15	7	1	1	-	9	1	2	-	-	3	-	1	-	1	2	1	-	-	-	1
Poison - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning - - -	9	-	2	1	1	4	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1
Suffocation - - -	13	1	-	-	-	1	4	-	-	-	4	6	-	1	-	7	-	-	-	-	-
Otherwise - - -	5	-	-	2	1	3	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
HOMICIDE.																					
Murder, Manslaughter - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
SUICIDE.																					
Gunshot Wounds - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cut, Stab - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poison - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hanging - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Otherwise - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EXECUTION.																					
Hanging - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																					
Dropsy - - -	10	-	1	3	3	7	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1
Debility, Atrophy, Inanition - - -	65	33	-	3	-	36	6	-	-	-	6	6	-	-	-	6	4	-	-	-	4
Mortification - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - -	2	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-
Abscess - - -	3	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1
Hæmorrhage - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained) - -	6	2	-	3	1	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Ill-defined and not specified Causes - - -	7	1	-	3	-	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1

DEATHS FROM ALL CAUSES at Four Periods of Life.

189

Registered during the Month of DECEMBER 1890.

[illegible]

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in selected Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—DECEMBER 1890.

DISTRICTS.	Estimated Population at Middle of 1890.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Fever—Typhus & Typhoid.	Diphtheria.	Croup and Laryngitis.	Whooping-Cough.	Cholera.	Diarrhoea and Dysentery.	Bronchitis, Pneu- monia and Pleurisy.	Consumption.
Arbroath,	23,831	46	15	54	0	0	0	3	0	0	7	0	1	19	2
Ayr,	25,599	71	21	57	0	0	0	1	4	0	0	0	0	14	8
Banff, with Macduff,	9,298	26	10	8	0	0	0	0	0	0	0	0	0	1	1
Blairgowrie,	5,034	6	8	5	0	0	0	0	0	0	0	0	0	1	2
Campbeltown,	10,985	29	3	23	0	2	0	0	0	0	1	0	1	3	0
Crieff,	5,099	8	5	6	0	0	0	0	0	0	0	0	0	0	1
Dumbarton,	16,405	58	13	41	0	1	0	0	0	0	1	0	1	12	3
Dumfries, with Troqueer,	24,525	58	20	99	0	1	0	0	2	1	12	0	1	21	8
Dunfermline,	29,569	72	19	44	0	4	0	0	2	1	0	0	2	12	2
Elgin,	10,023	30	6	26	0	3	0	1	0	0	0	0	0	5	0
Falkirk (Burgh),	17,735	47	15	40	0	3	0	0	0	0	5	0	0	11	7
Forfar,	16,464	33	8	38	0	2	0	0	0	0	0	0	0	10	5
Galashiels,	15,008	32	8	21	0	2	0	0	0	1	0	0	0	3	0
Haddington,	5,591	7	1	15	0	0	0	0	0	0	0	0	0	0	1
Hawick, with Wilton,	23,698	41	22	34	0	0	0	0	0	1	0	0	0	12	2
Inverness,	25,141	52	25	35	0	0	0	0	0	0	0	0	0	6	0
Kilmarnock,	27,640	64	30	69	0	6	0	4	2	3	0	0	0	22	3
Kirkcaldy and Abbotshall,	18,353	52	11	31	0	0	0	0	0	1	0	0	1	11	1
Kirkcudbright,	3,607	6	4	7	0	0	0	0	0	0	0	0	0	2	0
Montrose,	16,799	27	9	25	0	0	0	0	0	0	0	0	0	3	2
New Monkland, with Landward,	33,498	134	20	73	0	8	1	0	0	2	1	0	3	21	4
Peterhead, with Boddam,	17,384	71	17	37	0	0	0	0	0	2	4	0	0	8	0
Rothsay,	8,850	18	2	18	0	5	0	0	0	0	0	0	0	3	2
Shettleston,	11,179	37	8	24	0	0	0	0	0	0	0	0	0	7	6
Stirling,	15,729	40	11	43	0	8	0	1	0	0	1	0	2	11	3
Stranraer,	6,849	20	7	15	0	0	0	0	0	0	0	0	0	5	1
Wick,	12,403	21	10	27	0	2	2	3	0	0	0	0	0	2	1
Glasgow—Landward and Suburban. Census Population.															
Catcart,	12,211	40	9	30	0	0	1	0	2	1	0	0	0	6	1
Eastwood,	13,915	54	10	38	0	0	0	0	0	0	2	0	0	12	7
Maryhill,	18,885	88	15	36	0	0	0	0	0	1	1	0	0	9	3
Dennistoun (Landward)	6,009	24	5	32	0	1	0	0	0	0	1	0	2	8	3
St Rollox (Landward),	945	6	0	2	0	1	0	0	0	0	0	0	0	0	0
Hutchesontown (Landwd.)	5,951	29	2	14	0	0	0	0	0	2	0	0	0	6	1
Gorbals (Landward),	5,011	22	3	11	0	0	0	1	0	0	0	0	0	4	0
Tradeston (Landward),	5,451	12	4	8	0	0	0	0	0	1	0	0	0	1	3
Kinning Park (Landward)	15,752	50	24	26	0	0	0	0	0	0	0	0	0	7	6
Plantation,	18,405	67	16	35	0	0	0	1	3	2	0	0	0	5	3
Govan,	33,510	122	18	106	0	0	3	7	1	0	5	0	1	37	6
Partick,	39,028	149	26	74	0	0	1	2	3	1	3	0	1	15	4

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 139 feet above the sea-level,

For the month of **DECEMBER 1890.**

Mean Barometric pressure, 30.104 inches; greater than the average of the same month for 1856-89 by 0.301 inch.

Barometric monthly range, 1.309 inch; less by 0.276 inch.

Mean temperature, $35^{\circ}8$; less by $2^{\circ}8$.

Mean daily range of temperature, $7^{\circ}8$; less by $1^{\circ}6$.

Mean humidity, 86; less by 1.

Rain, number of days, 13; less by 4.

Rain, depth in inches, 1.93; less by 1.94 inches.

Wind, pressure on square foot, 0.87 lb.; less by 1.05 lb.

Wind, direction of, E. to W. as 12 to 5, and N. to S. as 4 to 5; the average being E. to W. as 4 to 13, and N. to S. as 4 to 6.

Hence December has been a relatively dry, cold month, with a very marked prevalence of light winds from the East.

The barometric pressure was unusually high, and the temperature exceptionally low; while the range in both factors was very restricted.

The shade temperature fell to 17° at Aberdeen, and as low as 13° at Perth on the night of the 20th.

On the whole the rainfall was exactly half the usual quantity, but, strangely enough, it was least at Glasgow and Greenock which are usually the wettest of the towns, while Aberdeen, a relatively dry station, recorded 2.95 inches, with 22 days of falling.

The most striking feature of the past year has been the postponement of the season of greatest warmth until the month of September, while July is usually the warmest month. In fact, the mean monthly temperature in the towns steadily rose from $37^{\circ}9$ in February to $57^{\circ}7$ in September, to fall as low as $35^{\circ}8$ in December.

The rainfall is, for the eighth consecutive time, below the average for the last thirty-four years, but this time only by the scarcely appreciable quantity of 0.25 inch. The total rainfall in the towns for the last eight years is now 45.26 inches less than the corresponding average up to 1882.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, GREENOCK, LEITH, and PERTH,

During the Month of DECEMBER 1890.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.	DEDUCTIONS from Glaisher's Tables 2nd Edit.				RAIN.		WINDS.										Mean Pres- sure on Sq. ft.	lbs.				
		Mean at Station and 32°.	Mean at Sea-level and 32°.	Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.		Dry Bulb, or Temp. of Air	Dew-point Temperature.	Elastic Force of Vapour.	Ft. of Air.	Wt. of Va- pour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.										Calm or Variable.			
																				N	NE	E	SE	S	SW	W	NW						
GLASGOW, J. B. FJESSELL, Esq., M.D., Med. al Officer of Health.	54	30-032	30-091	1-296	53-9	20-4	35-4	33-5	8-9	17-2	°	°	°	35-7	34-3	32-2	153	2-03	87	6	1-46	2	1	6	0	1	1	3	4	13	0-06	0-06	
EDINBURGH, JAMES BUCHANAN Esq., and R. C. MOSSMAN, Esq.	282	29-794	30-104	1-270	54-9	23-2	35-3	31-7	6-8	16-0	°	°	°	35-2	33-3	31-6	178	2-08	96	10	1-55	1	2	6	3	3	0	4	0	12	
DUNDEE, W. R. M'KELVIE, Esq., Cura- tor of Cemeteries.	164	29-922	30-102	1-310	51-3	22-9	35-2	28-4	6-3	16-5	°	°	°	35-3	33-3	31-5	177	2-07	86	12	2-27	2	8	3	7	1	2	3	4	0	0-86	0-86	
ABERDEEN, JAMES DALE, Esq., Gordon's Hospital.	66	30-044	30-118	1-394	54-2	17-0	37-7	37-2	8-0	22-0	°	°	°	35-2	36-3	33-7	194	2-24	84	22	2-95	2	3	0	8	7	3	2	1	0	0-96	0-96	
PAISLEY, DONALD MACLEAN, Esq., The Coats Observatory.	107	°	°	°
GREENOCK, JAMES WILSON, Esq., Green- ock Water Works.	233	29-854	30-110	1-269	51-7	25-8	36-2	25-9	7-9	17-4	°	°	°	37-4	35-4	32-6	186	2-14	83	10	1-36	0	3	17	1	0	0	4	1	5	0-81	0-81	
LEITH, JAMES BOLAM, Esq., Navi- gation School, and GEORGE REDPATH, Esq.	70	30-032	30-099	1-296	55-6	24-9	36-3	30-7	6-9	15-4	°	°	°	36-6	35-0	32-8	156	2-14	86	12	1-45	3	0	12	3	2	0	7	0	4	1-54	1-54	
PERTH, Mr A. GARDNER, Gardener to James F. Pullar, Esq.	110	29-940	30-103	1-330	53-5	13-0	34-0	40-5	9-3	23-5	°	°	°	34-6	33-4	31-4	177	2-03	88	16	2-26	1	3	22	4	0	1	0	0	0
Means	139	...	30-104	1-309	55-6	13-9	35-8	32-6	7-8	18-2	°	°	°	36-1	34-6	32-3	183	2-12	86	13	1-93	2	3	9	4	2	2	3	1	5	0-87	0-87	
North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 55° 50'; Greenock, 55° 57'; Leith, 55° 53'; Perth, 56° 23'; Mean, 56° 12'. West Longitude.—Glasgow, 4° 13'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Greenock, 4° 45'; Leith, 3° 26'; Perth, 3° 30'.																																	

North Latitude.—Glasgow, 56° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Paisley, 55° 50'; Greenock, 55° 53'; Perth, 56° 23'; Mean, 56° 12'.
 West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Paisley, 4° 27'; Greenock, 4° 45'; Leith, 3° 8'; Perth, 3° 26'; Mean, 3° 30'.

* Absolute Highest. † Absolute Lowest.